

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
17 May 2001 (17.05.2001)

PCT

(10) International Publication Number
WO 01/34802 A2

(51) International Patent Classification: C12N 15/12,
15/62, 15/11, 1/21, 5/10, C07K 14/47, 16/18, 19/00, A61K
38/17, 31/70, 39/395, 48/00, G01N 33/68, C12Q 1/68

(21) International Application Number: PCT/US00/30904

(22) International Filing Date:
9 November 2000 (09.11.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/439,313 12 November 1999 (12.11.1999) US
09/443,686 18 November 1999 (18.11.1999) US

(71) Applicant (for all designated States except US): CORIXA
CORPORATION [US/US]; Suite 200, 1124 Columbia
Street, Seattle, WA 98104 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): XU, Jiangchun
[US/US]; 15805 SE 43rd Place, Bellevue, WA 98006


(US). DILLON, Davin, C. [US/US]; 18112 NW Mon-
treux Drive, Issaquah, WA 98027 (US). MITCHAM,
Jennifer, L. [US/US]; 16677 NE 88th Street, Redmond,
WA 98052 (US). HARLOCKER, Susan, L. [US/US];
7522 - 13th Avenue W., Seattle, WA 98117 (US). JIANG,
Yuqiu [CN/US]; 5001 South 232nd Street, Kent, WA
98032 (US). REED, Steven, G. [US/US]; 2843 - 122nd
Place NE, Bellevue, WA 98005 (US). KALOS, Michael,
D. [US/US]; 8116 Dayton Ave. N., Seattle, WA 98103
(US). RETTER, Marc, W. [US/US]; 33402 NE 43rd
Place, Carnation, WA 98014 (US). STOLK, John, A.
[US/US]; 7436 Northeast 144th Place, Bothell, WA 98011
(US). DAY, Craig, H. [US/US]; 11501 Stone Ave. N.,
C122, Seattle, WA 98133-8317 (US). SKEIKY, Yasir,
A.W. [CA/US]; 15106 SE 47th Place, Bellevue, WA 98006
(US). WANG, Aijun [CN/US]; 3106 213th Place. SE,
Issaquah, WA 98029 (US).

(74) Agents: POTTER, Jane, E., R.; Seed Intellectual Prop-
erty Law Group PLLC, Suite 6300, 701 Fifth Avenue, Seat-
tle, WA 98104-7092 et al. (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,

[Continued on next page]

(54) Title: COMPOSITIONS AND METHODS FOR THE THERAPY AND DIAGNOSIS OF PROSTATE CANCER



(57) Abstract: Compositions and methods for the therapy and diagnosis of cancer, such as prostate cancer, are disclosed. Compositions may comprise one or more prostate-specific proteins, immunogenic portions thereof, or polynucleotides that encode such portions. Alternatively, a therapeutic composition may comprise an antigen presenting cell that expresses a prostate-specific protein, or a T cell that is specific for cells expressing such a protein. Such compositions may be used, for example, for the prevention and treatment of diseases such as prostate cancer. Diagnostic methods based on detecting a prostate-specific protein, or mRNA encoding such a protein, in a sample are also provided.

WO 01/34802 A2



DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,

IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

COMPOSITIONS AND METHODS FOR THE THERAPY AND DIAGNOSIS OF PROSTATE CANCER

5 TECHNICAL FIELD

The present invention relates generally to therapy and diagnosis of cancer, such as prostate cancer. The invention is more specifically related to polypeptides comprising at least a portion of a prostate-specific protein, and to polynucleotides encoding such polypeptides. Such polypeptides and polynucleotides may be used in vaccines and pharmaceutical compositions for
10 prevention and treatment of prostate cancer, and for the diagnosis and monitoring of such cancers.

BACKGROUND OF THE INVENTION

Prostate cancer is the most common form of cancer among males, with an estimated incidence of 30% in men over the age of 50. Overwhelming clinical evidence shows that human prostate cancer has the propensity to metastasize to bone, and the disease appears to progress
15 inevitably from androgen dependent to androgen refractory status, leading to increased patient mortality. This prevalent disease is currently the second leading cause of cancer death among men in the U.S.

In spite of considerable research into therapies for the disease, prostate cancer remains difficult to treat. Commonly, treatment is based on surgery and/or radiation therapy, but
20 these methods are ineffective in a significant percentage of cases. Two previously identified prostate specific proteins - prostate specific antigen (PSA) and prostatic acid phosphatase (PAP) - have limited therapeutic and diagnostic potential. For example, PSA levels do not always correlate well with the presence of prostate cancer, being positive in a percentage of non-prostate cancer cases, including benign prostatic hyperplasia (BPH). Furthermore, PSA measurements correlate
25 with prostate volume, and do not indicate the level of metastasis.

In spite of considerable research into therapies for these and other cancers, prostate cancer remains difficult to diagnose and treat effectively. Accordingly, there is a need in the art for improved methods for detecting and treating such cancers. The present invention fulfills these needs and further provides other related advantages.

30 SUMMARY OF THE INVENTION

Briefly stated, the present invention provides compositions and methods for the

diagnosis and therapy of cancer, such as prostate cancer. In one aspect, the present invention provides polypeptides comprising at least a portion of a prostate-specific protein, or a variant thereof. Certain portions and other variants are immunogenic, such that the ability of the variant to react with antigen-specific antisera is not substantially diminished. Within certain embodiments, the polypeptide comprises at least an immunogenic portion of a prostate-specific protein, or a variant thereof, wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of: (a) sequences recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382, 384-476, 524, 526, 530, 531, 533, 535 and 536; (b) sequences that hybridize to any of the foregoing sequences under moderately stringent conditions; and (c) complements of any of the sequence of (a) or (b). In certain specific embodiments, such a polypeptide comprises at least a portion, or variant thereof, of a protein that includes an amino acid sequence selected from the group consisting of sequences recited in any one of SEQ ID NO: 112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380, 383, 477-483, 496, 504, 505, 519, 520, 522, 525, 527, 532, 534, 537-550.

The present invention further provides polynucleotides that encode a polypeptide as described above, or a portion thereof (such as a portion encoding at least 15 amino acid residues of a prostate-specific protein), expression vectors comprising such polynucleotides and host cells transformed or transfected with such expression vectors.

Within other aspects, the present invention provides pharmaceutical compositions comprising a polypeptide or polynucleotide as described above and a physiologically acceptable carrier.

Within a related aspect of the present invention, vaccines for prophylactic or therapeutic use are provided. Such vaccines comprise a polypeptide or polynucleotide as described above and an immunostimulant.

The present invention further provides pharmaceutical compositions that comprise: (a) an antibody or antigen-binding fragment thereof that specifically binds to a prostate-specific protein; and (b) a physiologically acceptable carrier. In certain embodiments, the present invention provides monoclonal antibodies that specifically bind to an amino acid sequence selected from the group consisting of SEQ ID NO: 496, 504, 505, 509-517, 522 and 541-550, together with monoclonal antibodies comprising a complementarity determining region selected from the group consisting of SEQ ID NO: 502, 503 and 506-508.

Within further aspects, the present invention provides pharmaceutical compositions comprising: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a pharmaceutically acceptable carrier or excipient. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B cells.

5 Within related aspects, vaccines are provided that comprise: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) an immunostimulant.

The present invention further provides, in other aspects, fusion proteins that comprise at least one polypeptide as described above, as well as polynucleotides encoding such fusion proteins.

10 Within related aspects, pharmaceutical compositions comprising a fusion protein, or a polynucleotide encoding a fusion protein, in combination with a physiologically acceptable carrier are provided.

Vaccines are further provided, within other aspects, that comprise a fusion protein, or a polynucleotide encoding a fusion protein, in combination with an immunostimulant.

15 Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient a pharmaceutical composition or vaccine as recited above.

The present invention further provides, within other aspects, methods for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that
20 specifically react with a prostate-specific protein, wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the protein from the sample.

Within related aspects, methods are provided for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated as described
25 above.

Methods are further provided, within other aspects, for stimulating and/or expanding T cells specific for a prostate-specific protein, comprising contacting T cells with one or more of: (i) a polypeptide as described above; (ii) a polynucleotide encoding such a polypeptide; and/or (iii) an antigen presenting cell that expresses such a polypeptide; under conditions and for a time
30 sufficient to permit the stimulation and/or expansion of T cells. Isolated T cell populations comprising T cells prepared as described above are also provided.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population as described above.

The present invention further provides methods for inhibiting the development of a cancer in a patient, comprising the steps of: (a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with one or more of: (i) a polypeptide comprising at least an immunogenic portion of a prostate-specific protein; (ii) a polynucleotide encoding such a polypeptide; and (iii) an antigen-presenting cell that expressed such a polypeptide; and (b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient.

10 Proliferated cells may, but need not, be cloned prior to administration to the patient.

Within further aspects, the present invention provides methods for determining the presence or absence of a cancer in a patient, comprising: (a) contacting a biological sample obtained from a patient with a binding agent that binds to a polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and (c) comparing the amount of polypeptide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within preferred embodiments, the binding agent is an antibody, more preferably a monoclonal antibody. The cancer may be prostate cancer.

15

The present invention also provides, within other aspects, methods for monitoring the progression of a cancer in a patient. Such methods comprise the steps of: (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polypeptide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

20

25

The present invention further provides, within other aspects, methods for determining the presence or absence of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate-specific protein; (b) detecting in the sample a level of a polynucleotide, preferably mRNA, that hybridizes to the oligonucleotide; and (c) comparing the level of polynucleotide that hybridizes to the oligonucleotide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within certain

30

embodiments, the amount of mRNA is detected via polymerase chain reaction using, for example, at least one oligonucleotide primer that hybridizes to a polynucleotide encoding a polypeptide as recited above, or a complement of such a polynucleotide. Within other embodiments, the amount of mRNA is detected using a hybridization technique, employing an oligonucleotide probe that
5 hybridizes to a polynucleotide that encodes a polypeptide as recited above, or a complement of such a polynucleotide.

In related aspects, methods are provided for monitoring the progression of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate-specific protein; (b)
10 detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polynucleotide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

Within further aspects, the present invention provides antibodies, such as
15 monoclonal antibodies, that bind to a polypeptide as described above, as well as diagnostic kits comprising such antibodies. Diagnostic kits comprising one or more oligonucleotide probes or primers as described above are also provided.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed
20 herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

BRIEF DESCRIPTION OF THE DRAWINGS AND SEQUENCE IDENTIFIERS

Figure 1 illustrates the ability of T cells to kill fibroblasts expressing the representative prostate-specific polypeptide P502S, as compared to control fibroblasts. The
25 percentage lysis is shown as a series of effector:target ratios, as indicated.

Figures 2A and 2B illustrate the ability of T cells to recognize cells expressing the representative prostate-specific polypeptide P502S. In each case, the number of γ -interferon spots is shown for different numbers of responders. In Figure 2A, data is presented for fibroblasts pulsed with the P2S-12 peptide, as compared to fibroblasts pulsed with a control E75 peptide. In Figure
30 2B, data is presented for fibroblasts expressing P502S, as compared to fibroblasts expressing HER-2/neu.

Figure 3 represents a peptide competition binding assay showing that the P1S#10 peptide, derived from P501S, binds HLA-A2. Peptide P1S#10 inhibits HLA-A2 restricted presentation of fluM58 peptide to CTL clone D150M58 in TNF release bioassay. D150M58 CTL is specific for the HLA-A2 binding influenza matrix peptide fluM58.

5 Figure 4 illustrates the ability of T cell lines generated from P1S#10 immunized mice to specifically lyse P1S#10-pulsed Jurkat A2Kb targets and P501S-transduced Jurkat A2Kb targets, as compared to EGFP-transduced Jurkat A2Kb. The percent lysis is shown as a series of effector to target ratios, as indicated.

10 Figure 5 illustrates the ability of a T cell clone to recognize and specifically lyse Jurkat A2Kb cells expressing the representative prostate-specific polypeptide P501S, thereby demonstrating that the P1S#10 peptide may be a naturally processed epitope of the P501S polypeptide.

Figures 6A and 6B are graphs illustrating the specificity of a CD8⁺ cell line (3A-1) for a representative prostate-specific antigen (P501S). Figure 6A shows the results of a ⁵¹Cr release assay. The percent specific lysis is shown as a series of effector:target ratios, as indicated. Figure 6B shows the production of interferon-gamma by 3A-1 cells stimulated with autologous B-LCL transduced with P501S, at varying effector:target ratios as indicated.

Figure 7 is a Western blot showing the expression of P501S in baculovirus.

Figure 8 illustrates the results of epitope mapping studies on P501S.

20 Figure 9 is a schematic representation of the P501S protein showing the location of transmembrane domains and predicted intracellular and extracellular domains.

Figure 10 is a genomic map showing the location of the prostate genes P775P, P704P, B305D, P712P and P774P within the Cat Eye Syndrome region of chromosome 22q11.2

25 Figure 11 shows the results of an ELISA assay of antibody specificity to P501S peptides.

SEQ ID NO: 1 is the determined cDNA sequence for F1-13

SEQ ID NO: 2 is the determined 3' cDNA sequence for F1-12

SEQ ID NO: 3 is the determined 5' cDNA sequence for F1-12

SEQ ID NO: 4 is the determined 3' cDNA sequence for F1-16

30 SEQ ID NO: 5 is the determined 3' cDNA sequence for H1-1

SEQ ID NO: 6 is the determined 3' cDNA sequence for H1-9

SEQ ID NO: 7 is the determined 3' cDNA sequence for H1-4

- SEQ ID NO: 8 is the determined 3' cDNA sequence for J1-17
SEQ ID NO: 9 is the determined 5' cDNA sequence for J1-17
SEQ ID NO: 10 is the determined 3' cDNA sequence for L1-12
SEQ ID NO: 11 is the determined 5' cDNA sequence for L1-12
5 SEQ ID NO: 12 is the determined 3' cDNA sequence for N1-1862
SEQ ID NO: 13 is the determined 5' cDNA sequence for N1-1862
SEQ ID NO: 14 is the determined 3' cDNA sequence for J1-13
SEQ ID NO: 15 is the determined 5' cDNA sequence for J1-13
SEQ ID NO: 16 is the determined 3' cDNA sequence for J1-19
10 SEQ ID NO: 17 is the determined 5' cDNA sequence for J1-19
SEQ ID NO: 18 is the determined 3' cDNA sequence for J1-25
SEQ ID NO: 19 is the determined 5' cDNA sequence for J1-25
SEQ ID NO: 20 is the determined 5' cDNA sequence for J1-24
SEQ ID NO: 21 is the determined 3' cDNA sequence for J1-24
15 SEQ ID NO: 22 is the determined 5' cDNA sequence for K1-58
SEQ ID NO: 23 is the determined 3' cDNA sequence for K1-58
SEQ ID NO: 24 is the determined 5' cDNA sequence for K1-63
SEQ ID NO: 25 is the determined 3' cDNA sequence for K1-63
SEQ ID NO: 26 is the determined 5' cDNA sequence for L1-4
20 SEQ ID NO: 27 is the determined 3' cDNA sequence for L1-4
SEQ ID NO: 28 is the determined 5' cDNA sequence for L1-14
SEQ ID NO: 29 is the determined 3' cDNA sequence for L1-14
SEQ ID NO: 30 is the determined 3' cDNA sequence for J1-12
SEQ ID NO: 31 is the determined 3' cDNA sequence for J1-16
25 SEQ ID NO: 32 is the determined 3' cDNA sequence for J1-21
SEQ ID NO: 33 is the determined 3' cDNA sequence for K1-48
SEQ ID NO: 34 is the determined 3' cDNA sequence for K1-55
SEQ ID NO: 35 is the determined 3' cDNA sequence for L1-2
SEQ ID NO: 36 is the determined 3' cDNA sequence for L1-6
30 SEQ ID NO: 37 is the determined 3' cDNA sequence for N1-1858
SEQ ID NO: 38 is the determined 3' cDNA sequence for N1-1860
SEQ ID NO: 39 is the determined 3' cDNA sequence for N1-1861

- SEQ ID NO: 40 is the determined 3' cDNA sequence for N1-1864
- SEQ ID NO: 41 is the determined cDNA sequence for P5
- SEQ ID NO: 42 is the determined cDNA sequence for P8
- SEQ ID NO: 43 is the determined cDNA sequence for P9
- 5 SEQ ID NO: 44 is the determined cDNA sequence for P18
- SEQ ID NO: 45 is the determined cDNA sequence for P20
- SEQ ID NO: 46 is the determined cDNA sequence for P29
- SEQ ID NO: 47 is the determined cDNA sequence for P30
- SEQ ID NO: 48 is the determined cDNA sequence for P34
- 10 SEQ ID NO: 49 is the determined cDNA sequence for P36
- SEQ ID NO: 50 is the determined cDNA sequence for P38
- SEQ ID NO: 51 is the determined cDNA sequence for P39
- SEQ ID NO: 52 is the determined cDNA sequence for P42
- SEQ ID NO: 53 is the determined cDNA sequence for P47
- 15 SEQ ID NO: 54 is the determined cDNA sequence for P49
- SEQ ID NO: 55 is the determined cDNA sequence for P50
- SEQ ID NO: 56 is the determined cDNA sequence for P53
- SEQ ID NO: 57 is the determined cDNA sequence for P55
- SEQ ID NO: 58 is the determined cDNA sequence for P60
- 20 SEQ ID NO: 59 is the determined cDNA sequence for P64
- SEQ ID NO: 60 is the determined cDNA sequence for P65
- SEQ ID NO: 61 is the determined cDNA sequence for P73
- SEQ ID NO: 62 is the determined cDNA sequence for P75
- SEQ ID NO: 63 is the determined cDNA sequence for P76
- 25 SEQ ID NO: 64 is the determined cDNA sequence for P79
- SEQ ID NO: 65 is the determined cDNA sequence for P84
- SEQ ID NO: 66 is the determined cDNA sequence for P68
- SEQ ID NO: 67 is the determined cDNA sequence for P80
- SEQ ID NO: 68 is the determined cDNA sequence for P82
- 30 SEQ ID NO: 69 is the determined cDNA sequence for U1-3064
- SEQ ID NO: 70 is the determined cDNA sequence for U1-3065
- SEQ ID NO: 71 is the determined cDNA sequence for V1-3692

- SEQ ID NO: 72 is the determined cDNA sequence for 1A-3905
SEQ ID NO: 73 is the determined cDNA sequence for V1-3686
SEQ ID NO: 74 is the determined cDNA sequence for R1-2330
SEQ ID NO: 75 is the determined cDNA sequence for 1B-3976
5 SEQ ID NO: 76 is the determined cDNA sequence for V1-3679
SEQ ID NO: 77 is the determined cDNA sequence for 1G-4736
SEQ ID NO: 78 is the determined cDNA sequence for 1G-4738
SEQ ID NO: 79 is the determined cDNA sequence for 1G-4741
SEQ ID NO: 80 is the determined cDNA sequence for 1G-4744
10 SEQ ID NO: 81 is the determined cDNA sequence for 1G-4734
SEQ ID NO: 82 is the determined cDNA sequence for 1H-4774
SEQ ID NO: 83 is the determined cDNA sequence for 1H-4781
SEQ ID NO: 84 is the determined cDNA sequence for 1H-4785
SEQ ID NO: 85 is the determined cDNA sequence for 1H-4787
15 SEQ ID NO: 86 is the determined cDNA sequence for 1H-4796
SEQ ID NO: 87 is the determined cDNA sequence for 1I-4807
SEQ ID NO: 88 is the determined cDNA sequence for 1I-4810
SEQ ID NO: 89 is the determined cDNA sequence for 1I-4811
SEQ ID NO: 90 is the determined cDNA sequence for 1J-4876
20 SEQ ID NO: 91 is the determined cDNA sequence for 1K-4884
SEQ ID NO: 92 is the determined cDNA sequence for 1K-4896
SEQ ID NO: 93 is the determined cDNA sequence for 1G-4761
SEQ ID NO: 94 is the determined cDNA sequence for 1G-4762
SEQ ID NO: 95 is the determined cDNA sequence for 1H-4766
25 SEQ ID NO: 96 is the determined cDNA sequence for 1H-4770
SEQ ID NO: 97 is the determined cDNA sequence for 1H-4771
SEQ ID NO: 98 is the determined cDNA sequence for 1H-4772
SEQ ID NO: 99 is the determined cDNA sequence for 1D-4297
SEQ ID NO: 100 is the determined cDNA sequence for 1D-4309
30 SEQ ID NO: 101 is the determined cDNA sequence for 1D.1-4278
SEQ ID NO: 102 is the determined cDNA sequence for 1D-4288
SEQ ID NO: 103 is the determined cDNA sequence for 1D-4283

SEQ ID NO: 104 is the determined cDNA sequence for 1D-4304

SEQ ID NO: 105 is the determined cDNA sequence for 1D-4296

SEQ ID NO: 106 is the determined cDNA sequence for 1D-4280

SEQ ID NO: 107 is the determined full length cDNA sequence for F1-12 (also referred to as P504S)

5

SEQ ID NO: 108 is the predicted amino acid sequence for F1-12

SEQ ID NO: 109 is the determined full length cDNA sequence for J1-17

SEQ ID NO: 110 is the determined full length cDNA sequence for L1-12 (also referred to as P501S)

SEQ ID NO: 111 is the determined full length cDNA sequence for N1-1862 (also referred to as

10 P503S)

SEQ ID NO: 112 is the predicted amino acid sequence for J1-17

SEQ ID NO: 113 is the predicted amino acid sequence for L1-12 (also referred to as P501S)

SEQ ID NO: 114 is the predicted amino acid sequence for N1-1862 (also referred to as P503S)

SEQ ID NO: 115 is the determined cDNA sequence for P89

15 SEQ ID NO: 116 is the determined cDNA sequence for P90

SEQ ID NO: 117 is the determined cDNA sequence for P92

SEQ ID NO: 118 is the determined cDNA sequence for P95

SEQ ID NO: 119 is the determined cDNA sequence for P98

SEQ ID NO: 120 is the determined cDNA sequence for P102

20 SEQ ID NO: 121 is the determined cDNA sequence for P110

SEQ ID NO: 122 is the determined cDNA sequence for P111

SEQ ID NO: 123 is the determined cDNA sequence for P114

SEQ ID NO: 124 is the determined cDNA sequence for P115

SEQ ID NO: 125 is the determined cDNA sequence for P116

25 SEQ ID NO: 126 is the determined cDNA sequence for P124

SEQ ID NO: 127 is the determined cDNA sequence for P126

SEQ ID NO: 128 is the determined cDNA sequence for P130

SEQ ID NO: 129 is the determined cDNA sequence for P133

SEQ ID NO: 130 is the determined cDNA sequence for P138

30 SEQ ID NO: 131 is the determined cDNA sequence for P143

SEQ ID NO: 132 is the determined cDNA sequence for P151

SEQ ID NO: 133 is the determined cDNA sequence for P156

- SEQ ID NO: 134 is the determined cDNA sequence for P157
SEQ ID NO: 135 is the determined cDNA sequence for P166
SEQ ID NO: 136 is the determined cDNA sequence for P176
SEQ ID NO: 137 is the determined cDNA sequence for P178
5 SEQ ID NO: 138 is the determined cDNA sequence for P179
SEQ ID NO: 139 is the determined cDNA sequence for P185
SEQ ID NO: 140 is the determined cDNA sequence for P192
SEQ ID NO: 141 is the determined cDNA sequence for P201
SEQ ID NO: 142 is the determined cDNA sequence for P204
10 SEQ ID NO: 143 is the determined cDNA sequence for P208
SEQ ID NO: 144 is the determined cDNA sequence for P211
SEQ ID NO: 145 is the determined cDNA sequence for P213
SEQ ID NO: 146 is the determined cDNA sequence for P219
SEQ ID NO: 147 is the determined cDNA sequence for P237
15 SEQ ID NO: 148 is the determined cDNA sequence for P239
SEQ ID NO: 149 is the determined cDNA sequence for P248
SEQ ID NO: 150 is the determined cDNA sequence for P251
SEQ ID NO: 151 is the determined cDNA sequence for P255
SEQ ID NO: 152 is the determined cDNA sequence for P256
20 SEQ ID NO: 153 is the determined cDNA sequence for P259
SEQ ID NO: 154 is the determined cDNA sequence for P260
SEQ ID NO: 155 is the determined cDNA sequence for P263
SEQ ID NO: 156 is the determined cDNA sequence for P264
SEQ ID NO: 157 is the determined cDNA sequence for P266
25 SEQ ID NO: 158 is the determined cDNA sequence for P270
SEQ ID NO: 159 is the determined cDNA sequence for P272
SEQ ID NO: 160 is the determined cDNA sequence for P278
SEQ ID NO: 161 is the determined cDNA sequence for P105
SEQ ID NO: 162 is the determined cDNA sequence for P107
30 SEQ ID NO: 163 is the determined cDNA sequence for P137
SEQ ID NO: 164 is the determined cDNA sequence for P194
SEQ ID NO: 165 is the determined cDNA sequence for P195

- SEQ ID NO: 166 is the determined cDNA sequence for P196
- SEQ ID NO: 167 is the determined cDNA sequence for P220
- SEQ ID NO: 168 is the determined cDNA sequence for P234
- SEQ ID NO: 169 is the determined cDNA sequence for P235
- 5 SEQ ID NO: 170 is the determined cDNA sequence for P243
- SEQ ID NO: 171 is the determined cDNA sequence for P703P-DE1
- SEQ ID NO: 172 is the predicted amino acid sequence for P703P-DE1
- SEQ ID NO: 173 is the determined cDNA sequence for P703P-DE2
- SEQ ID NO: 174 is the determined cDNA sequence for P703P-DE6
- 10 SEQ ID NO: 175 is the determined cDNA sequence for P703P-DE13
- SEQ ID NO: 176 is the predicted amino acid sequence for P703P-DE13
- SEQ ID NO: 177 is the determined cDNA sequence for P703P-DE14
- SEQ ID NO: 178 is the predicted amino acid sequence for P703P-DE14
- SEQ ID NO: 179 is the determined extended cDNA sequence for 1G-4736
- 15 SEQ ID NO: 180 is the determined extended cDNA sequence for 1G-4738
- SEQ ID NO: 181 is the determined extended cDNA sequence for 1G-4741
- SEQ ID NO: 182 is the determined extended cDNA sequence for 1G-4744
- SEQ ID NO: 183 is the determined extended cDNA sequence for 1H-4774
- SEQ ID NO: 184 is the determined extended cDNA sequence for 1H-4781
- 20 SEQ ID NO: 185 is the determined extended cDNA sequence for 1H-4785
- SEQ ID NO: 186 is the determined extended cDNA sequence for 1H-4787
- SEQ ID NO: 187 is the determined extended cDNA sequence for 1H-4796
- SEQ ID NO: 188 is the determined extended cDNA sequence for 1I-4807
- SEQ ID NO: 189 is the determined 3' cDNA sequence for 1I-4810
- 25 SEQ ID NO: 190 is the determined 3' cDNA sequence for 1I-4811
- SEQ ID NO: 191 is the determined extended cDNA sequence for 1J-4876
- SEQ ID NO: 192 is the determined extended cDNA sequence for 1K-4884
- SEQ ID NO: 193 is the determined extended cDNA sequence for 1K-4896
- SEQ ID NO: 194 is the determined extended cDNA sequence for 1G-4761
- 30 SEQ ID NO: 195 is the determined extended cDNA sequence for 1G-4762
- SEQ ID NO: 196 is the determined extended cDNA sequence for 1H-4766
- SEQ ID NO: 197 is the determined 3' cDNA sequence for 1H-4770

- SEQ ID NO: 198 is the determined 3' cDNA sequence for 1H-4771
- SEQ ID NO: 199 is the determined extended cDNA sequence for 1H-4772
- SEQ ID NO: 200 is the determined extended cDNA sequence for 1D-4309
- SEQ ID NO: 201 is the determined extended cDNA sequence for 1D.1-4278
- 5 SEQ ID NO: 202 is the determined extended cDNA sequence for 1D-4288
- SEQ ID NO: 203 is the determined extended cDNA sequence for 1D-4283
- SEQ ID NO: 204 is the determined extended cDNA sequence for 1D-4304
- SEQ ID NO: 205 is the determined extended cDNA sequence for 1D-4296
- SEQ ID NO: 206 is the determined extended cDNA sequence for 1D-4280
- 10 SEQ ID NO: 207 is the determined cDNA sequence for 10-d8fwd
- SEQ ID NO: 208 is the determined cDNA sequence for 10-H10con
- SEQ ID NO: 209 is the determined cDNA sequence for 11-C8rev
- SEQ ID NO: 210 is the determined cDNA sequence for 7.g6fwd
- SEQ ID NO: 211 is the determined cDNA sequence for 7.g6rev
- 15 SEQ ID NO: 212 is the determined cDNA sequence for 8-b5fwd
- SEQ ID NO: 213 is the determined cDNA sequence for 8-b5rev
- SEQ ID NO: 214 is the determined cDNA sequence for 8-b6fwd
- SEQ ID NO: 215 is the determined cDNA sequence for 8-b6 rev
- SEQ ID NO: 216 is the determined cDNA sequence for 8-d4fwd
- 20 SEQ ID NO: 217 is the determined cDNA sequence for 8-d9rev
- SEQ ID NO: 218 is the determined cDNA sequence for 8-g3fwd
- SEQ ID NO: 219 is the determined cDNA sequence for 8-g3rev
- SEQ ID NO: 220 is the determined cDNA sequence for 8-h11 rev
- SEQ ID NO: 221 is the determined cDNA sequence for g-f12fwd
- 25 SEQ ID NO: 222 is the determined cDNA sequence for g-f3rev
- SEQ ID NO: 223 is the determined cDNA sequence for P509S
- SEQ ID NO: 224 is the determined cDNA sequence for P510S
- SEQ ID NO: 225 is the determined cDNA sequence for P703DE5
- SEQ ID NO: 226 is the determined cDNA sequence for 9-A11
- 30 SEQ ID NO: 227 is the determined cDNA sequence for 8-C6
- SEQ ID NO: 228 is the determined cDNA sequence for 8-H7
- SEQ ID NO: 229 is the determined cDNA sequence for JPTPN13

- SEQ ID NO: 230 is the determined cDNA sequence for JPTPN14
SEQ ID NO: 231 is the determined cDNA sequence for JPTPN23
SEQ ID NO: 232 is the determined cDNA sequence for JPTPN24
SEQ ID NO: 233 is the determined cDNA sequence for JPTPN25
5 SEQ ID NO: 234 is the determined cDNA sequence for JPTPN30
SEQ ID NO: 235 is the determined cDNA sequence for JPTPN34
SEQ ID NO: 236 is the determined cDNA sequence for PTPN35
SEQ ID NO: 237 is the determined cDNA sequence for JPTPN36
SEQ ID NO: 238 is the determined cDNA sequence for JPTPN38
10 SEQ ID NO: 239 is the determined cDNA sequence for JPTPN39
SEQ ID NO: 240 is the determined cDNA sequence for JPTPN40
SEQ ID NO: 241 is the determined cDNA sequence for JPTPN41
SEQ ID NO: 242 is the determined cDNA sequence for JPTPN42
SEQ ID NO: 243 is the determined cDNA sequence for JPTPN45
15 SEQ ID NO: 244 is the determined cDNA sequence for JPTPN46
SEQ ID NO: 245 is the determined cDNA sequence for JPTPN51
SEQ ID NO: 246 is the determined cDNA sequence for JPTPN56
SEQ ID NO: 247 is the determined cDNA sequence for PTPN64
SEQ ID NO: 248 is the determined cDNA sequence for JPTPN65
20 SEQ ID NO: 249 is the determined cDNA sequence for JPTPN67
SEQ ID NO: 250 is the determined cDNA sequence for JPTPN76
SEQ ID NO: 251 is the determined cDNA sequence for JPTPN84
SEQ ID NO: 252 is the determined cDNA sequence for JPTPN85
SEQ ID NO: 253 is the determined cDNA sequence for JPTPN86
25 SEQ ID NO: 254 is the determined cDNA sequence for JPTPN87
SEQ ID NO: 255 is the determined cDNA sequence for JPTPN88
SEQ ID NO: 256 is the determined cDNA sequence for JP1F1
SEQ ID NO: 257 is the determined cDNA sequence for JP1F2
SEQ ID NO: 258 is the determined cDNA sequence for JP1C2
30 SEQ ID NO: 259 is the determined cDNA sequence for JP1B1
SEQ ID NO: 260 is the determined cDNA sequence for JP1B2
SEQ ID NO: 261 is the determined cDNA sequence for JP1D3

- SEQ ID NO: 262 is the determined cDNA sequence for JP1A4
SEQ ID NO: 263 is the determined cDNA sequence for JP1F5
SEQ ID NO: 264 is the determined cDNA sequence for JP1E6
SEQ ID NO: 265 is the determined cDNA sequence for JP1D6
5 SEQ ID NO: 266 is the determined cDNA sequence for JP1B5
SEQ ID NO: 267 is the determined cDNA sequence for JP1A6
SEQ ID NO: 268 is the determined cDNA sequence for JP1E8
SEQ ID NO: 269 is the determined cDNA sequence for JP1D7
SEQ ID NO: 270 is the determined cDNA sequence for JP1D9
10 SEQ ID NO: 271 is the determined cDNA sequence for JP1C10
SEQ ID NO: 272 is the determined cDNA sequence for JP1A9
SEQ ID NO: 273 is the determined cDNA sequence for JP1F12
SEQ ID NO: 274 is the determined cDNA sequence for JP1E12
SEQ ID NO: 275 is the determined cDNA sequence for JP1D11
15 SEQ ID NO: 276 is the determined cDNA sequence for JP1C11
SEQ ID NO: 277 is the determined cDNA sequence for JP1C12
SEQ ID NO: 278 is the determined cDNA sequence for JP1B12
SEQ ID NO: 279 is the determined cDNA sequence for JP1A12
SEQ ID NO: 280 is the determined cDNA sequence for JP8G2
20 SEQ ID NO: 281 is the determined cDNA sequence for JP8H1
SEQ ID NO: 282 is the determined cDNA sequence for JP8H2
SEQ ID NO: 283 is the determined cDNA sequence for JP8A3
SEQ ID NO: 284 is the determined cDNA sequence for JP8A4
SEQ ID NO: 285 is the determined cDNA sequence for JP8C3
25 SEQ ID NO: 286 is the determined cDNA sequence for JP8G4
SEQ ID NO: 287 is the determined cDNA sequence for JP8B6
SEQ ID NO: 288 is the determined cDNA sequence for JP8D6
SEQ ID NO: 289 is the determined cDNA sequence for JP8F5
SEQ ID NO: 290 is the determined cDNA sequence for JP8A8
30 SEQ ID NO: 291 is the determined cDNA sequence for JP8C7
SEQ ID NO: 292 is the determined cDNA sequence for JP8D7
SEQ ID NO: 293 is the determined cDNA sequence for P8D8

- SEQ ID NO: 294 is the determined cDNA sequence for JP8E7
SEQ ID NO: 295 is the determined cDNA sequence for JP8F8
SEQ ID NO: 296 is the determined cDNA sequence for JP8G8
SEQ ID NO: 297 is the determined cDNA sequence for JP8B10
5 SEQ ID NO: 298 is the determined cDNA sequence for JP8C10
SEQ ID NO: 299 is the determined cDNA sequence for JP8E9
SEQ ID NO: 300 is the determined cDNA sequence for JP8E10
SEQ ID NO: 301 is the determined cDNA sequence for JP8F9
SEQ ID NO: 302 is the determined cDNA sequence for JP8H9
10 SEQ ID NO: 303 is the determined cDNA sequence for JP8C12
SEQ ID NO: 304 is the determined cDNA sequence for JP8E11
SEQ ID NO: 305 is the determined cDNA sequence for JP8E12
SEQ ID NO: 306 is the amino acid sequence for the peptide PS2#12
SEQ ID NO: 307 is the determined cDNA sequence for P711P
15 SEQ ID NO: 308 is the determined cDNA sequence for P712P
SEQ ID NO: 309 is the determined cDNA sequence for CLONE23
SEQ ID NO: 310 is the determined cDNA sequence for P774P
SEQ ID NO: 311 is the determined cDNA sequence for P775P
SEQ ID NO: 312 is the determined cDNA sequence for P715P
20 SEQ ID NO: 313 is the determined cDNA sequence for P710P
SEQ ID NO: 314 is the determined cDNA sequence for P767P
SEQ ID NO: 315 is the determined cDNA sequence for P768P
SEQ ID NO: 316-325 are the determined cDNA sequences of previously isolated genes
SEQ ID NO: 326 is the determined cDNA sequence for P703PDE5
25 SEQ ID NO: 327 is the predicted amino acid sequence for P703PDE5
SEQ ID NO: 328 is the determined cDNA sequence for P703P6.26
SEQ ID NO: 329 is the predicted amino acid sequence for P703P6.26
SEQ ID NO: 330 is the determined cDNA sequence for P703PX-23
SEQ ID NO: 331 is the predicted amino acid sequence for P703PX-23
30 SEQ ID NO: 332 is the determined full length cDNA sequence for P509S
SEQ ID NO: 333 is the determined extended cDNA sequence for P707P (also referred to as 11-C9)
SEQ ID NO: 334 is the determined cDNA sequence for P714P

- SEQ ID NO: 335 is the determined cDNA sequence for P705P (also referred to as 9-F3)
- SEQ ID NO: 336 is the predicted amino acid sequence for P705P
- SEQ ID NO: 337 is the amino acid sequence of the peptide P1S#10
- SEQ ID NO: 338 is the amino acid sequence of the peptide p5
- 5 SEQ ID NO: 339 is the predicted amino acid sequence of P509S
- SEQ ID NO: 340 is the determined cDNA sequence for P778P
- SEQ ID NO: 341 is the determined cDNA sequence for P786P
- SEQ ID NO: 342 is the determined cDNA sequence for P789P
- SEQ ID NO: 343 is the determined cDNA sequence for a clone showing homology to Homo
- 10 sapiens MM46 mRNA
- SEQ ID NO: 344 is the determined cDNA sequence for a clone showing homology to Homo sapiens TNF-alpha stimulated ABC protein (ABC50) mRNA
- SEQ ID NO: 345 is the determined cDNA sequence for a clone showing homology to Homo sapiens mRNA for E-cadherin
- 15 SEQ ID NO: 346 is the determined cDNA sequence for a clone showing homology to Human nuclear-encoded mitochondrial serine hydroxymethyltransferase (SHMT)
- SEQ ID NO: 347 is the determined cDNA sequence for a clone showing homology to Homo sapiens natural resistance-associated macrophage protein2 (NRAMP2)
- SEQ ID NO: 348 is the determined cDNA sequence for a clone showing homology to Homo
- 20 sapiens phosphoglucomutase-related protein (PGMRP)
- SEQ ID NO: 349 is the determined cDNA sequence for a clone showing homology to Human mRNA for proteosome subunit p40
- SEQ ID NO: 350 is the determined cDNA sequence for P777P
- SEQ ID NO: 351 is the determined cDNA sequence for P779P
- 25 SEQ ID NO: 352 is the determined cDNA sequence for P790P
- SEQ ID NO: 353 is the determined cDNA sequence for P784P
- SEQ ID NO: 354 is the determined cDNA sequence for P776P
- SEQ ID NO: 355 is the determined cDNA sequence for P780P
- SEQ ID NO: 356 is the determined cDNA sequence for P544S
- 30 SEQ ID NO: 357 is the determined cDNA sequence for P745S
- SEQ ID NO: 358 is the determined cDNA sequence for P782P
- SEQ ID NO: 359 is the determined cDNA sequence for P783P

- SEQ ID NO: 360 is the determined cDNA sequence for unknown 17984
- SEQ ID NO: 361 is the determined cDNA sequence for P787P
- SEQ ID NO: 362 is the determined cDNA sequence for P788P
- SEQ ID NO: 363 is the determined cDNA sequence for unknown 17994
- 5 SEQ ID NO: 364 is the determined cDNA sequence for P781P
- SEQ ID NO: 365 is the determined cDNA sequence for P785P
- SEQ ID NO: 366-375 are the determined cDNA sequences for splice variants of B305D.
- SEQ ID NO: 376 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 366.
- 10 SEQ ID NO: 377 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 372.
- SEQ ID NO: 378 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 373.
- SEQ ID NO: 379 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 374.
- 15 SEQ ID NO: 380 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 375.
- SEQ ID NO: 381 is the determined cDNA sequence for B716P.
- SEQ ID NO: 382 is the determined full-length cDNA sequence for P711P.
- 20 SEQ ID NO: 383 is the predicted amino acid sequence for P711P.
- SEQ ID NO: 384 is the cDNA sequence for P1000C.
- SEQ ID NO: 385 is the cDNA sequence for CGI-82.
- SEQ ID NO: 386 is the cDNA sequence for 23320.
- SEQ ID NO: 387 is the cDNA sequence for CGI-69.
- 25 SEQ ID NO: 388 is the cDNA sequence for L-iditol-2-dehydrogenase.
- SEQ ID NO: 389 is the cDNA sequence for 23379.
- SEQ ID NO: 390 is the cDNA sequence for 23381.
- SEQ ID NO: 391 is the cDNA sequence for KIAA0122.
- SEQ ID NO: 392 is the cDNA sequence for 23399.
- 30 SEQ ID NO: 393 is the cDNA sequence for a previously identified gene.
- SEQ ID NO: 394 is the cDNA sequence for HCLBP.
- SEQ ID NO: 395 is the cDNA sequence for transglutaminase.

SEQ ID NO:396 is the cDNA sequence for a previously identified gene.

SEQ ID NO:397 is the cDNA sequence for PAP.

SEQ ID NO:398 is the cDNA sequence for Ets transcription factor PDEF.

SEQ ID NO:399 is the cDNA sequence for hTGR.

5 SEQ ID NO:400 is the cDNA sequence for KIAA0295.

SEQ ID NO:401 is the cDNA sequence for 22545.

SEQ ID NO:402 is the cDNA sequence for 22547.

SEQ ID NO:403 is the cDNA sequence for 22548.

SEQ ID NO:404 is the cDNA sequence for 22550.

10 SEQ ID NO:405 is the cDNA sequence for 22551.

SEQ ID NO:406 is the cDNA sequence for 22552.

SEQ ID NO:407 is the cDNA sequence for 22553.

SEQ ID NO:408 is the cDNA sequence for 22558.

SEQ ID NO:409 is the cDNA sequence for 22562.

15 SEQ ID NO:410 is the cDNA sequence for 22565.

SEQ ID NO:411 is the cDNA sequence for 22567.

SEQ ID NO:412 is the cDNA sequence for 22568.

SEQ ID NO:413 is the cDNA sequence for 22570.

SEQ ID NO:414 is the cDNA sequence for 22571.

20 SEQ ID NO:415 is the cDNA sequence for 22572.

SEQ ID NO:416 is the cDNA sequence for 22573.

SEQ ID NO:417 is the cDNA sequence for 22573.

SEQ ID NO:418 is the cDNA sequence for 22575.

SEQ ID NO:419 is the cDNA sequence for 22580.

25 SEQ ID NO:420 is the cDNA sequence for 22581.

SEQ ID NO:421 is the cDNA sequence for 22582.

SEQ ID NO:422 is the cDNA sequence for 22583.

SEQ ID NO:423 is the cDNA sequence for 22584.

SEQ ID NO:424 is the cDNA sequence for 22585.

30 SEQ ID NO:425 is the cDNA sequence for 22586.

SEQ ID NO:426 is the cDNA sequence for 22587.

SEQ ID NO:427 is the cDNA sequence for 22588.

- SEQ ID NO:428 is the cDNA sequence for 22589.
SEQ ID NO:429 is the cDNA sequence for 22590.
SEQ ID NO:430 is the cDNA sequence for 22591.
SEQ ID NO:431 is the cDNA sequence for 22592.
5 SEQ ID NO:432 is the cDNA sequence for 22593.
SEQ ID NO:433 is the cDNA sequence for 22594.
SEQ ID NO:434 is the cDNA sequence for 22595.
SEQ ID NO:435 is the cDNA sequence for 22596.
SEQ ID NO:436 is the cDNA sequence for 22847.
10 SEQ ID NO:437 is the cDNA sequence for 22848.
SEQ ID NO:438 is the cDNA sequence for 22849.
SEQ ID NO:439 is the cDNA sequence for 22851.
SEQ ID NO:440 is the cDNA sequence for 22852.
SEQ ID NO:441 is the cDNA sequence for 22853.
15 SEQ ID NO:442 is the cDNA sequence for 22854.
SEQ ID NO:443 is the cDNA sequence for 22855.
SEQ ID NO:444 is the cDNA sequence for 22856.
SEQ ID NO:445 is the cDNA sequence for 22857.
SEQ ID NO:446 is the cDNA sequence for 23601.
20 SEQ ID NO:447 is the cDNA sequence for 23602.
SEQ ID NO:448 is the cDNA sequence for 23605.
SEQ ID NO:449 is the cDNA sequence for 23606.
SEQ ID NO:450 is the cDNA sequence for 23612.
SEQ ID NO:451 is the cDNA sequence for 23614.
25 SEQ ID NO:452 is the cDNA sequence for 23618.
SEQ ID NO:453 is the cDNA sequence for 23622.
SEQ ID NO:454 is the cDNA sequence for folate hydrolase.
SEQ ID NO:455 is the cDNA sequence for LIM protein.
SEQ ID NO:456 is the cDNA sequence for a known gene.
30 SEQ ID NO:457 is the cDNA sequence for a known gene.
SEQ ID NO:458 is the cDNA sequence for a previously identified gene.
SEQ ID NO:459 is the cDNA sequence for 23045.

- SEQ ID NO:460 is the cDNA sequence for 23032.
- SEQ ID NO:461 is the cDNA sequence for 23054.
- SEQ ID NO:462-467 are cDNA sequences for known genes.
- SEQ ID NO:468-471 are cDNA sequences for P710P.
- 5 SEQ ID NO:472 is a cDNA sequence for P1001C.
- SEQ ID NO: 473 is the determined cDNA sequence for a first splice variant of P775P (referred to as 27505).
- SEQ ID NO: 474 is the determined cDNA sequence for a second splice variant of P775P (referred to as 19947).
- 10 SEQ ID NO: 475 is the determined cDNA sequence for a third splice variant of P775P (referred to as 19941).
- SEQ ID NO: 476 is the determined cDNA sequence for a fourth splice variant of P775P (referred to as 19937).
- SEQ ID NO: 477 is a first predicted amino acid sequence encoded by the sequence of SEQ ID NO:
- 15 474.
- SEQ ID NO: 478 is a second predicted amino acid sequence encoded by the sequence of SEQ ID NO: 474.
- SEQ ID NO: 479 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 475.
- 20 SEQ ID NO: 480 is a first predicted amino acid sequence encoded by the sequence of SEQ ID NO: 473.
- SEQ ID NO: 481 is a second predicted amino acid sequence encoded by the sequence of SEQ ID NO: 473.
- SEQ ID NO: 482 is a third predicted amino acid sequence encoded by the sequence of SEQ ID NO:
- 25 473.
- SEQ ID NO: 483 is a fourth predicted amino acid sequence encoded by the sequence of SEQ ID NO: 473.
- SEQ ID NO: 484 is the first 30 amino acids of the *M. tuberculosis* antigen Ra12.
- SEQ ID NO: 485 is the PCR primer AW025.
- 30 SEQ ID NO: 486 is the PCR primer AW003.
- SEQ ID NO: 487 is the PCR primer AW027.
- SEQ ID NO: 488 is the PCR primer AW026.

- SEQ ID NO: 489-501 are peptides employed in epitope mapping studies.
- SEQ ID NO: 502 is the determined cDNA sequence of the complementarity determining region for the anti-P503S monoclonal antibody 20D4.
- 5 SEQ ID NO: 503 is the determined cDNA sequence of the complementarity determining region for the anti-P503S monoclonal antibody JA1.
- SEQ ID NO: 504 & 505 are peptides employed in epitope mapping studies.
- SEQ ID NO: 506 is the determined cDNA sequence of the complementarity determining region for the anti-P703P monoclonal antibody 8H2.
- 10 SEQ ID NO: 507 is the determined cDNA sequence of the complementarity determining region for the anti-P703P monoclonal antibody 7H8.
- SEQ ID NO: 508 is the determined cDNA sequence of the complementarity determining region for the anti-P703P monoclonal antibody 2D4.
- SEQ ID NO: 509-522 are peptides employed in epitope mapping studies.
- SEQ ID NO: 523 is a mature form of P703P used to raise antibodies against P703P. SEQ ID NO:
- 15 524 is the putative full-length cDNA sequence of P703P.
- SEQ ID NO: 525 is the predicted amino acid sequence encoded by SEQ ID NO: 524.
- SEQ ID NO: 526 is the full-length cDNA sequence for P790P.
- SEQ ID NO: 527 is the predicted amino acid sequence for P790P.
- SEQ ID NO: 528 & 529 are PCR primers.
- 20 SEQ ID NO: 530 is the cDNA sequence of a splice variant of SEQ ID NO: 366.
- SEQ ID NO: 531 is the cDNA sequence of the open reading frame of SEQ ID NO: 530.
- SEQ ID NO: 532 is the predicted amino acid encoded by the sequence of SEQ ID NO: 531.
- SEQ ID NO: 533 is the DNA sequence of a putative ORF of P775P.
- SEQ ID NO: 534 is the predicted amino acid sequence encoded by SEQ ID NO: 533.
- 25 SEQ ID NO: 535 is a first full-length cDNA sequence for P510S.
- SEQ ID NO: 536 is a second full-length cDNA sequence for P510S.
- SEQ ID NO: 537 is the predicted amino acid sequence encoded by SEQ ID NO: 535.
- SEQ ID NO: 538 is the predicted amino acid sequence encoded by SEQ ID NO: 536.
- SEQ ID NO: 539 is the peptide P501S-370.
- 30 SEQ ID NO: 540 is the peptide P501S-376.
- SEQ ID NO: 541-550 are epitopes of P501S.
- SEQ ID NO: 551 corresponds to amino acids 543-553 of P501S.

DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to compositions and methods for the therapy and diagnosis of cancer, such as prostate cancer. The compositions described herein may include prostate-specific polypeptides, polynucleotides encoding such polypeptides, binding agents such as antibodies, antigen presenting cells (APCs) and/or immune system cells (*e.g.*, T cells). Polypeptides of the present invention generally comprise at least a portion (such as an immunogenic portion) of a prostate-specific protein or a variant thereof. A "prostate-specific protein" is a protein that is expressed in normal prostate and/or prostate tumor cells at a level that is at least two fold, and preferably at least five fold, greater than the level of expression in a non-prostate normal tissue, as determined using a representative assay provided herein. Certain prostate-specific proteins are proteins that react detectably (within an immunoassay, such as an ELISA or Western blot) with antisera of a patient afflicted with prostate cancer. Polynucleotides of the subject invention generally comprise a DNA or RNA sequence that encodes all or a portion of such a polypeptide, or that is complementary to such a sequence. Antibodies are generally immune system proteins, or antigen-binding fragments thereof, that are capable of binding to a polypeptide as described above. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B-cells that express a polypeptide as described above. T cells that may be employed within such compositions are generally T cells that are specific for a polypeptide as described above.

The present invention is based on the discovery of human prostate-specific proteins. Sequences of polynucleotides encoding certain prostate-specific proteins, or portions thereof, are provided in SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382, 384-476, 524, 526, 530, 531, 533, 535 and 536. Sequences of polypeptides comprising at least a portion of a prostate-specific protein are provided in SEQ ID NOs:112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380, 383, 477-483, 496, 504, 505, 519, 520, 522, 525, 527, 532, 534 and 537-550.

PROSTATE-SPECIFIC PROTEIN POLYNUCLEOTIDES

Any polynucleotide that encodes a prostate-specific protein or a portion or other variant thereof as described herein is encompassed by the present invention. Preferred

polynucleotides comprise at least 15 consecutive nucleotides, preferably at least 30 consecutive nucleotides and more preferably at least 45 consecutive nucleotides, that encode a portion of a prostate-specific protein. More preferably, a polynucleotide encodes an immunogenic portion of a prostate-specific protein. Polynucleotides complementary to any such sequences are also encompassed by the present invention. Polynucleotides may be single-stranded (coding or antisense) or double-stranded, and may be DNA (genomic, cDNA or synthetic) or RNA molecules. RNA molecules include HnRNA molecules, which contain introns and correspond to a DNA molecule in a one-to-one manner, and mRNA molecules, which do not contain introns. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide of the present invention, and a polynucleotide may, but need not, be linked to other molecules and/or support materials.

Polynucleotides may comprise a native sequence (*i.e.*, an endogenous sequence that encodes a prostate-specific protein or a portion thereof) or may comprise a variant of such a sequence. Polynucleotide variants may contain one or more substitutions, additions, deletions and/or insertions such that the immunogenicity of the encoded polypeptide is not diminished, relative to a native protein. The effect on the immunogenicity of the encoded polypeptide may generally be assessed as described herein. Variants preferably exhibit at least about 70% identity, more preferably at least about 80% identity and most preferably at least about 90% identity to a polynucleotide sequence that encodes a native prostate-specific protein or a portion thereof. The term "variants" also encompasses homologous genes of xenogenic origin.

Two polynucleotide or polypeptide sequences are said to be "identical" if the sequence of nucleotides or amino acids in the two sequences is the same when aligned for maximum correspondence as described below. Comparisons between two sequences are typically performed by comparing the sequences over a comparison window to identify and compare local regions of sequence similarity. A "comparison window" as used herein, refers to a segment of at least about 20 contiguous positions, usually 30 to about 75, 40 to about 50, in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

Optimal alignment of sequences for comparison may be conducted using the Megalign program in the Lasergene suite of bioinformatics software (DNASTAR, Inc., Madison, WI), using default parameters. This program embodies several alignment schemes described in the following references: Dayhoff, M.O. (1978) A model of evolutionary change in proteins – Matrices

for detecting distant relationships. In Dayhoff, M.O. (ed.) Atlas of Protein Sequence and Structure, National Biomedical Research Foundation, Washington DC Vol. 5, Suppl. 3, pp. 345-358; Hein J. (1990) Unified Approach to Alignment and Phylogenies pp. 626-645 *Methods in Enzymology* vol. 183, Academic Press, Inc., San Diego, CA; Higgins, D.G. and Sharp, P.M. (1989) *CABIOS* 5:151-153; Myers, E.W. and Muller W. (1988) *CABIOS* 4:11-17; Robinson, E.D. (1971) *Comb. Theor* 11:105; Santou, N. Nes, M. (1987) *Mol. Biol. Evol.* 4:406-425; Sneath, P.H.A. and Sokal, R.R. (1973) *Numerical Taxonomy – the Principles and Practice of Numerical Taxonomy*, Freeman Press, San Francisco, CA; Wilbur, W.J. and Lipman, D.J. (1983) *Proc. Natl. Acad., Sci. USA* 80:726-730.

Preferably, the "percentage of sequence identity" is determined by comparing two optimally aligned sequences over a window of comparison of at least 20 positions, wherein the portion of the polynucleotide or polypeptide sequence in the comparison window may comprise additions or deletions (*i.e.*, gaps) of 20 percent or less, usually 5 to 15 percent, or 10 to 12 percent, as compared to the reference sequences (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid bases or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the reference sequence (*i.e.*, the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

Variants may also, or alternatively, be substantially homologous to a native gene, or a portion or complement thereof. Such polynucleotide variants are capable of hybridizing under moderately stringent conditions to a naturally occurring DNA sequence encoding a native prostate-specific protein (or a complementary sequence). Suitable moderately stringent conditions include prewashing in a solution of 5 X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5 X SSC, overnight; followed by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS.

It will be appreciated by those of ordinary skill in the art that, as a result of the degeneracy of the genetic code, there are many nucleotide sequences that encode a polypeptide as described herein. Some of these polynucleotides bear minimal homology to the nucleotide sequence of any native gene. Nonetheless, polynucleotides that vary due to differences in codon usage are specifically contemplated by the present invention. Further, alleles of the genes comprising the polynucleotide sequences provided herein are within the scope of the present invention. Alleles are endogenous genes that are altered as a result of one or more mutations, such

as deletions, additions and/or substitutions of nucleotides. The resulting mRNA and protein may, but need not, have an altered structure or function. Alleles may be identified using standard techniques (such as hybridization, amplification and/or database sequence comparison).

Polynucleotides may be prepared using any of a variety of techniques. For example, a polynucleotide may be identified, as described in more detail below, by screening a microarray of cDNAs for tumor-associated expression (*i.e.*, expression that is at least five fold greater in a prostate-specific than in normal tissue, as determined using a representative assay provided herein). Such screens may be performed using a Synteni microarray (Palo Alto, CA) according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Alternatively, polypeptides may be amplified from cDNA prepared from cells expressing the proteins described herein, such as prostate-specific cells. Such polynucleotides may be amplified via polymerase chain reaction (PCR). For this approach, sequence-specific primers may be designed based on the sequences provided herein, and may be purchased or synthesized.

An amplified portion may be used to isolate a full length gene from a suitable library (*e.g.*, a prostate-specific cDNA library) using well known techniques. Within such techniques, a library (cDNA or genomic) is screened using one or more polynucleotide probes or primers suitable for amplification. Preferably, a library is size-selected to include larger molecules. Random primed libraries may also be preferred for identifying 5' and upstream regions of genes. Genomic libraries are preferred for obtaining introns and extending 5' sequences.

For hybridization techniques, a partial sequence may be labeled (*e.g.*, by nick-translation or end-labeling with ^{32}P) using well known techniques. A bacterial or bacteriophage library is then screened by hybridizing filters containing denatured bacterial colonies (or lawns containing phage plaques) with the labeled probe (*see* Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989). Hybridizing colonies or plaques are selected and expanded, and the DNA is isolated for further analysis. cDNA clones may be analyzed to determine the amount of additional sequence by, for example, PCR using a primer from the partial sequence and a primer from the vector. Restriction maps and partial sequences may be generated to identify one or more overlapping clones. The complete sequence may then be determined using standard techniques, which may involve generating a series of deletion clones. The resulting overlapping sequences are then assembled into

a single contiguous sequence. A full length cDNA molecule can be generated by ligating suitable fragments, using well known techniques.

Alternatively, there are numerous amplification techniques for obtaining a full length coding sequence from a partial cDNA sequence. Within such techniques, amplification is generally performed via PCR. Any of a variety of commercially available kits may be used to perform the amplification step. Primers may be designed using, for example, software well known in the art. Primers are preferably 22-30 nucleotides in length, have a GC content of at least 50% and anneal to the target sequence at temperatures of about 68°C to 72°C. The amplified region may be sequenced as described above, and overlapping sequences assembled into a contiguous sequence.

One such amplification technique is inverse PCR (*see* Triglia et al., *Nucl. Acids Res.* 16:8186, 1988), which uses restriction enzymes to generate a fragment in the known region of the gene. The fragment is then circularized by intramolecular ligation and used as a template for PCR with divergent primers derived from the known region. Within an alternative approach, sequences adjacent to a partial sequence may be retrieved by amplification with a primer to a linker sequence and a primer specific to a known region. The amplified sequences are typically subjected to a second round of amplification with the same linker primer and a second primer specific to the known region. A variation on this procedure, which employs two primers that initiate extension in opposite directions from the known sequence, is described in WO 96/38591. Another such technique is known as "rapid amplification of cDNA ends" or RACE. This technique involves the use of an internal primer and an external primer, which hybridizes to a polyA region or vector sequence, to identify sequences that are 5' and 3' of a known sequence. Additional techniques include capture PCR (Lagerstrom et al., *PCR Methods Applic.* 1:111-19, 1991) and walking PCR (Parker et al., *Nucl. Acids. Res.* 19:3055-60, 1991). Other methods employing amplification may also be employed to obtain a full length cDNA sequence.

In certain instances, it is possible to obtain a full length cDNA sequence by analysis of sequences provided in an expressed sequence tag (EST) database, such as that available from GenBank. Searches for overlapping ESTs may generally be performed using well known programs (*e.g.*, NCBI BLAST searches), and such ESTs may be used to generate a contiguous full length sequence. Full length DNA sequences may also be obtained by analysis of genomic fragments.

Certain nucleic acid sequences of cDNA molecules encoding at least a portion of a prostate-specific protein are provided in SEQ ID NO:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382, 384-476, 524, 526, 530, 531, 533, 535 and 536.

Isolation of these polynucleotides is described below. Each of these prostate-specific proteins was overexpressed in prostate tumor tissue.

Polynucleotide variants may generally be prepared by any method known in the art, including chemical synthesis by, for example, solid phase phosphoramidite chemical synthesis. Modifications in a polynucleotide sequence may also be introduced using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis (*see* Adelman et al., *DNA* 2:183, 1983). Alternatively, RNA molecules may be generated by *in vitro* or *in vivo* transcription of DNA sequences encoding a prostate-specific protein, or portion thereof, provided that the DNA is incorporated into a vector with a suitable RNA polymerase promoter (such as T7 or SP6). Certain portions may be used to prepare an encoded polypeptide, as described herein. In addition, or alternatively, a portion may be administered to a patient such that the encoded polypeptide is generated *in vivo* (e.g., by transfecting antigen-presenting cells, such as dendritic cells, with a cDNA construct encoding a prostate-specific polypeptide, and administering the transfected cells to the patient).

A portion of a sequence complementary to a coding sequence (*i.e.*, an antisense polynucleotide) may also be used as a probe or to modulate gene expression. cDNA constructs that can be transcribed into antisense RNA may also be introduced into cells of tissues to facilitate the production of antisense RNA. An antisense polynucleotide may be used, as described herein, to inhibit expression of a protein. Antisense technology can be used to control gene expression through triple-helix formation, which compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors or regulatory molecules (*see* Gee et al., *In* Huber and Carr, *Molecular and Immunologic Approaches*, Futura Publishing Co. (Mt. Kisco, NY; 1994)). Alternatively, an antisense molecule may be designed to hybridize with a control region of a gene (e.g., promoter, enhancer or transcription initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes.

A portion of a coding sequence, or of a complementary sequence, may also be designed as a probe or primer to detect gene expression. Probes may be labeled with a variety of reporter groups, such as radionuclides and enzymes, and are preferably at least 10 nucleotides in length, more preferably at least 20 nucleotides in length and still more preferably at least 30 nucleotides in length. Primers, as noted above, are preferably 22-30 nucleotides in length.

Any polynucleotide may be further modified to increase stability *in vivo*. Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3'

ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional bases such as inosine, queosine and wybutosine, as well as acetyl- methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

5 Nucleotide sequences as described herein may be joined to a variety of other nucleotide sequences using established recombinant DNA techniques. For example, a polynucleotide may be cloned into any of a variety of cloning vectors, including plasmids, phagemids, lambda phage derivatives and cosmids. Vectors of particular interest include expression vectors, replication vectors, probe generation vectors and sequencing vectors. In general, a vector
10 will contain an origin of replication functional in at least one organism, convenient restriction endonuclease sites and one or more selectable markers. Other elements will depend upon the desired use, and will be apparent to those of ordinary skill in the art.

Within certain embodiments, polynucleotides may be formulated so as to permit entry into a cell of a mammal, and expression therein. Such formulations are particularly useful for
15 therapeutic purposes, as described below. Those of ordinary skill in the art will appreciate that there are many ways to achieve expression of a polynucleotide in a target cell, and any suitable method may be employed. For example, a polynucleotide may be incorporated into a viral vector such as, but not limited to, adenovirus, adeno-associated virus, retrovirus, or vaccinia or other pox virus (e.g., avian pox virus). The polynucleotides may also be administered as naked plasmid vectors.
20 Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of transduced cells) and/or a targeting moiety, such as a gene that encodes a ligand for a receptor on a specific target cell, to render the vector target specific. Targeting may also be accomplished using an antibody, by methods known to those of ordinary
25 skill in the art.

Other formulations for therapeutic purposes include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (*i.e.*, an artificial membrane
30 vesicle). The preparation and use of such systems is well known in the art.

PROSTATE-SPECIFIC POLYPEPTIDES

Within the context of the present invention, polypeptides may comprise at least an immunogenic portion of a prostate-specific protein or a variant thereof, as described herein. As noted above, a "prostate-specific protein" is a protein that is expressed by normal prostate and/or prostate tumor cells. Proteins that are prostate-specific proteins also react detectably within an immunoassay (such as an ELISA) with antisera from a patient with prostate cancer. Polypeptides as described herein may be of any length. Additional sequences derived from the native protein and/or heterologous sequences may be present, and such sequences may (but need not) possess further immunogenic or antigenic properties.

10 An "immunogenic portion," as used herein is a portion of a protein that is recognized (*i.e.*, specifically bound) by a B-cell and/or T-cell surface antigen receptor. Such immunogenic portions generally comprise at least 5 amino acid residues, more preferably at least 10, and still more preferably at least 20 amino acid residues of a prostate-specific protein or a variant thereof. Certain preferred immunogenic portions include peptides in which an N-terminal leader sequence and/or transmembrane domain have been deleted. Other preferred immunogenic portions may contain a small N- and/or C-terminal deletion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids), relative to the mature protein.

Immunogenic portions may generally be identified using well known techniques, such as those summarized in Paul, *Fundamental Immunology*, 3rd ed., 243-247 (Raven Press, 1993) and references cited therein. Such techniques include screening polypeptides for the ability to react with antigen-specific antibodies, antisera and/or T-cell lines or clones. As used herein, antisera and antibodies are "antigen-specific" if they specifically bind to an antigen (*i.e.*, they react with the protein in an ELISA or other immunoassay, and do not react detectably with unrelated proteins). Such antisera and antibodies may be prepared as described herein, and using well known techniques. An immunogenic portion of a native prostate-specific protein is a portion that reacts with such antisera and/or T-cells at a level that is not substantially less than the reactivity of the full length polypeptide (*e.g.*, in an ELISA and/or T-cell reactivity assay). Such immunogenic portions may react within such assays at a level that is similar to or greater than the reactivity of the full length polypeptide. Such screens may generally be performed using methods well known to those of ordinary skill in the art, such as those described in Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. For example, a polypeptide may be immobilized on a solid support and contacted with patient sera to allow binding of antibodies within the sera to the

immobilized polypeptide. Unbound sera may then be removed and bound antibodies detected using, for example, ¹²⁵I-labeled Protein A.

As noted above, a composition may comprise a variant of a native prostate-specific protein. A polypeptide "variant," as used herein, is a polypeptide that differs from a native prostate-specific protein in one or more substitutions, deletions, additions and/or insertions, such that the immunogenicity of the polypeptide is not substantially diminished. In other words, the ability of a variant to react with antigen-specific antisera may be enhanced or unchanged, relative to the native protein, or may be diminished by less than 50%, and preferably less than 20%, relative to the native protein. Such variants may generally be identified by modifying one of the above polypeptide sequences and evaluating the reactivity of the modified polypeptide with antigen-specific antibodies or antisera as described herein. Preferred variants include those in which one or more portions, such as an N-terminal leader sequence or transmembrane domain, have been removed. Other preferred variants include variants in which a small portion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids) has been removed from the N- and/or C-terminal of the mature protein. Polypeptide variants preferably exhibit at least about 70%, more preferably at least about 90% and most preferably at least about 95% identity (determined as described above) to the identified polypeptides.

Preferably, a variant contains conservative substitutions. A "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydropathic nature of the polypeptide to be substantially unchanged. Amino acid substitutions may generally be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his. A variant may also, or alternatively, contain nonconservative changes. In a preferred embodiment, variant polypeptides differ from a native sequence by substitution, deletion or addition of five amino acids or fewer. Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino

acids that have minimal influence on the immunogenicity, secondary structure and hydrophobic nature of the polypeptide.

As noted above, polypeptides may comprise a signal (or leader) sequence at the N-terminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the polypeptide (e.g., poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

Polypeptides may be prepared using any of a variety of well known techniques. Recombinant polypeptides encoded by DNA sequences as described above may be readily prepared from the DNA sequences using any of a variety of expression vectors known to those of ordinary skill in the art. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide. Suitable host cells include prokaryotes, yeast, higher eukaryotic and plant cells. Preferably, the host cells employed are *E. coli*, yeast or a mammalian cell line such as COS or CHO. Supernatants from suitable host/vector systems which secrete recombinant protein or polypeptide into culture media may be first concentrated using a commercially available filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or more reverse phase HPLC steps can be employed to further purify a recombinant polypeptide.

Portions and other variants having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may also be generated by synthetic means, using techniques well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, *J. Am. Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied BioSystems Division (Foster City, CA), and may be operated according to the manufacturer's instructions.

Within certain specific embodiments, a polypeptide may be a fusion protein that comprises multiple polypeptides as described herein, or that comprises at least one polypeptide as described herein and an unrelated sequence, such as a known prostate-specific protein. A fusion partner may, for example, assist in providing T helper epitopes (an immunological fusion partner),

preferably T helper epitopes recognized by humans, or may assist in expressing the protein (an expression enhancer) at higher yields than the native recombinant protein. Certain preferred fusion partners are both immunological and expression enhancing fusion partners. Other fusion partners may be selected so as to increase the solubility of the protein or to enable the protein to be targeted to desired intracellular compartments. Still further fusion partners include affinity tags, which facilitate purification of the protein.

Fusion proteins may generally be prepared using standard techniques, including chemical conjugation. Preferably, a fusion protein is expressed as a recombinant protein, allowing the production of increased levels, relative to a non-fused protein, in an expression system. Briefly, DNA sequences encoding the polypeptide components may be assembled separately, and ligated into an appropriate expression vector. The 3' end of the DNA sequence encoding one polypeptide component is ligated, with or without a peptide linker, to the 5' end of a DNA sequence encoding the second polypeptide component so that the reading frames of the sequences are in phase. This permits translation into a single fusion protein that retains the biological activity of both component polypeptides.

A peptide linker sequence may be employed to separate the first and the second polypeptide components by a distance sufficient to ensure that each polypeptide folds into its secondary and tertiary structures. Such a peptide linker sequence is incorporated into the fusion protein using standard techniques well known in the art. Suitable peptide linker sequences may be chosen based on the following factors: (1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a secondary structure that could interact with functional epitopes on the first and second polypeptides; and (3) the lack of hydrophobic or charged residues that might react with the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly, Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be used in the linker sequence. Amino acid sequences which may be usefully employed as linkers include those disclosed in Maratea et al., *Gene* 40:39-46, 1985; Murphy et al., *Proc. Natl. Acad. Sci. USA* 83:8258-8262, 1986; U.S. Patent No. 4,935,233 and U.S. Patent No. 4,751,180. The linker sequence may generally be from 1 to about 50 amino acids in length. Linker sequences are not required when the first and second polypeptides have non-essential N-terminal amino acid regions that can be used to separate the functional domains and prevent steric interference.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are

located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons required to end translation and transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

5 Fusion proteins are also provided that comprise a polypeptide of the present invention together with an unrelated immunogenic protein. Preferably the immunogenic protein is capable of eliciting a recall response. Examples of such proteins include tetanus, tuberculosis and hepatitis proteins (*see*, for example, Stoute et al. *New Engl. J. Med.*, 336:86-91, 1997).

Within preferred embodiments, an immunological fusion partner is derived from protein D, a surface protein of the gram-negative bacterium *Haemophilus influenza B* (WO 10 91/18926). Preferably, a protein D derivative comprises approximately the first third of the protein (e.g., the first N-terminal 100-110 amino acids), and a protein D derivative may be lipidated. Within certain preferred embodiments, the first 109 residues of a Lipoprotein D fusion partner is included on the N-terminus to provide the polypeptide with additional exogenous T-cell epitopes and to increase the expression level in *E. coli* (thus functioning as an expression enhancer). The 15 lipid tail ensures optimal presentation of the antigen to antigen presenting cells. Other fusion partners include the non-structural protein from influenzae virus, NS1 (hemagglutinin). Typically, the N-terminal 81 amino acids are used, although different fragments that include T-helper epitopes may be used.

In another embodiment, the immunological fusion partner is the protein known as 20 LYTA, or a portion thereof (preferably a C-terminal portion). LYTA is derived from *Streptococcus pneumoniae*, which synthesizes an N-acetyl-L-alanine amidase known as amidase LYTA (encoded by the *LytA* gene; *Gene* 43:265-292, 1986). LYTA is an autolysin that specifically degrades certain bonds in the peptidoglycan backbone. The C-terminal domain of the LYTA protein is responsible for the affinity to the choline or to some choline analogues such as DEAE. This property has been 25 exploited for the development of *E. coli* C-LYTA expressing plasmids useful for expression of fusion proteins. Purification of hybrid proteins containing the C-LYTA fragment at the amino terminus has been described (*see Biotechnology* 10:795-798, 1992). Within a preferred embodiment, a repeat portion of LYTA may be incorporated into a fusion protein. A repeat portion is found in the C-terminal region starting at residue 178. A particularly preferred repeat portion 30 incorporates residues 188-305.

In general, polypeptides (including fusion proteins) and polynucleotides as described herein are isolated. An "isolated" polypeptide or polynucleotide is one that is removed from its

original environment. For example, a naturally-occurring protein is isolated if it is separated from some or all of the coexisting materials in the natural system. Preferably, such polypeptides are at least about 90% pure, more preferably at least about 95% pure and most preferably at least about 99% pure. A polynucleotide is considered to be isolated if, for example, it is cloned into a vector
5 that is not a part of the natural environment.

BINDING AGENTS

The present invention further provides agents, such as antibodies and antigen-binding fragments thereof, that specifically bind to a prostate-specific protein. As used herein, an
10 antibody, or antigen-binding fragment thereof, is said to "specifically bind" to a prostate-specific protein if it reacts at a detectable level (within, for example, an ELISA) with a prostate-specific protein, and does not react detectably with unrelated proteins under similar conditions. As used herein, "binding" refers to a noncovalent association between two separate molecules such that a complex is formed. The ability to bind may be evaluated by, for example, determining a binding
15 constant for the formation of the complex. The binding constant is the value obtained when the concentration of the complex is divided by the product of the component concentrations. In general, two compounds are said to "bind," in the context of the present invention, when the binding constant for complex formation exceeds about 10^3 L/mol. The binding constant may be determined using methods well known in the art.

20 Binding agents may be further capable of differentiating between patients with and without a cancer, such as prostate cancer, using the representative assays provided herein. In other words, antibodies or other binding agents that bind to a prostate-specific protein will generate a signal indicating the presence of a cancer in at least about 20% of patients with the disease, and will generate a negative signal indicating the absence of the disease in at least about 90% of individuals
25 without the cancer. To determine whether a binding agent satisfies this requirement, biological samples (*e.g.*, blood, sera, urine and/or tumor biopsies) from patients with and without a cancer (as determined using standard clinical tests) may be assayed as described herein for the presence of polypeptides that bind to the binding agent. It will be apparent that a statistically significant number of samples with and without the disease should be assayed. Each binding agent should satisfy the
30 above criteria; however, those of ordinary skill in the art will recognize that binding agents may be used in combination to improve sensitivity.

Any agent that satisfies the above requirements may be a binding agent. For example, a binding agent may be a ribosome, with or without a peptide component, an RNA molecule or a polypeptide. In a preferred embodiment, a binding agent is an antibody or an antigen-binding fragment thereof. Most preferably, antibodies employed in the inventive methods have the ability to induce lysis of tumor cells by activation of complement and mediation of antibody-dependent cellular cytotoxicity (ADCC). Antibodies of different classes and subclasses differ in these properties. For example, mouse antibodies of the IgG2a and IgG3 classes are capable of activating serum complement upon binding to target cells which express the antigen against which the antibodies were raised, and can mediate ADCC.

Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. See, e.g., Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, antibodies can be produced by cell culture techniques, including the generation of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies. In one technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (e.g., mice, rats, rabbits, sheep or goats). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically. Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for an antigenic polypeptide of interest may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the desired specificity (i.e., reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells

and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are
5 selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse.
10 Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

The preparation of mouse and rabbit monoclonal antibodies that specifically bind to
15 polypeptides of the present invention is described in detail below. However, the antibodies of the present invention are not limited to those derived from mice. Human antibodies may also be employed in the inventive methods and may prove to be preferable. Such antibodies can be obtained using human hybridomas as described by Cote *et al.* (Monoclonal Antibodies and Cancer Therapy, Alan R. Lisa, p. 77, 1985). The present invention also encompasses antibodies made by
20 recombinant means such as chimeric antibodies, wherein the variable region and constant region are derived from different species, and CDR-grafted antibodies, wherein the complementarity determining region is derived from a different species, as described in US Patents 4,816,567 and 5,225,539. Chimeric antibodies may be prepared by splicing genes for a mouse antibody molecule having a desired antigen specificity together with genes for a human antibody molecule having the
25 desired biological activity, such as activation of human complement and mediation of ADCC (Morrison *et al. Proc. Natl. Acad. Sci. USA* 81:6851, 1984; Neuberger *et al. Nature* 312:604, 1984; Takeda *et al. Nature* 314:452, 1985).

Within certain embodiments, the use of antigen-binding fragments of antibodies may be preferred. Such fragments include Fab fragments, which may be prepared using standard
30 techniques. Briefly, immunoglobulins may be purified from rabbit serum by affinity chromatography on Protein A bead columns (Harlow and Lane, *Antibodies: A Laboratory Manual*,

Cold Spring Harbor Laboratory, 1988) and digested by papain to yield Fab and Fc fragments. The Fab and Fc fragments may be separated by affinity chromatography on protein A bead columns.

Monoclonal antibodies of the present invention may be coupled to one or more therapeutic agents. Suitable agents in this regard include radionuclides, differentiation inducers, drugs, toxins, and derivatives thereof. Preferred radionuclides include ^{90}Y , ^{123}I , ^{125}I , ^{131}I , ^{186}Re , ^{188}Re , ^{211}At , and ^{212}Bi . Preferred drugs include methotrexate, and pyrimidine and purine analogs. Preferred differentiation inducers include phorbol esters and butyric acid. Preferred toxins include ricin, abrin, diphtheria toxin, cholera toxin, gelonin, *Pseudomonas* exotoxin, *Shigella* toxin, and pokeweed antiviral protein.

10 A therapeutic agent may be coupled (*e.g.*, covalently bonded) to a suitable monoclonal antibody either directly or indirectly (*e.g.*, via a linker group). A direct reaction between an agent and an antibody is possible when each possesses a substituent capable of reacting with the other. For example, a nucleophilic group, such as an amino or sulfhydryl group, on one may be capable of reacting with a carbonyl-containing group, such as an anhydride or an acid
15 halide, or with an alkyl group containing a good leaving group (*e.g.*, a halide) on the other.

Alternatively, it may be desirable to couple a therapeutic agent and an antibody via a linker group. A linker group can function as a spacer to distance an antibody from an agent in order to avoid interference with binding capabilities. A linker group can also serve to increase the chemical reactivity of a substituent on an agent or an antibody, and thus increase the coupling
20 efficiency. An increase in chemical reactivity may also facilitate the use of agents, or functional groups on agents, which otherwise would not be possible.

It will be evident to those skilled in the art that a variety of bifunctional or polyfunctional reagents, both homo- and hetero-functional (such as those described in the catalog of the Pierce Chemical Co., Rockford, IL), may be employed as the linker group. Coupling may be
25 effected, for example, through amino groups, carboxyl groups, sulfhydryl groups or oxidized carbohydrate residues. There are numerous references describing such methodology, *e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.

Where a therapeutic agent is more potent when free from the antibody portion of the immunoconjugates of the present invention, it may be desirable to use a linker group which is
30 cleavable during or upon internalization into a cell. A number of different cleavable linker groups have been described. The mechanisms for the intracellular release of an agent from these linker groups include cleavage by reduction of a disulfide bond (*e.g.*, U.S. Patent No. 4,489,710, to

Spitler), by irradiation of a photolabile bond (*e.g.*, U.S. Patent No. 4,625,014, to Senter et al.), by hydrolysis of derivatized amino acid side chains (*e.g.*, U.S. Patent No. 4,638,045, to Kohn et al.), by serum complement-mediated hydrolysis (*e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.), and acid-catalyzed hydrolysis (*e.g.*, U.S. Patent No. 4,569,789, to Blattler et al.).

5 It may be desirable to couple more than one agent to an antibody. In one embodiment, multiple molecules of an agent are coupled to one antibody molecule. In another embodiment, more than one type of agent may be coupled to one antibody. Regardless of the particular embodiment, immunoconjugates with more than one agent may be prepared in a variety of ways. For example, more than one agent may be coupled directly to an antibody molecule, or
10 linkers which provide multiple sites for attachment can be used. Alternatively, a carrier can be used.

 A carrier may bear the agents in a variety of ways, including covalent bonding either directly or via a linker group. Suitable carriers include proteins such as albumins (*e.g.*, U.S. Patent No. 4,507,234, to Kato et al.), peptides and polysaccharides such as aminodextran (*e.g.*, U.S. Patent
15 No. 4,699,784, to Shih et al.). A carrier may also bear an agent by noncovalent bonding or by encapsulation, such as within a liposome vesicle (*e.g.*, U.S. Patent Nos. 4,429,008 and 4,873,088). Carriers specific for radionuclide agents include radiohalogenated small molecules and chelating compounds. For example, U.S. Patent No. 4,735,792 discloses representative radiohalogenated small molecules and their synthesis. A radionuclide chelate may be formed from chelating
20 compounds that include those containing nitrogen and sulfur atoms as the donor atoms for binding the metal, or metal oxide, radionuclide. For example, U.S. Patent No. 4,673,562, to Davison et al. discloses representative chelating compounds and their synthesis.

 A variety of routes of administration for the antibodies and immunoconjugates may be used. Typically, administration will be intravenous, intramuscular, subcutaneous or in the bed of
25 a resected tumor. It will be evident that the precise dose of the antibody/immunoconjugate will vary depending upon the antibody used, the antigen density on the tumor, and the rate of clearance of the antibody.

T CELLS

30 Immunotherapeutic compositions may also, or alternatively, comprise T cells specific for a prostate-specific protein. Such cells may generally be prepared *in vitro* or *ex vivo*, using standard procedures. For example, T cells may be isolated from bone marrow, peripheral

blood, or a fraction of bone marrow or peripheral blood of a patient, using a commercially available cell separation system, such as the ISOLEX™ system, available from Nexell Therapeutics Inc., Irvine, CA (see also U.S. Patent No. 5,240,856; U.S. Patent No. 5,215,926; WO 89/06280; WO 91/16116 and WO 92/07243). Alternatively, T cells may be derived from related or unrelated
5 humans, non-human mammals, cell lines or cultures.

T cells may be stimulated with a prostate-specific polypeptide, polynucleotide encoding a prostate-specific polypeptide and/or an antigen presenting cell (APC) that expresses such a polypeptide. Such stimulation is performed under conditions and for a time sufficient to permit the generation of T cells that are specific for the polypeptide. Preferably, a prostate-specific
10 polypeptide or polynucleotide is present within a delivery vehicle, such as a microsphere, to facilitate the generation of specific T cells.

T cells are considered to be specific for a prostate-specific polypeptide if the T cells specifically proliferate, secrete cytokines or kill target cells coated with the polypeptide or expressing a gene encoding the polypeptide. T cell specificity may be evaluated using any of a
15 variety of standard techniques. For example, within a chromium release assay or proliferation assay, a stimulation index of more than two fold increase in lysis and/or proliferation, compared to negative controls, indicates T cell specificity. Such assays may be performed, for example, as described in Chen et al., *Cancer Res.* 54:1065-1070, 1994. Alternatively, detection of the proliferation of T cells may be accomplished by a variety of known techniques. For example, T cell
20 proliferation can be detected by measuring an increased rate of DNA synthesis (e.g., by pulse-labeling cultures of T cells with tritiated thymidine and measuring the amount of tritiated thymidine incorporated into DNA). Contact with a prostate-specific polypeptide (100 ng/ml - 100 µg/ml, preferably 200 ng/ml - 25 µg/ml) for 3 - 7 days should result in at least a two fold increase in proliferation of the T cells. Contact as described above for 2-3 hours should result in activation of
25 the T cells, as measured using standard cytokine assays in which a two fold increase in the level of cytokine release (e.g., TNF or IFN-γ) is indicative of T cell activation (see Coligan et al., *Current Protocols in Immunology*, vol. 1, Wiley Interscience (Greene 1998)). T cells that have been activated in response to a prostate-specific polypeptide, polynucleotide or polypeptide-expressing APC may be CD4⁺ and/or CD8⁺. Prostate-specific protein-specific T cells may be expanded using
30 standard techniques. Within preferred embodiments, the T cells are derived from either a patient or a related, or unrelated, donor and are administered to the patient following stimulation and expansion.

For therapeutic purposes, CD4⁺ or CD8⁺ T cells that proliferate in response to a prostate-specific polypeptide, polynucleotide or APC can be expanded in number either *in vitro* or *in vivo*. Proliferation of such T cells *in vitro* may be accomplished in a variety of ways. For example, the T cells can be re-exposed to a prostate-specific polypeptide, or a short peptide
5 corresponding to an immunogenic portion of such a polypeptide, with or without the addition of T cell growth factors, such as interleukin-2, and/or stimulator cells that synthesize a prostate-specific polypeptide. Alternatively, one or more T cells that proliferate in the presence of a prostate-specific protein can be expanded in number by cloning. Methods for cloning cells are well known in the art, and include limiting dilution.

16 PHARMACEUTICAL COMPOSITIONS AND VACCINES

Within certain aspects, polypeptides, polynucleotides, T cells and/or binding agents disclosed herein may be incorporated into pharmaceutical compositions or immunogenic compositions (*i.e.*, vaccines). Pharmaceutical compositions comprise one or more such compounds
15 and a physiologically acceptable carrier. Vaccines may comprise one or more such compounds and an immunostimulant. An immunostimulant may be any substance that enhances an immune response to an exogenous antigen. Examples of immunostimulants include adjuvants, biodegradable microspheres (*e.g.*, polylactic galactide) and liposomes (into which the compound is incorporated; *see e.g.*, Fullerton, U.S. Patent No. 4,235,877). Vaccine preparation is generally
20 described in, for example, M.F. Powell and M.J. Newman, eds., "Vaccine Design (the subunit and adjuvant approach)," Plenum Press (NY, 1995). Pharmaceutical compositions and vaccines within the scope of the present invention may also contain other compounds, which may be biologically active or inactive. For example, one or more immunogenic portions of other tumor antigens may be present, either incorporated into a fusion polypeptide or as a separate compound, within the
25 composition or vaccine.

A pharmaceutical composition or vaccine may contain DNA encoding one or more of the polypeptides as described above, such that the polypeptide is generated *in situ*. As noted above, the DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacteria and viral expression
30 systems. Numerous gene delivery techniques are well known in the art, such as those described by Rolland, *Crit. Rev. Therap. Drug Carrier Systems* 15:143-198, 1998, and references cited therein. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression

in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface or secretes such an epitope. In a preferred embodiment, the DNA may be introduced using a viral expression system (e.g., vaccinia
5 or other pox virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective), replication competent virus. Suitable systems are disclosed, for example, in Fisher-Hoch et al., *Proc. Natl. Acad. Sci. USA* 86:317-321, 1989; Flexner et al., *Ann. N.Y. Acad. Sci.* 569:86-103, 1989; Flexner et al., *Vaccine* 8:17-21, 1990; U.S. Patent Nos. 4,603,112, 4,769,330, and 5,017,487; WO 89/01973; U.S. Patent No. 4,777,127; GB 2,200,651; EP 0,345,242;
10 WO 91/02805; Berkner, *Biotechniques* 6:616-627, 1988; Rosenfeld et al., *Science* 252:431-434, 1991; Kolls et al., *Proc. Natl. Acad. Sci. USA* 91:215-219, 1994; Kass-Eisler et al., *Proc. Natl. Acad. Sci. USA* 90:11498-11502, 1993; Guzman et al., *Circulation* 88:2838-2848, 1993; and Guzman et al., *Cir. Res.* 73:1202-1207, 1993. Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be
15 "naked," as described, for example, in Ulmer et al., *Science* 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will vary
20 depending on the mode of administration. Compositions of the present invention may be formulated for any appropriate manner of administration, including for example, topical, oral, nasal, intravenous, intracranial, intraperitoneal, subcutaneous or intramuscular administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. For oral administration, any of the above carriers or a solid
25 carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (e.g., polylactate polyglycolate) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

30 Such compositions may also comprise buffers (e.g., neutral buffered saline or phosphate buffered saline), carbohydrates (e.g., glucose, mannose, sucrose or dextrans), mannitol, proteins, polypeptides or amino acids such as glycine, antioxidants, chelating agents such as EDTA

or glutathione, adjuvants (e.g., aluminum hydroxide) and/or preservatives. Alternatively, compositions of the present invention may be formulated as a lyophilizate. Compounds may also be encapsulated within liposomes using well known technology.

Any of a variety of immunostimulants may be employed in the vaccines of this invention. For example, an adjuvant may be included. Most adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bordetella pertussis* or *Mycobacterium tuberculosis* derived proteins. Suitable adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF or interleukin-2, -7, or -12, may also be used as adjuvants.

Within the vaccines provided herein, the adjuvant composition is preferably designed to induce an immune response predominantly of the Th1 type. High levels of Th1-type cytokines (e.g., IFN- γ , TNF α , IL-2 and IL-12) tend to favor the induction of cell mediated immune responses to an administered antigen. In contrast, high levels of Th2-type cytokines (e.g., IL-4, IL-5, IL-6 and IL-10) tend to favor the induction of humoral immune responses. Following application of a vaccine as provided herein, a patient will support an immune response that includes Th1- and Th2-type responses. Within a preferred embodiment, in which a response is predominantly Th1-type, the level of Th1-type cytokines will increase to a greater extent than the level of Th2-type cytokines. The levels of these cytokines may be readily assessed using standard assays. For a review of the families of cytokines, see Mosmann and Coffman, *Ann. Rev. Immunol.* 7:145-173, 1989.

Preferred adjuvants for use in eliciting a predominantly Th1-type response include, for example, a combination of monophosphoryl lipid A, preferably 3-de-O-acylated monophosphoryl lipid A (3D-MPL), together with an aluminum salt. MPL adjuvants are available from Ribi ImmunoChem Research Inc. (Hamilton, MT; see US Patent Nos. 4,436,727; 4,877,611; 4,866,034 and 4,912,094). CpG-containing oligonucleotides (in which the CpG dinucleotide is unmethylated) also induce a predominantly Th1 response. Such oligonucleotides are well known and are described, for example, in WO 96/02555. Another preferred adjuvant is a saponin, preferably QS21, which may be used alone or in combination with other adjuvants. For example,

an enhanced system involves the combination of a monophosphoryl lipid A and saponin derivative, such as the combination of QS21 and 3D-MPL as described in WO 94/00153, or a less reactogenic composition where the QS21 is quenched with cholesterol, as described in WO 96/33739. Other preferred formulations comprises an oil-in-water emulsion and tocopherol. A particularly potent
5 adjuvant formulation involving QS21, 3D-MPL and tocopherol in an oil-in-water emulsion is described in WO 95/17210. Any vaccine provided herein may be prepared using well known methods that result in a combination of antigen, immune response enhancer and a suitable carrier or excipient.

The compositions described herein may be administered as part of a sustained release
10 formulation (*i.e.*, a formulation such as a capsule, sponge or gel (composed of polysaccharides for example) that effects a slow release of compound following administration). Such formulations may generally be prepared using well known technology and administered by, for example, oral, rectal or subcutaneous implantation, or by implantation at the desired target site. Sustained-release formulations may contain a polypeptide, polynucleotide or antibody dispersed in a carrier matrix
15 and/or contained within a reservoir surrounded by a rate controlling membrane. Carriers for use within such formulations are biocompatible, and may also be biodegradable; preferably the formulation provides a relatively constant level of active component release. The amount of active compound contained within a sustained release formulation depends upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

Any of a variety of delivery vehicles may be employed within pharmaceutical
20 compositions and vaccines to facilitate production of an antigen-specific immune response that targets tumor cells. Delivery vehicles include antigen presenting cells (APCs), such as dendritic cells, macrophages, B cells, monocytes and other cells that may be engineered to be efficient APCs. Such cells may, but need not, be genetically modified to increase the capacity for presenting the
25 antigen, to improve activation and/or maintenance of the T cell response, to have anti-tumor effects *per se* and/or to be immunologically compatible with the receiver (*i.e.*, matched HLA haplotype). APCs may generally be isolated from any of a variety of biological fluids and organs, including tumor and peritumoral tissues, and may be autologous, allogeneic, syngeneic or xenogeneic cells.

Certain preferred embodiments of the present invention use dendritic cells or
30 progenitors thereof as antigen-presenting cells. Dendritic cells are highly potent APCs (Banchereau and Steinman, *Nature* 392:245-251, 1998) and have been shown to be effective as a physiological adjuvant for eliciting prophylactic or therapeutic antitumor immunity (*see* Timmerman and Levy,

Ann. Rev. Med. 50:507-529, 1999). In general, dendritic cells may be identified based on their typical shape (stellate *in situ*, with marked cytoplasmic processes (dendrites) visible *in vitro*), their ability to take-up, process and present antigens with high efficiency, and their ability to activate naïve T cell responses. Dendritic cells may, of course, be engineered to express specific cell-surface
5 receptors or ligands that are not commonly found on dendritic cells *in vivo* or *ex vivo*, and such modified dendritic cells are contemplated by the present invention. As an alternative to dendritic cells, secreted vesicles antigen-loaded dendritic cells (called exosomes) may be used within a vaccine (see Zitvogel et al., *Nature Med.* 4:594-600, 1998).

Dendritic cells and progenitors may be obtained from peripheral blood, bone
10 marrow, tumor-infiltrating cells, peritumoral tissues-infiltrating cells, lymph nodes, spleen, skin, umbilical cord blood or any other suitable tissue or fluid. For example, dendritic cells may be differentiated *ex vivo* by adding a combination of cytokines such as GM-CSF, IL-4, IL-13 and/or TNF α to cultures of monocytes harvested from peripheral blood. Alternatively, CD34 positive cells harvested from peripheral blood, umbilical cord blood or bone marrow may be differentiated into
15 dendritic cells by adding to the culture medium combinations of GM-CSF, IL-3, TNF α , CD40 ligand, LPS, flt3 ligand and/or other compound(s) that induce differentiation, maturation and proliferation of dendritic cells.

Dendritic cells are conveniently categorized as "immature" and "mature" cells, which allows a simple way to discriminate between two well characterized phenotypes. However, this
20 nomenclature should not be construed to exclude all possible intermediate stages of differentiation. Immature dendritic cells are characterized as APC with a high capacity for antigen uptake and processing, which correlates with the high expression of Fc γ receptor and mannose receptor. The mature phenotype is typically characterized by a lower expression of these markers, but a high expression of cell surface molecules responsible for T cell activation such as class I and class II
25 MHC, adhesion molecules (*e.g.*, CD54 and CD11) and costimulatory molecules (*e.g.*, CD40, CD80, CD86 and 4-1BB).

APCs may generally be transfected with a polynucleotide encoding a prostate-specific protein (or portion or other variant thereof) such that the prostate-specific polypeptide, or an immunogenic portion thereof, is expressed on the cell surface. Such transfection may take place *ex*
30 *vivo*, and a composition or vaccine comprising such transfected cells may then be used for therapeutic purposes, as described herein. Alternatively, a gene delivery vehicle that targets a dendritic or other antigen presenting cell may be administered to a patient, resulting in transfection

that occurs *in vivo*. *In vivo* and *ex vivo* transfection of dendritic cells, for example, may generally be performed using any methods known in the art, such as those described in WO 97/24447, or the gene gun approach described by Mahvi et al., *Immunology and cell Biology* 75:456-460, 1997. Antigen loading of dendritic cells may be achieved by incubating dendritic cells or progenitor cells
5 with the prostate-specific polypeptide, DNA (naked or within a plasmid vector) or RNA; or with antigen-expressing recombinant bacterium or viruses (e.g., vaccinia, fowlpox, adenovirus or lentivirus vectors). Prior to loading, the polypeptide may be covalently conjugated to an immunological partner that provides T cell help (e.g., a carrier molecule). Alternatively, a dendritic cell may be pulsed with a non-conjugated immunological partner, separately or in the presence of
10 the polypeptide.

CANCER THERAPY

In further aspects of the present invention, the compositions described herein may be used for immunotherapy of cancer, such as prostate cancer. Within such methods, pharmaceutical
15 compositions and vaccines are typically administered to a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient may or may not be afflicted with cancer. Accordingly, the above pharmaceutical compositions and vaccines may be used to prevent the development of a cancer or to treat a patient afflicted with a cancer. A cancer may be diagnosed using criteria generally accepted in the art, including the presence of a malignant tumor.
20 Pharmaceutical compositions and vaccines may be administered either prior to or following surgical removal of primary tumors and/or treatment such as administration of radiotherapy or conventional chemotherapeutic drugs.

Within certain embodiments, immunotherapy may be active immunotherapy, in which treatment relies on the *in vivo* stimulation of the endogenous host immune system to react
25 against tumors with the administration of immune response-modifying agents (such as polypeptides and polynucleotides disclosed herein).

Within other embodiments, immunotherapy may be passive immunotherapy, in which treatment involves the delivery of agents with established tumor-immune reactivity (such as effector cells or antibodies) that can directly or indirectly mediate antitumor effects and does not
30 necessarily depend on an intact host immune system. Examples of effector cells include T cells as discussed above, T lymphocytes (such as CD8⁺ cytotoxic T lymphocytes and CD4⁺ T-helper tumor-infiltrating lymphocytes), killer cells (such as Natural Killer cells and lymphokine-activated killer

cells), B cells and antigen-presenting cells (such as dendritic cells and macrophages) expressing a polypeptide provided herein. T cell receptors and antibody receptors specific for the polypeptides recited herein may be cloned, expressed and transferred into other vectors or effector cells for adoptive immunotherapy. The polypeptides provided herein may also be used to generate
5 antibodies or anti-idiotypic antibodies (as described above and in U.S. Patent No. 4,918,164) for passive immunotherapy.

Effector cells may generally be obtained in sufficient quantities for adoptive immunotherapy by growth *in vitro*, as described herein. Culture conditions for expanding single antigen-specific effector cells to several billion in number with retention of antigen recognition *in*
10 *vivo* are well known in the art. Such *in vitro* culture conditions typically use intermittent stimulation with antigen, often in the presence of cytokines (such as IL-2) and non-dividing feeder cells. As noted above, immunoreactive polypeptides as provided herein may be used to rapidly expand antigen-specific T cell cultures in order to generate a sufficient number of cells for immunotherapy. In particular, antigen-presenting cells, such as dendritic, macrophage, monocyte,
15 fibroblast or B cells, may be pulsed with immunoreactive polypeptides or transfected with one or more polynucleotides using standard techniques well known in the art. For example, antigen-presenting cells can be transfected with a polynucleotide having a promoter appropriate for increasing expression in a recombinant virus or other expression system. Cultured effector cells for use in therapy must be able to grow and distribute widely, and to survive long term *in vivo*. Studies
20 have shown that cultured effector cells can be induced to grow *in vivo* and to survive long term in substantial numbers by repeated stimulation with antigen supplemented with IL-2 (*see, for example, Cheever et al., Immunological Reviews 157:177, 1997*).

Alternatively, a vector expressing a polypeptide recited herein may be introduced into antigen presenting cells taken from a patient and clonally propagated *ex vivo* for transplant back
25 into the same patient. Transfected cells may be reintroduced into the patient using any means known in the art, preferably in sterile form by intravenous, intracavitary, intraperitoneal or intratumor administration.

Routes and frequency of administration of the therapeutic compositions disclosed herein, as well as dosage, will vary from individual to individual, and may be readily established
30 using standard techniques. In general, the pharmaceutical compositions and vaccines may be administered by injection (*e.g.*, intracutaneous, intramuscular, intravenous or subcutaneous), intranasally (*e.g.*, by aspiration) or orally. Preferably, between 1 and 10 doses may be administered

over a 52 week period. Preferably, 6 doses are administered, at intervals of 1 month, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of a compound that, when administered as described above, is capable of promoting an anti-tumor immune response, and is at least 10-50%
5 above the basal (*i.e.*, untreated) level. Such response can be monitored by measuring the anti-tumor antibodies in a patient or by vaccine-dependent generation of cytolytic effector cells capable of killing the patient's tumor cells *in vitro*. Such vaccines should also be capable of causing an immune response that leads to an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-
10 vaccinated patients. In general, for pharmaceutical compositions and vaccines comprising one or more polypeptides, the amount of each polypeptide present in a dose ranges from about 25 µg to 5 mg per kg of host. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

In general, an appropriate dosage and treatment regimen provides the active
15 compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such a response can be monitored by establishing an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial, or longer disease-free survival) in treated patients as compared to non-treated patients. Increases in preexisting immune responses to a prostate-specific protein generally correlate with an improved clinical outcome. Such immune responses may generally be
20 evaluated using standard proliferation, cytotoxicity or cytokine assays, which may be performed using samples obtained from a patient before and after treatment.

METHODS FOR DETECTING CANCER

In general, a cancer may be detected in a patient based on the presence of one or
25 more prostate-specific proteins and/or polynucleotides encoding such proteins in a biological sample (for example, blood, sera, urine and/or tumor biopsies) obtained from the patient. In other words, such proteins may be used as markers to indicate the presence or absence of a cancer such as prostate cancer. In addition, such proteins may be useful for the detection of other cancers. The binding agents provided herein generally permit detection of the level of antigen that binds to the
30 agent in the biological sample. Polynucleotide primers and probes may be used to detect the level of mRNA encoding a tumor protein, which is also indicative of the presence or absence of a cancer.

In general, a prostate tumor sequence should be present at a level that is at least three fold higher in tumor tissue than in normal tissue

There are a variety of assay formats known to those of ordinary skill in the art for using a binding agent to detect polypeptide markers in a sample. See, e.g., Harlow and Lane, 5 *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, the presence or absence of a cancer in a patient may be determined by (a) contacting a biological sample obtained from a patient with a binding agent; (b) detecting in the sample a level of polypeptide that binds to the binding agent; and (c) comparing the level of polypeptide with a predetermined cut-off value.

In a preferred embodiment, the assay involves the use of binding agent immobilized 10 on a solid support to bind to and remove the polypeptide from the remainder of the sample. The bound polypeptide may then be detected using a detection reagent that contains a reporter group and specifically binds to the binding agent/polypeptide complex. Such detection reagents may comprise, for example, a binding agent that specifically binds to the polypeptide or an antibody or other agent that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, 15 protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent is indicative of the reactivity of the sample with the immobilized binding agent. Suitable polypeptides for use within such assays include full 20 length prostate-specific proteins and portions thereof to which the binding agent binds, as described above.

The solid support may be any material known to those of ordinary skill in the art to which the protein may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or 25 disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" 30 refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a

membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of binding agent ranging from about 10 ng to about 10 µg, and preferably about 100 ng to about 1 µg, is sufficient to immobilize an adequate amount of binding agent.

Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the binding agent. For example, the binding agent may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (*see, e.g.*, Pierce Immunotechnology Catalog and Handbook, 1991, at A12-A13).

In certain embodiments, the assay is a two-antibody sandwich assay. This assay may be performed by first contacting an antibody that has been immobilized on a solid support, commonly the well of a microtiter plate, with the sample, such that polypeptides within the sample are allowed to bind to the immobilized antibody. Unbound sample is then removed from the immobilized polypeptide-antibody complexes and a detection reagent (preferably a second antibody capable of binding to a different site on the polypeptide) containing a reporter group is added. The amount of detection reagent that remains bound to the solid support is then determined using a method appropriate for the specific reporter group.

More specifically, once the antibody is immobilized on the support as described above, the remaining protein binding sites on the support are typically blocked. Any suitable blocking agent known to those of ordinary skill in the art, such as bovine serum albumin or Tween 20™ (Sigma Chemical Co., St. Louis, MO). The immobilized antibody is then incubated with the sample, and polypeptide is allowed to bind to the antibody. The sample may be diluted with a suitable diluent, such as phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact time (*i.e.*, incubation time) is a period of time that is sufficient to detect the presence of polypeptide within a sample obtained from an individual with prostate cancer. Preferably, the contact time is sufficient to achieve a level of binding that is at least about 95% of that achieved at equilibrium between bound and unbound polypeptide. Those of ordinary skill in the art will recognize that the time necessary to achieve equilibrium may be readily determined by

assaying the level of binding that occurs over a period of time. At room temperature, an incubation time of about 30 minutes is generally sufficient.

Unbound sample may then be removed by washing the solid support with an appropriate buffer, such as PBS containing 0.1% Tween 20™. The second antibody, which contains
5 a reporter group, may then be added to the solid support. Preferred reporter groups include those groups recited above.

The detection reagent is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound polypeptide. An appropriate amount of time may generally be determined by assaying the level of binding that occurs over a period of
10 time. Unbound detection reagent is then removed and bound detection reagent is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods are generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group
15 (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of the reaction products.

To determine the presence or absence of a cancer, such as prostate cancer, the signal detected from the reporter group that remains bound to the solid support is generally compared to a
20 signal that corresponds to a predetermined cut-off value. In one preferred embodiment, the cut-off value for the detection of a cancer is the average mean signal obtained when the immobilized antibody is incubated with samples from patients without the cancer. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value is considered positive for the cancer. In an alternate preferred embodiment, the cut-off value is
25 determined using a Receiver Operator Curve, according to the method of Sackett et al., *Clinical Epidemiology: A Basic Science for Clinical Medicine*, Little Brown and Co., 1985, p. 106-7. Briefly, in this embodiment, the cut-off value may be determined from a plot of pairs of true positive rates (i.e., sensitivity) and false positive rates (100%-specificity) that correspond to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest
30 to the upper left-hand corner (i.e., the value that encloses the largest area) is the most accurate cut-off value, and a sample generating a signal that is higher than the cut-off value determined by this method may be considered positive. Alternatively, the cut-off value may be shifted to the left along

the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for a cancer.

In a related embodiment, the assay is performed in a flow-through or strip test format, wherein the binding agent is immobilized on a membrane, such as nitrocellulose. In the flow-through test, polypeptides within the sample bind to the immobilized binding agent as the sample passes through the membrane. A second, labeled binding agent then binds to the binding agent-polypeptide complex as a solution containing the second binding agent flows through the membrane. The detection of bound second binding agent may then be performed as described above. In the strip test format, one end of the membrane to which binding agent is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing second binding agent and to the area of immobilized binding agent. Concentration of second binding agent at the area of immobilized antibody indicates the presence of a cancer. Typically, the concentration of second binding agent at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of binding agent immobilized on the membrane is selected to generate a visually discernible pattern when the biological sample contains a level of polypeptide that would be sufficient to generate a positive signal in the two-antibody sandwich assay, in the format discussed above. Preferred binding agents for use in such assays are antibodies and antigen-binding fragments thereof. Preferably, the amount of antibody immobilized on the membrane ranges from about 25 ng to about 1 μ g, and more preferably from about 50 ng to about 500 ng. Such tests can typically be performed with a very small amount of biological sample.

Of course, numerous other assay protocols exist that are suitable for use with the proteins or binding agents of the present invention. The above descriptions are intended to be exemplary only. For example, it will be apparent to those of ordinary skill in the art that the above protocols may be readily modified to use prostate-specific polypeptides to detect antibodies that bind to such polypeptides in a biological sample. The detection of such prostate-specific protein specific antibodies may correlate with the presence of a cancer.

A cancer may also, or alternatively, be detected based on the presence of T cells that specifically react with a prostate-specific protein in a biological sample. Within certain methods, a biological sample comprising CD4⁺ and/or CD8⁺ T cells isolated from a patient is incubated with a prostate-specific polypeptide, a polynucleotide encoding such a polypeptide and/or an APC that

expresses at least an immunogenic portion of such a polypeptide, and the presence or absence of specific activation of the T cells is detected. Suitable biological samples include, but are not limited to, isolated T cells. For example, T cells may be isolated from a patient by routine techniques (such as by Ficoll/Hypaque density gradient centrifugation of peripheral blood lymphocytes). T cells may
5 be incubated *in vitro* for 2-9 days (typically 4 days) at 37°C with prostate-specific polypeptide (e.g., 5 - 25 µg/ml). It may be desirable to incubate another aliquot of a T cell sample in the absence of prostate-specific polypeptide to serve as a control. For CD4⁺ T cells, activation is preferably detected by evaluating proliferation of the T cells. For CD8⁺ T cells, activation is preferably detected by evaluating cytolytic activity. A level of proliferation that is at least two fold greater
10 and/or a level of cytolytic activity that is at least 20% greater than in disease-free patients indicates the presence of a cancer in the patient.

As noted above, a cancer may also, or alternatively, be detected based on the level of mRNA encoding a prostate-specific protein in a biological sample. For example, at least two oligonucleotide primers may be employed in a polymerase chain reaction (PCR) based assay to
15 amplify a portion of a prostate-specific cDNA derived from a biological sample, wherein at least one of the oligonucleotide primers is specific for (*i.e.*, hybridizes to) a polynucleotide encoding the prostate-specific protein. The amplified cDNA is then separated and detected using techniques well known in the art, such as gel electrophoresis. Similarly, oligonucleotide probes that specifically hybridize to a polynucleotide encoding a prostate-specific protein may be used in a hybridization
20 assay to detect the presence of polynucleotide encoding the protein in a biological sample.

To permit hybridization under assay conditions, oligonucleotide primers and probes should comprise an oligonucleotide sequence that has at least about 60%, preferably at least about 75% and more preferably at least about 90%, identity to a portion of a polynucleotide encoding a prostate-specific protein that is at least 10 nucleotides, and preferably at least 20 nucleotides, in
25 length. Preferably, oligonucleotide primers and/or probes will hybridize to a polynucleotide encoding a polypeptide disclosed herein under moderately stringent conditions, as defined above. Oligonucleotide primers and/or probes which may be usefully employed in the diagnostic methods described herein preferably are at least 10-40 nucleotides in length. In a preferred embodiment, the oligonucleotide primers comprise at least 10 contiguous nucleotides, more preferably at least 15
30 contiguous nucleotides, of a DNA molecule having a sequence recited in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382, 384-476, 524, 526, 530, 531, 533, 535 and 536. Techniques for both PCR based assays and hybridization assays

are well known in the art (*see, for example, Mullis et al., Cold Spring Harbor Symp. Quant. Biol., 51:263, 1987; Erlich ed., PCR Technology, Stockton Press, NY, 1989*).

One preferred assay employs RT-PCR, in which PCR is applied in conjunction with reverse transcription. Typically, RNA is extracted from a biological sample, such as biopsy tissue, and is reverse transcribed to produce cDNA molecules. PCR amplification using at least one specific primer generates a cDNA molecule, which may be separated and visualized using, for example, gel electrophoresis. Amplification may be performed on biological samples taken from a test patient and from an individual who is not afflicted with a cancer. The amplification reaction may be performed on several dilutions of cDNA spanning two orders of magnitude. A two-fold or greater increase in expression in several dilutions of the test patient sample as compared to the same dilutions of the non-cancerous sample is typically considered positive.

In another embodiment, the disclosed compositions may be used as markers for the progression of cancer. In this embodiment, assays as described above for the diagnosis of a cancer may be performed over time, and the change in the level of reactive polypeptide(s) or polynucleotide evaluated. For example, the assays may be performed every 24-72 hours for a period of 6 months to 1 year, and thereafter performed as needed. In general, a cancer is progressing in those patients in whom the level of polypeptide or polynucleotide detected increases over time. In contrast, the cancer is not progressing when the level of reactive polypeptide or polynucleotide either remains constant or decreases with time.

Certain *in vivo* diagnostic assays may be performed directly on a tumor. One such assay involves contacting tumor cells with a binding agent. The bound binding agent may then be detected directly or indirectly via a reporter group. Such binding agents may also be used in histological applications. Alternatively, polynucleotide probes may be used within such applications.

As noted above, to improve sensitivity, multiple prostate-specific protein markers may be assayed within a given sample. It will be apparent that binding agents specific for different proteins provided herein may be combined within a single assay. Further, multiple primers or probes may be used concurrently. The selection of protein markers may be based on routine experiments to determine combinations that results in optimal sensitivity. In addition, or alternatively, assays for proteins provided herein may be combined with assays for other known tumor antigens.

DIAGNOSTIC KITS

The present invention further provides kits for use within any of the above diagnostic methods. Such kits typically comprise two or more components necessary for performing a diagnostic assay. Components may be compounds, reagents, containers and/or equipment. For example, one container within a kit may contain a monoclonal antibody or fragment thereof that specifically binds to a prostate-specific protein. Such antibodies or fragments may be provided attached to a support material, as described above. One or more additional containers may enclose elements, such as reagents or buffers, to be used in the assay. Such kits may also, or alternatively, contain a detection reagent as described above that contains a reporter group suitable for direct or indirect detection of antibody binding.

Alternatively, a kit may be designed to detect the level of mRNA encoding a prostate-specific protein in a biological sample. Such kits generally comprise at least one oligonucleotide probe or primer, as described above, that hybridizes to a polynucleotide encoding a prostate-specific protein. Such an oligonucleotide may be used, for example, within a PCR or hybridization assay. Additional components that may be present within such kits include a second oligonucleotide and/or a diagnostic reagent or container to facilitate the detection of a polynucleotide encoding a prostate-specific protein.

The following Examples are offered by way of illustration and not by way of limitation.

EXAMPLES

EXAMPLE 1

5 ISOLATION AND CHARACTERIZATION OF PROSTATE-SPECIFIC POLYPEPTIDES

This Example describes the isolation of certain prostate-specific polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library was constructed from prostate
10 tumor poly A⁺ RNA using a Superscript Plasmid System for cDNA Synthesis and Plasmid Cloning kit (BRL Life Technologies, Gaithersburg, MD 20897) following the manufacturer's protocol. Specifically, prostate tumor tissues were homogenized with polytron (Kinematica, Switzerland) and total RNA was extracted using Trizol reagent (BRL Life Technologies) as directed by the manufacturer. The poly A⁺ RNA was then purified using a Qiagen oligotex spin column mRNA
15 purification kit (Qiagen, Santa Clarita, CA 91355) according to the manufacturer's protocol. First-strand cDNA was synthesized using the NotI/Oligo-dT18 primer. Double-stranded cDNA was synthesized, ligated with EcoRI/BAXI adaptors (Invitrogen, San Diego, CA) and digested with NotI. Following size fractionation with Chroma Spin-1000 columns (Clontech, Palo Alto, CA), the cDNA was ligated into the EcoRI/NotI site of pCDNA3.1 (Invitrogen) and transformed into
20 ElectroMax *E. coli* DH10B cells (BRL Life Technologies) by electroporation.

Using the same procedure, a normal human pancreas cDNA expression library was prepared from a pool of six tissue specimens (Clontech). The cDNA libraries were characterized by determining the number of independent colonies, the percentage of clones that carried insert, the average insert size and by sequence analysis. The prostate tumor library contained 1.64×10^7
25 independent colonies, with 70% of clones having an insert and the average insert size being 1745 base pairs. The normal pancreas cDNA library contained 3.3×10^6 independent colonies, with 69% of clones having inserts and the average insert size being 1120 base pairs. For both libraries, sequence analysis showed that the majority of clones had a full length cDNA sequence and were synthesized from mRNA, with minimal rRNA and mitochondrial DNA contamination.

30 cDNA library subtraction was performed using the above prostate tumor and normal pancreas cDNA libraries, as described by Hara *et al.* (*Blood*, 84:189-199, 1994) with some modifications. Specifically, a prostate tumor-specific subtracted cDNA library was generated as

follows. Normal pancreas cDNA library (70 µg) was digested with EcoRI, NotI, and SfuI, followed by a filling-in reaction with DNA polymerase Klenow fragment. After phenol-chloroform extraction and ethanol precipitation, the DNA was dissolved in 100 µl of H₂O, heat-denatured and mixed with 100 µl (100 µg) of Photoprobe biotin (Vector Laboratories, Burlingame, CA). As
5 recommended by the manufacturer, the resulting mixture was irradiated with a 270 W sunlamp on ice for 20 minutes. Additional Photoprobe biotin (50 µl) was added and the biotinylation reaction was repeated. After extraction with butanol five times, the DNA was ethanol-precipitated and dissolved in 23 µl H₂O to form the driver DNA.

To form the tracer DNA, 10 µg prostate tumor cDNA library was digested with
10 BamHI and XhoI, phenol chloroform extracted and passed through Chroma spin-400 columns (Clontech). Following ethanol precipitation, the tracer DNA was dissolved in 5 µl H₂O. Tracer DNA was mixed with 15 µl driver DNA and 20 µl of 2 x hybridization buffer (1.5 M NaCl/10 mM EDTA/50 mM HEPES pH 7.5/0.2% sodium dodecyl sulfate), overlaid with mineral oil, and heat-denatured completely. The sample was immediately transferred into a 68 °C water bath and
15 incubated for 20 hours (long hybridization [LH]). The reaction mixture was then subjected to a streptavidin treatment followed by phenol/chloroform extraction. This process was repeated three more times. Subtracted DNA was precipitated, dissolved in 12 µl H₂O, mixed with 8 µl driver DNA and 20 µl of 2 x hybridization buffer, and subjected to a hybridization at 68 °C for 2 hours (short hybridization [SH]). After removal of biotinylated double-stranded DNA, subtracted cDNA
20 was ligated into BamHI/XhoI site of chloramphenicol resistant pBCSK⁺ (Stratagene, La Jolla, CA 92037) and transformed into ElectroMax *E. coli* DH10B cells by electroporation to generate a prostate tumor specific subtracted cDNA library (referred to as "prostate subtraction 1").

To analyze the subtracted cDNA library, plasmid DNA was prepared from 100 independent clones, randomly picked from the subtracted prostate tumor specific library and
25 grouped based on insert size. Representative cDNA clones were further characterized by DNA sequencing with a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A (Foster City, CA). Six cDNA clones, hereinafter referred to as F1-13, F1-12, F1-16, H1-1, H1-9 and H1-4, were shown to be abundant in the subtracted prostate-specific cDNA library. The determined 3' and 5' cDNA sequences for F1-12 are provided in SEQ ID NO: 2 and 3, respectively,
30 with determined 3' cDNA sequences for F1-13, F1-16, H1-1, H1-9 and H1-4 being provided in SEQ ID NO: 1 and 4-7, respectively.

The cDNA sequences for the isolated clones were compared to known sequences in the gene bank using the EMBL and GenBank databases (release 96). Four of the prostate tumor cDNA clones, F1-13, F1-16, H1-1, and H1-4, were determined to encode the following previously identified proteins: prostate specific antigen (PSA), human glandular kallikrein, human tumor expression enhanced gene, and mitochondria cytochrome C oxidase subunit II. H1-9 was found to be identical to a previously identified human autonomously replicating sequence. No significant homologies to the cDNA sequence for F1-12 were found.

Subsequent studies led to the isolation of a full-length cDNA sequence for F1-12. This sequence is provided in SEQ ID NO: 107, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 108.

To clone less abundant prostate tumor specific genes, cDNA library subtraction was performed by subtracting the prostate tumor cDNA library described above with the normal pancreas cDNA library and with the three most abundant genes in the previously subtracted prostate tumor specific cDNA library: human glandular kallikrein, prostate specific antigen (PSA), and mitochondria cytochrome C oxidase subunit II. Specifically, 1 μ g each of human glandular kallikrein, PSA and mitochondria cytochrome C oxidase subunit II cDNAs in pCDNA3.1 were added to the driver DNA and subtraction was performed as described above to provide a second subtracted cDNA library hereinafter referred to as the "subtracted prostate tumor specific cDNA library with spike".

Twenty-two cDNA clones were isolated from the subtracted prostate tumor specific cDNA library with spike. The determined 3' and 5' cDNA sequences for the clones referred to as J1-17, L1-12, N1-1862, J1-13, J1-19, J1-25, J1-24, K1-58, K1-63, L1-4 and L1-14 are provided in SEQ ID NOS: 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-21, 22-23, 24-25, 26-27 and 28-29, respectively. The determined 3' cDNA sequences for the clones referred to as J1-12, J1-16, J1-21, K1-48, K1-55, L1-2, L1-6, N1-1858, N1-1860, N1-1861, N1-1864 are provided in SEQ ID NOS: 30-40, respectively. Comparison of these sequences with those in the gene bank as described above, revealed no significant homologies to three of the five most abundant DNA species, (J1-17, L1-12 and N1-1862; SEQ ID NOS: 8-9, 10-11 and 12-13, respectively). Of the remaining two most abundant species, one (J1-12; SEQ ID NO:30) was found to be identical to the previously identified human pulmonary surfactant-associated protein, and the other (K1-48; SEQ ID NO:33) was determined to have some homology to *R. norvegicus* mRNA for 2-arylpropionyl-CoA epimerase. Of the 17 less abundant cDNA clones isolated from the subtracted prostate tumor specific cDNA

library with spike, four (J1-16, K1-55, L1-6 and N1-1864; SEQ ID NOS:31, 34, 36 and 40, respectively) were found to be identical to previously identified sequences, two (J1-21 and N1-1860; SEQ ID NOS: 32 and 38, respectively) were found to show some homology to non-human sequences, and two (L1-2 and N1-1861; SEQ ID NOS: 35 and 39, respectively) were found to show
5 some homology to known human sequences. No significant homologies were found to the polypeptides J1-13, J1-19, J1-24, J1-25, K1-58, K1-63, L1-4, L1-14 (SEQ ID NOS: 14-15, 16-17, 20-21, 18-19, 22-23, 24-25, 26-27, 28-29, respectively).

Subsequent studies led to the isolation of full length cDNA sequences for J1-17, L1-12 and N1-1862 (SEQ ID NOS: 109-111, respectively). The corresponding predicted amino acid
10 sequences are provided in SEQ ID NOS: 112-114. L1-12 is also referred to as P501S.

In a further experiment, four additional clones were identified by subtracting a prostate tumor cDNA library with normal prostate cDNA prepared from a pool of three normal prostate poly A+ RNA (referred to as "prostate subtraction 2"). The determined cDNA sequences for these clones, hereinafter referred to as U1-3064, U1-3065, V1-3692 and 1A-3905, are provided
15 in SEQ ID NO: 69-72, respectively. Comparison of the determined sequences with those in the gene bank revealed no significant homologies to U1-3065.

A second subtraction with spike (referred to as "prostate subtraction spike 2") was performed by subtracting a prostate tumor specific cDNA library with spike with normal pancreas cDNA library and further spiked with PSA, J1-17, pulmonary surfactant-associated protein, mitochondrial DNA, cytochrome c oxidase subunit II, N1-1862, autonomously replicating
20 sequence, L1-12 and tumor expression enhanced gene. Four additional clones, hereinafter referred to as V1-3686, R1-2330, 1B-3976 and V1-3679, were isolated. The determined cDNA sequences for these clones are provided in SEQ ID NO:73-76, respectively. Comparison of these sequences with those in the gene bank revealed no significant homologies to V1-3686 and R1-2330.

Further analysis of the three prostate subtractions described above (prostate subtraction 2, subtracted prostate tumor specific cDNA library with spike, and prostate subtraction spike 2) resulted in the identification of sixteen additional clones, referred to as 1G-4736, 1G-4738, 1G-4741, 1G-4744, 1G-4734, 1H-4774, 1H-4781, 1H-4785, 1H-4787, 1H-4796, 1I-4810, 1I-4811, 1J-4876, 1K-4884 and 1K-4896. The determined cDNA sequences for these clones are provided in
25 SEQ ID NOS: 77-92, respectively. Comparison of these sequences with those in the gene bank as described above, revealed no significant homologies to 1G-4741, 1G-4734, 1I-4807, 1J-4876 and 1K-4896 (SEQ ID NOS: 79, 81, 87, 90 and 92, respectively). Further analysis of the isolated
30

clones led to the determination of extended cDNA sequences for 1G-4736, 1G-4738, 1G-4741, 1G-4744, 1H-4774, 1H-4781, 1H-4785, 1H-4787, 1H-4796, 1I-4807, 1J-4876, 1K-4884 and 1K-4896, provided in SEQ ID NOS: 179-188 and 191-193, respectively, and to the determination of additional partial cDNA sequences for 1I-4810 and 1I-4811, provided in SEQ ID NOS: 189 and 5 190, respectively.

Additional studies with prostate subtraction spike 2 resulted in the isolation of three more clones. Their sequences were determined as described above and compared to the most recent GenBank. All three clones were found to have homology to known genes, which are Cysteine-rich protein, KIAA0242, and KIAA0280 (SEQ ID NO: 317, 319, and 320, respectively). Further 10 analysis of these clones by Synteni microarray (Synteni, Palo Alto, CA) demonstrated that all three clones were over-expressed in most prostate tumors and prostate BPH, as well as in the majority of normal prostate tissues tested, but low expression in all other normal tissues.

An additional subtraction was performed by subtracting a normal prostate cDNA library with normal pancreas cDNA (referred to as "prostate subtraction 3"). This led to the 15 identification of six additional clones referred to as 1G-4761, 1G-4762, 1H-4766, 1H-4770, 1H-4771 and 1H-4772 (SEQ ID NOS: 93-98). Comparison of these sequences with those in the gene bank revealed no significant homologies to 1G-4761 and 1H-4771 (SEQ ID NOS: 93 and 97, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1G-4761, 1G-4762, 1H-4766 and 1H-4772 provided in SEQ ID NOS: 194-196 and 20 199, respectively, and to the determination of additional partial cDNA sequences for 1H-4770 and 1H-4771, provided in SEQ ID NOS: 197 and 198, respectively.

Subtraction of a prostate tumor cDNA library, prepared from a pool of polyA+ RNA from three prostate cancer patients, with a normal pancreas cDNA library (prostate subtraction 4) led to the identification of eight clones, referred to as 1D-4297, 1D-4309, 1D-4278, 1D-4288, 1D-25 4283, 1D-4304, 1D-4296 and 1D-4280 (SEQ ID NOS: 99-107). These sequences were compared to those in the gene bank as described above. No significant homologies were found to 1D-4283 and 1D-4304 (SEQ ID NOS: 103 and 104, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1D-4309, 1D-4278, 1D-4288, 1D-4283, 1D-4304, 1D-4296 and 1D-4280, provided in SEQ ID NOS: 200-206, respectively.

30 cDNA clones isolated in prostate subtraction 1 and prostate subtraction 2, described above, were colony PCR amplified and their mRNA expression levels in prostate tumor, normal prostate and in various other normal tissues were determined using microarray technology (Synteni,

Palo Alto, CA). Briefly, the PCR amplification products were dotted onto slides in an array format, with each product occupying a unique location in the array. mRNA was extracted from the tissue sample to be tested, reverse transcribed, and fluorescent-labeled cDNA probes were generated. The microarrays were probed with the labeled cDNA probes, the slides scanned and fluorescence intensity was measured. This intensity correlates with the hybridization intensity. Two clones (referred to as P509S and P510S) were found to be over-expressed in prostate tumor and normal prostate and expressed at low levels in all other normal tissues tested (liver, pancreas, skin, bone marrow, brain, breast, adrenal gland, bladder, testes, salivary gland, large intestine, kidney, ovary, lung, spinal cord, skeletal muscle and colon). The determined cDNA sequences for P509S and P510S are provided in SEQ ID NO: 223 and 224, respectively. Comparison of these sequences with those in the gene bank as described above, revealed some homology to previously identified ESTs.

Additional, studies led to the isolation of the full-length cDNA sequence for P509S. This sequence is provided in SEQ ID NO: 332, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 339. Two variant full-length cDNA sequences for P510S are provided in SEQ ID NO: 535 and 536, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 537 and 538, respectively.

EXAMPLE 2

DETERMINATION OF TISSUE SPECIFICITY OF PROSTATE-SPECIFIC POLYPEPTIDES

Using gene specific primers, mRNA expression levels for the representative prostate-specific polypeptides F1-16, H1-1, J1-17 (also referred to as P502S), L1-12 (also referred to as P501S), F1-12 (also referred to as P504S) and N1-1862 (also referred to as P503S) were examined in a variety of normal and tumor tissues using RT-PCR.

Briefly, total RNA was extracted from a variety of normal and tumor tissues using Trizol reagent as described above. First strand synthesis was carried out using 1-2 μ g of total RNA with SuperScript II reverse transcriptase (BRL Life Technologies) at 42 °C for one hour. The cDNA was then amplified by PCR with gene-specific primers. To ensure the semi-quantitative nature of the RT-PCR, β -actin was used as an internal control for each of the tissues examined. First, serial dilutions of the first strand cDNAs were prepared and RT-PCR assays were performed using β -actin specific primers. A dilution was then chosen that enabled the linear range amplification of the β -actin template and which was sensitive enough to reflect the differences in the initial copy numbers. Using these conditions, the β -actin levels were determined for each

reverse transcription reaction from each tissue. DNA contamination was minimized by DNase treatment and by assuring a negative PCR result when using first strand cDNA that was prepared without adding reverse transcriptase.

mRNA Expression levels were examined in four different types of tumor tissue (prostate tumor from 2 patients, breast tumor from 3 patients, colon tumor, lung tumor), and sixteen different normal tissues, including prostate, colon, kidney, liver, lung, ovary, pancreas, skeletal muscle, skin, stomach, testes, bone marrow and brain. F1-16 was found to be expressed at high levels in prostate tumor tissue, colon tumor and normal prostate, and at lower levels in normal liver, skin and testes, with expression being undetectable in the other tissues examined. H1-1 was found to be expressed at high levels in prostate tumor, lung tumor, breast tumor, normal prostate, normal colon and normal brain, at much lower levels in normal lung, pancreas, skeletal muscle, skin, small intestine, bone marrow, and was not detected in the other tissues tested. J1-17 (P502S) and L1-12 (P501S) appear to be specifically over-expressed in prostate, with both genes being expressed at high levels in prostate tumor and normal prostate but at low to undetectable levels in all the other tissues examined. N1-1862 (P503S) was found to be over-expressed in 60% of prostate tumors and detectable in normal colon and kidney. The RT-PCR results thus indicate that F1-16, H1-1, J1-17 (P502S), N1-1862 (P503S) and L1-12 (P501S) are either prostate specific or are expressed at significantly elevated levels in prostate.

Further RT-PCR studies showed that F1-12 (P504S) is over-expressed in 60% of prostate tumors, detectable in normal kidney but not detectable in all other tissues tested. Similarly, R1-2330 was shown to be over-expressed in 40% of prostate tumors, detectable in normal kidney and liver, but not detectable in all other tissues tested. U1-3064 was found to be over-expressed in 60% of prostate tumors, and also expressed in breast and colon tumors, but was not detectable in normal tissues.

RT-PCR characterization of R1-2330, U1-3064 and 1D-4279 showed that these three antigens are over-expressed in prostate and/or prostate tumors.

Northern analysis with four prostate tumors, two normal prostate samples, two BPH prostates, and normal colon, kidney, liver, lung, pancreas, skeletal muscle, brain, stomach, testes, small intestine and bone marrow, showed that L1-12 (P501S) is over-expressed in prostate tumors and normal prostate, while being undetectable in other normal tissues tested. J1-17 (P502S) was detected in two prostate tumors and not in the other tissues tested. N1-1862 (P503S) was found to be over-expressed in three prostate tumors and to be expressed in normal prostate, colon and kidney,

but not in other tissues tested. F1-12 (P504S) was found to be highly expressed in two prostate tumors and to be undetectable in all other tissues tested.

The microarray technology described above was used to determine the expression levels of representative antigens described herein in prostate tumor, breast tumor and the following normal tissues: prostate, liver, pancreas, skin, bone marrow, brain, breast, adrenal gland, bladder, testes, salivary gland, large intestine, kidney, ovary, lung, spinal cord, skeletal muscle and colon. L1-12 (P501S) was found to be over-expressed in normal prostate and prostate tumor, with some expression being detected in normal skeletal muscle. Both J1-12 and F1-12 (P504S) were found to be over-expressed in prostate tumor, with expression being lower or undetectable in all other tissues tested. N1-1862 (P503S) was found to be expressed at high levels in prostate tumor and normal prostate, and at low levels in normal large intestine and normal colon, with expression being undetectable in all other tissues tested. R1-2330 was found to be over-expressed in prostate tumor and normal prostate, and to be expressed at lower levels in all other tissues tested. 1D-4279 was found to be over-expressed in prostate tumor and normal prostate, expressed at lower levels in normal spinal cord, and to be undetectable in all other tissues tested.

Further microarray analysis to specifically address the extent to which P501S (SEQ ID NO: 110) was expressed in breast tumor revealed moderate over-expression not only in breast tumor, but also in metastatic breast tumor (2/31), with negligible to low expression in normal tissues. This data suggests that P501S may be over-expressed in various breast tumors as well as in prostate tumors.

The expression levels of 32 ESTs (expressed sequence tags) described by Vasmatzis *et al.* (*Proc. Natl. Acad. Sci. USA* 95:300-304, 1998) in a variety of tumor and normal tissues were examined by microarray technology as described above. Two of these clones (referred to as P1000C and P1001C) were found to be over-expressed in prostate tumor and normal prostate, and expressed at low to undetectable levels in all other tissues tested (normal aorta, thymus, resting and activated PBMC, epithelial cells, spinal cord, adrenal gland, fetal tissues, skin, salivary gland, large intestine, bone marrow, liver, lung, dendritic cells, stomach, lymph nodes, brain, heart, small intestine, skeletal muscle, colon and kidney. The determined cDNA sequences for P1000C and P1001C are provided in SEQ ID NO: 384 and 472, respectively. The sequence of P1001C was found to show some homology to the previously isolated Human mRNA for JM27 protein. No significant homologies were found to the sequence of P1000C.

The expression of the polypeptide encoded by the full length cDNA sequence for F1-12 (also referred to as P504S; SEQ ID NO: 108) was investigated by immunohistochemical analysis. Rabbit-anti-P504S polyclonal antibodies were generated against the full length P504S protein by standard techniques. Subsequent isolation and characterization of the polyclonal antibodies were also performed by techniques well known in the art. Immunohistochemical analysis showed that the P504S polypeptide was expressed in 100% of prostate carcinoma samples tested (n=5).

The rabbit-anti-P504S polyclonal antibody did not appear to label benign prostate cells with the same cytoplasmic granular staining, but rather with light nuclear staining. Analysis of normal tissues revealed that the encoded polypeptide was found to be expressed in some, but not all normal human tissues. Positive cytoplasmic staining with rabbit-anti-P504S polyclonal antibody was found in normal human kidney, liver, brain, colon and lung-associated macrophages, whereas heart and bone marrow were negative.

This data indicates that the P504S polypeptide is present in prostate cancer tissues, and that there are qualitative and quantitative differences in the staining between benign prostatic hyperplasia tissues and prostate cancer tissues, suggesting that this polypeptide may be detected selectively in prostate tumors and therefore be useful in the diagnosis of prostate cancer.

EXAMPLE 3

ISOLATION AND CHARACTERIZATION OF PROSTATE-SPECIFIC POLYPEPTIDES BY PCR-BASED SUBTRACTION

A cDNA subtraction library, containing cDNA from normal prostate subtracted with ten other normal tissue cDNAs (brain, heart, kidney, liver, lung, ovary, placenta, skeletal muscle, spleen and thymus) and then submitted to a first round of PCR amplification, was purchased from Clontech. This library was subjected to a second round of PCR amplification, following the manufacturer's protocol. The resulting cDNA fragments were subcloned into the vector pT7 Blue T-vector (Novagen, Madison, WI) and transformed into XL-1 Blue MRF' *E. coli* (Stratagene). DNA was isolated from independent clones and sequenced using a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A.

Fifty-nine positive clones were sequenced. Comparison of the DNA sequences of these clones with those in the gene bank, as described above, revealed no significant homologies to 25 of these clones, hereinafter referred to as P5, P8, P9, P18, P20, P30, P34, P36, P38, P39, P42, P49, P50, P53, P55, P60, P64, P65, P73, P75, P76, P79 and P84. The determined cDNA sequences
5 for these clones are provided in SEQ ID NO: 41-45, 47-52 and 54-65, respectively. P29, P47, P68, P80 and P82 (SEQ ID NO: 46, 53 and 66-68, respectively) were found to show some degree of homology to previously identified DNA sequences. To the best of the inventors' knowledge, none of these sequences have been previously shown to be present in prostate.

Further studies using the PCR-based methodology described above resulted in the
10 isolation of more than 180 additional clones, of which 23 clones were found to show no significant homologies to known sequences. The determined cDNA sequences for these clones are provided in SEQ ID NO: 115-123, 127, 131, 137, 145, 147-151, 153, 156-158 and 160. Twenty-three clones (SEQ ID NO: 124-126, 128-130, 132-136, 138-144, 146, 152, 154, 155 and 159) were found to show some homology to previously identified ESTs. An additional ten clones (SEQ ID NO: 161-
15 170) were found to have some degree of homology to known genes. Larger cDNA clones containing the P20 sequence represent splice variants of a gene referred to as P703P. The determined DNA sequence for the variants referred to as DE1, DE13 and DE14 are provided in SEQ ID NOS: 171, 175 and 177, respectively, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 172, 176 and 178, respectively. The determined cDNA
20 sequence for an extended spliced form of P703 is provided in SEQ ID NO: 225. The DNA sequences for the splice variants referred to as DE2 and DE6 are provided in SEQ ID NOS: 173 and 174, respectively.

mRNA Expression levels for representative clones in tumor tissues (prostate (n=5), breast (n=2), colon and lung) normal tissues (prostate (n=5), colon, kidney, liver, lung (n=2), ovary
25 (n=2), skeletal muscle, skin, stomach, small intestine and brain), and activated and non-activated PBMC was determined by RT-PCR as described above. Expression was examined in one sample of each tissue type unless otherwise indicated.

P9 was found to be highly expressed in normal prostate and prostate tumor compared to all normal tissues tested except for normal colon which showed comparable expression. P20, a
30 portion of the P703P gene, was found to be highly expressed in normal prostate and prostate tumor, compared to all twelve normal tissues tested. A modest increase in expression of P20 in breast tumor (n=2), colon tumor and lung tumor was seen compared to all normal tissues except lung (1 of

2). Increased expression of P18 was found in normal prostate, prostate tumor and breast tumor compared to other normal tissues except lung and stomach. A modest increase in expression of P5 was observed in normal prostate compared to most other normal tissues. However, some elevated expression was seen in normal lung and PBMC. Elevated expression of P5 was also observed in prostate tumors (2 of 5), breast tumor and one lung tumor sample. For P30, similar expression levels were seen in normal prostate and prostate tumor, compared to six of twelve other normal tissues tested. Increased expression was seen in breast tumors, one lung tumor sample and one colon tumor sample, and also in normal PBMC. P29 was found to be over-expressed in prostate tumor (5 of 5) and normal prostate (5 of 5) compared to the majority of normal tissues. However, substantial expression of P29 was observed in normal colon and normal lung (2 of 2). P80 was found to be over-expressed in prostate tumor (5 of 5) and normal prostate (5 of 5) compared to all other normal tissues tested, with increased expression also being seen in colon tumor.

Further studies resulted in the isolation of twelve additional clones, hereinafter referred to as 10-d8, 10-h10, 11-c8, 7-g6, 8-b5, 8-b6, 8-d4, 8-d9, 8-g3, 8-h11, 9-f12 and 9-f3. The determined DNA sequences for 10-d8, 10-h10, 11-c8, 8-d4, 8-d9, 8-h11, 9-f12 and 9-f3 are provided in SEQ ID NO: 207, 208, 209, 216, 217, 220, 221 and 222, respectively. The determined forward and reverse DNA sequences for 7-g6, 8-b5, 8-b6 and 8-g3 are provided in SEQ ID NO: 210 and 211; 212 and 213; 214 and 215; and 218 and 219, respectively. Comparison of these sequences with those in the gene bank revealed no significant homologies to the sequence of 9-f3. The clones 10-d8, 11-c8 and 8-h11 were found to show some homology to previously isolated ESTs, while 10-h10, 8-b5, 8-b6, 8-d4, 8-d9, 8-g3 and 9-f12 were found to show some homology to previously identified genes. Further characterization of 7-G6 and 8-G3 showed identity to the known genes PAP and PSA, respectively.

mRNA expression levels for these clones were determined using the micro-array technology described above. The clones 7-G6, 8-G3, 8-B5, 8-B6, 8-D4, 8-D9, 9-F3, 9-F12, 9-H3, 10-A2, 10-A4, 11-C9 and 11-F2 were found to be over-expressed in prostate tumor and normal prostate, with expression in other tissues tested being low or undetectable. Increased expression of 8-F11 was seen in prostate tumor and normal prostate, bladder, skeletal muscle and colon. Increased expression of 10-H10 was seen in prostate tumor and normal prostate, bladder, lung, colon, brain and large intestine. Increased expression of 9-B1 was seen in prostate tumor, breast tumor, and normal prostate, salivary gland, large intestine and skin, with increased expression of 11-C8 being seen in prostate tumor, and normal prostate and large intestine.

An additional cDNA fragment derived from the PCR-based normal prostate subtraction, described above, was found to be prostate specific by both micro-array technology and RT-PCR. The determined cDNA sequence of this clone (referred to as 9-A11) is provided in SEQ ID NO: 226. Comparison of this sequence with those in the public databases revealed 99% identity to the known gene HOXB13.

Further studies led to the isolation of the clones 8-C6 and 8-H7. The determined cDNA sequences for these clones are provided in SEQ ID NO: 227 and 228, respectively. These sequences were found to show some homology to previously isolated ESTs.

PCR and hybridization-based methodologies were employed to obtain longer cDNA sequences for clone P20 (also referred to as P703P), yielding three additional cDNA fragments that progressively extend the 5' end of the gene. These fragments, referred to as P703PDE5, P703P6.26, and P703PX-23 (SEQ ID NO: 326, 328 and 330, with the predicted corresponding amino acid sequences being provided in SEQ ID NO: 327, 329 and 331, respectively) contain additional 5' sequence. P703PDE5 was recovered by screening of a cDNA library (#141-26) with a portion of P703P as a probe. P703P6.26 was recovered from a mixture of three prostate tumor cDNAs and P703PX_23 was recovered from cDNA library (#438-48). Together, the additional sequences include all of the putative mature serine protease along with part of the putative signal sequence. The putative full-length cDNA sequence for P703P is provided in SEQ ID NO: 524, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 525.

Further studies using a PCR-based subtraction library of a prostate tumor pool subtracted against a pool of normal tissues (referred to as JP: PCR subtraction) resulted in the isolation of thirteen additional clones, seven of which did not share any significant homology to known GenBank sequences. The determined cDNA sequences for these seven clones (P711P, P712P, novel 23, P774P, P775P, P710P and P768P) are provided in SEQ ID NO: 307-311, 313 and 315, respectively. The remaining six clones (SEQ ID NO: 316 and 321-325) were shown to share some homology to known genes. By microarray analysis, all thirteen clones showed three or more fold over-expression in prostate tissues, including prostate tumors, BPH and normal prostate as compared to normal non-prostate tissues. Clones P711P, P712P, novel 23 and P768P showed over-expression in most prostate tumors and BPH tissues tested (n=29), and in the majority of normal prostate tissues (n=4), but background to low expression levels in all normal tissues. Clones P774P, P775P and P710P showed comparatively lower expression and expression in fewer prostate tumors and BPH samples, with negative to low expression in normal prostate.

The full-length cDNA for P711P was obtained by employing the partial sequence of SEQ ID NO: 307 to screen a prostate cDNA library. Specifically, a directionally cloned prostate cDNA library was prepared using standard techniques. One million colonies of this library were plated onto LB/Amp plates. Nylon membrane filters were used to lift these colonies, and the cDNAs which were picked up by these filters were denatured and cross-linked to the filters by UV light. The P711P cDNA fragment of SEQ ID NO: 307 was radio-labeled and used to hybridize with these filters. Positive clones were selected, and cDNAs were prepared and sequenced using an automatic Perkin Elmer/Applied Biosystems sequencer. The determined full-length sequence of P711P is provided in SEQ ID NO: 382, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 383.

Using PCR and hybridization-based methodologies, additional cDNA sequence information was derived for two clones described above, 11-C9 and 9-F3, herein after referred to as P707P and P714P, respectively (SEQ ID NO: 333 and 334). After comparison with the most recent GenBank, P707P was found to be a splice variant of the known gene HoxB13. In contrast, no significant homologies to P714P were found.

Clones 8-B3, P89, P98, P130 and P201 (as disclosed in U.S. Patent Application No. 09/020,956, filed February 9, 1998) were found to be contained within one contiguous sequence, referred to as P705P (SEQ ID NO: 335, with the predicted amino acid sequence provided in SEQ ID NO: 336), which was determined to be a splice variant of the known gene NKX 3.1.

Further studies on P775P resulted in the isolation of four additional sequences (SEQ ID NO: 473-476) which are all splice variants of the P775P gene. The sequence of SEQ ID NO: 474 was found to contain two open reading frames (ORFs). The predicted amino acid sequences encoded by these ORFs are provided in SEQ ID NO: 477 and 478. The cDNA sequence of SEQ ID NO: 475 was found to contain an ORF which encodes the amino acid sequence of SEQ ID NO: 479. The cDNA sequence of SEQ ID NO: 473 was found to contain four ORFs. The predicted amino acid sequences encoded by these ORFs are provided in SEQ ID NO: 480-483.

Subsequent studies led to the identification of a genomic region on chromosome 22q11.2, known as the Cat Eye Syndrome region, that contains the five prostate genes P704P, P712P, P774P, P775P and B305D. The relative location of each of these five genes within the genomic region is shown in Fig. 10. This region may therefore be associated with malignant tumors, and other potential tumor genes may be contained within this region. These studies also led

to the identification of a potential open reading frame (ORF) for P775P (provided in SEQ ID NO: 533), which encodes the amino acid sequence of SEQ ID NO: 534.

EXAMPLE 4

SYNTHESIS OF POLYPEPTIDES

Polypeptides may be synthesized on a Perkin Elmer/Applied Biosystems 430A peptide synthesizer using Fmoc chemistry with HPTU (O-Benzotriazole-N,N,N',N'-tetramethyluronium hexafluorophosphate) activation. A Gly-Cys-Gly sequence may be attached to the amino terminus of the peptide to provide a method of conjugation, binding to an immobilized surface, or labeling of the peptide. Cleavage of the peptides from the solid support may be carried out using the following cleavage mixture: trifluoroacetic acid:ethanedithiol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for 2 hours, the peptides may be precipitated in cold methyl-t-butyl-ether. The peptide pellets may then be dissolved in water containing 0.1% trifluoroacetic acid (TFA) and lyophilized prior to purification by C18 reverse phase HPLC. A gradient of 0%-60% acetonitrile (containing 0.1% TFA) in water (containing 0.1% TFA) may be used to elute the peptides. Following lyophilization of the pure fractions, the peptides may be characterized using electrospray or other types of mass spectrometry and by amino acid analysis.

EXAMPLE 5

FURTHER ISOLATION AND CHARACTERIZATION OF PROSTATE-SPECIFIC POLYPEPTIDES BY PCR-BASED SUBTRACTION

A cDNA library generated from prostate primary tumor mRNA as described above was subtracted with cDNA from normal prostate. The subtraction was performed using a PCR-based protocol (Clontech), which was modified to generate larger fragments. Within this protocol, tester and driver double stranded cDNA were separately digested with five restriction enzymes that recognize six-nucleotide restriction sites (MluI, MscI, PvuII, SalI and StuI). This digestion resulted in an average cDNA size of 600 bp, rather than the average size of 300 bp that results from digestion with RsaI according to the Clontech protocol. This modification did not affect the

subtraction efficiency. Two tester populations were then created with different adapters, and the driver library remained without adapters.

The tester and driver libraries were then hybridized using excess driver cDNA. In the first hybridization step, driver was separately hybridized with each of the two tester cDNA populations. This resulted in populations of (a) unhybridized tester cDNAs, (b) tester cDNAs hybridized to other tester cDNAs, (c) tester cDNAs hybridized to driver cDNAs and (d) unhybridized driver cDNAs. The two separate hybridization reactions were then combined, and rehybridized in the presence of additional denatured driver cDNA. Following this second hybridization, in addition to populations (a) through (d), a fifth population (e) was generated in which tester cDNA with one adapter hybridized to tester cDNA with the second adapter. Accordingly, the second hybridization step resulted in enrichment of differentially expressed sequences which could be used as templates for PCR amplification with adaptor-specific primers.

The ends were then filled in, and PCR amplification was performed using adaptor-specific primers. Only population (e), which contained tester cDNA that did not hybridize to driver cDNA, was amplified exponentially. A second PCR amplification step was then performed, to reduce background and further enrich differentially expressed sequences.

This PCR-based subtraction technique normalizes differentially expressed cDNAs so that rare transcripts that are overexpressed in prostate tumor tissue may be recoverable. Such transcripts would be difficult to recover by traditional subtraction methods.

In addition to genes known to be overexpressed in prostate tumor, seventy-seven further clones were identified. Sequences of these partial cDNAs are provided in SEQ ID NO: 29 to 305. Most of these clones had no significant homology to database sequences. Exceptions were JPTPN23 (SEQ ID NO: 231; similarity to pig valosin-containing protein), JPTPN30 (SEQ ID NO: 234; similarity to rat mRNA for proteasome subunit), JPTPN45 (SEQ ID NO: 243; similarity to rat *norvegicus* cytosolic NADP-dependent isocitrate dehydrogenase), JPTPN46 (SEQ ID NO: 244; similarity to human subclone H8 4 d4 DNA sequence), JP1D6 (SEQ ID NO: 265; similarity to *G. gallus* dynein light chain-A), JP8D6 (SEQ ID NO: 288; similarity to human BAC clone RG016J04), JP8F5 (SEQ ID NO: 289; similarity to human subclone H8 3 b5 DNA sequence), and JP8E9 (SEQ ID NO: 299; similarity to human Alu sequence).

Additional studies using the PCR-based subtraction library consisting of a prostate tumor pool subtracted against a normal prostate pool (referred to as PT-PN PCR subtraction) yielded three additional clones. Comparison of the cDNA sequences of these clones with the most

recent release of GenBank revealed no significant homologies to the two clones referred to as P715P and P767P (SEQ ID NO: 312 and 314). The remaining clone was found to show some homology to the known gene KIAA0056 (SEQ ID NO: 318). Using microarray analysis to measure mRNA expression levels in various tissues, all three clones were found to be over-expressed in prostate tumors and BPH tissues. Specifically, clone P715P was over-expressed in most prostate tumors and BPH tissues by a factor of three or greater, with elevated expression seen in the majority of normal prostate samples and in fetal tissue, but negative to low expression in all other normal tissues. Clone P767P was over-expressed in several prostate tumors and BPH tissues, with moderate expression levels in half of the normal prostate samples, and background to low expression in all other normal tissues tested.

Further analysis, by microarray as described above, of the PT-PN PCR subtraction library and of a DNA subtraction library containing cDNA from prostate tumor subtracted with a pool of normal tissue cDNAs, led to the isolation of 27 additional clones (SEQ ID NO: 340-365 and 381) which were determined to be over-expressed in prostate tumor. The clones of SEQ ID NO: 341, 342, 345, 347, 348, 349, 351, 355-359, 361, 362 and 364 were also found to be expressed in normal prostate. Expression of all 26 clones in a variety of normal tissues was found to be low or undetectable, with the exception of P544S (SEQ ID NO: 356) which was found to be expressed in small intestine. Of the 26 clones, 10 (SEQ ID NO: 340-349) were found to show some homology to previously identified sequences. No significant homologies were found to the clones of SEQ ID NO: 350, 351 and 353-365.

Further studies on the clone of SEQ ID NO: 352 (referred to as P790P) led to the isolation of the full-length cDNA sequence of SEQ ID NO: 526. The corresponding predicted amino acid is provided in SEQ ID NO: 527. Data from two quantitative PCR experiments indicated that P790P is over-expressed in 11/15 tested prostate tumor samples and is expressed at low levels in spinal cord, with no expression being seen in all other normal samples tested. Data from further PCR experiments and microarray experiments showed over-expression in normal prostate and prostate tumor with little or no expression in other tissues tested. P790P was subsequently found to show significant homology to a previously identified G-protein coupled prostate tissue receptor.

EXAMPLE 6

PEPTIDE PRIMING OF MICE AND PROPAGATION OF CTL LINES

5 6.1. This Example illustrates the preparation of a CTL cell line specific for cells expressing the P502S gene.

Mice expressing the transgene for human HLA A2Kb (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with P2S#12 peptide (VLGWVAEL; SEQ ID NO: 306), which is derived from the P502S gene (also referred to herein as J1-17, SEQ ID
10 NO: 8), as described by Theobald et al., *Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995 with the following modifications. Mice were immunized with 100 μ g of P2S#12 and 120 μ g of an I-A^b binding peptide derived from hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and using a nylon mesh single cell suspensions prepared. Cells were then resuspended at 6×10^6 cells/ml in complete media (RPMI-1640; Gibco
15 BRL, Gaithersburg, MD) containing 10% FCS, 2mM Glutamine (Gibco BRL), sodium pyruvate (Gibco BRL), non-essential amino acids (Gibco BRL), 2×10^{-5} M 2-mercaptoethanol, 50U/ml penicillin and streptomycin, and cultured in the presence of irradiated (3000 rads) P2S#12-pulsed (5mg/ml P2S#12 and 10mg/ml β 2-microglobulin) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7 μ g/ml dextran sulfate and 25 μ g/ml LPS for 3 days). Six days later, cells ($5 \times$
20 10^5 /ml) were restimulated with 2.5×10^6 /ml peptide pulsed irradiated (20,000 rads) EL4A2Kb cells (Sherman et al, *Science* 258:815-818, 1992) and 3×10^6 /ml A2 transgenic spleen feeder cells. Cells were cultured in the presence of 20U/ml IL-2. Cells continued to be restimulated on a weekly basis as described, in preparation for cloning the line.

P2S#12 line was cloned by limiting dilution analysis with peptide pulsed EL4 A2Kb
25 tumor cells (1×10^4 cells/ well) as stimulators and A2 transgenic spleen cells as feeders (5×10^5 cells/ well) grown in the presence of 30U/ml IL-2. On day 14, cells were restimulated as before. On day 21, clones that were growing were isolated and maintained in culture. Several of these clones demonstrated significantly higher reactivity (lysis) against human fibroblasts (HLA A2Kb expressing) transduced with P502S than against control fibroblasts. An example is presented in
30 Figure 1.

This data indicates that P2S #12 represents a naturally processed epitope of the P502S protein that is expressed in the context of the human HLA A2Kb molecule.

6.2. This Example illustrates the preparation of murine CTL lines and CTL clones specific for cells expressing the P501S gene.

This series of experiments were performed similarly to that described above. Mice were immunized with the P1S#10 peptide (SEQ ID NO: 337), which is derived from the P501S gene (also referred to herein as L1-12, SEQ ID NO: 110). The P1S#10 peptide was derived by analysis of the predicted polypeptide sequence for P501S for potential HLA-A2 binding sequences as defined by published HLA-A2 binding motifs (Parker, KC, *et al*, *J. Immunol.*, 152:163, 1994). P1S#10 peptide was synthesized as described in Example 4, and empirically tested for HLA-A2 binding using a T cell based competition assay. Predicted A2 binding peptides were tested for their ability to compete HLA-A2 specific peptide presentation to an HLA-A2 restricted CTL clone (D150M58), which is specific for the HLA-A2 binding influenza matrix peptide fluM58. D150M58 CTL secretes TNF in response to self-presentation of peptide fluM58. In the competition assay, test peptides at 100-200 µg/ml were added to cultures of D150M58 CTL in order to bind HLA-A2 on the CTL. After thirty minutes, CTL cultured with test peptides, or control peptides, were tested for their antigen dose response to the fluM58 peptide in a standard TNF bioassay. As shown in Figure 3, peptide P1S#10 competes HLA-A2 restricted presentation of fluM58, demonstrating that peptide P1S#10 binds HLA-A2.

Mice expressing the transgene for human HLA A2Kb were immunized as described by Theobald *et al.* (*Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995) with the following modifications. Mice were immunized with 62.5µg of P1S #10 and 120µg of an I-A^b binding peptide derived from Hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and single cell suspensions prepared using a nylon mesh. Cells were then resuspended at 6×10^6 cells/ml in complete media (as described above) and cultured in the presence of irradiated (3000 rads) P1S#10-pulsed (2µg/ml P1S#10 and 10mg/ml β2-microglobulin) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7µg/ml dextran sulfate and 25µg/ml LPS for 3 days). Six days later cells (5×10^5 /ml) were restimulated with 2.5×10^6 /ml peptide-pulsed irradiated (20,000 rads) EL4A2Kb cells, as described above, and 3×10^6 /ml A2 transgenic spleen feeder cells. Cells were cultured in the presence of 20 U/ml IL-2. Cells were restimulated on a weekly basis in preparation for cloning. After three rounds of *in vitro* stimulations, one line was generated that recognized P1S#10-pulsed Jurkat A2Kb targets and P501S-transduced Jurkat targets as shown in Figure 4.

A P1S#10-specific CTL line was cloned by limiting dilution analysis with peptide pulsed EL4 A2Kb tumor cells (1×10^4 cells/ well) as stimulators and A2 transgenic spleen cells as feeders (5×10^5 cells/ well) grown in the presence of 30U/ml IL-2. On day 14, cells were restimulated as before. On day 21, viable clones were isolated and maintained in culture. As shown in Figure 5, five of these clones demonstrated specific cytolytic reactivity against P501S-transduced Jurkat A2Kb targets. This data indicates that P1S#10 represents a naturally processed epitope of the P501S protein that is expressed in the context of the human HLA-A2.1 molecule.

EXAMPLE 7

PRIMING OF CTL *IN VIVO* USING NAKED DNA IMMUNIZATION WITH A PROSTATE ANTIGEN

The prostate-specific antigen L1-12, as described above, is also referred to as P501S. HLA A2Kb Tg mice (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with 100 μ g P501S in the vector VR1012 either intramuscularly or intradermally. The mice were immunized three times, with a two week interval between immunizations. Two weeks after the last immunization, immune spleen cells were cultured with Jurkat A2Kb-P501S transduced stimulator cells. CTL lines were stimulated weekly. After two weeks of *in vitro* stimulation, CTL activity was assessed against P501S transduced targets. Two out of 8 mice developed strong anti-P501S CTL responses. These results demonstrate that P501S contains at least one naturally processed HLA-A2-restricted CTL epitope.

EXAMPLE 8

ABILITY OF HUMAN T CELLS TO RECOGNIZE PROSTATE-SPECIFIC POLYPEPTIDES

This Example illustrates the ability of T cells specific for a prostate tumor polypeptide to recognize human tumor.

Human CD8⁺ T cells were primed *in vitro* to the P2S-12 peptide (SEQ ID NO: 306) derived from P502S (also referred to as J1-17) using dendritic cells according to the protocol of Van Tsai et al. (*Critical Reviews in Immunology* 18:65-75, 1998). The resulting CD8⁺ T cell microcultures were tested for their ability to recognize the P2S-12 peptide presented by autologous fibroblasts or fibroblasts which were transduced to express the P502S gene in a γ -interferon

ELISPOT assay (*see* Lalvani et al., *J. Exp. Med.* 186:859-865, 1997). Briefly, titrating numbers of T cells were assayed in duplicate on 10^4 fibroblasts in the presence of 3 $\mu\text{g/ml}$ human β_2 -microglobulin and 1 $\mu\text{g/ml}$ P2S-12 peptide or control E75 peptide. In addition, T cells were simultaneously assayed on autologous fibroblasts transduced with the P502S gene or as a control, 5 fibroblasts transduced with HER-2/*neu*. Prior to the assay, the fibroblasts were treated with 10 ng/ml γ -interferon for 48 hours to upregulate class I MHC expression. One of the microcultures (#5) demonstrated strong recognition of both peptide pulsed fibroblasts as well as transduced fibroblasts in a γ -interferon ELISPOT assay. Figure 2A demonstrates that there was a strong increase in the number of γ -interferon spots with increasing numbers of T cells on fibroblasts pulsed 10 with the P2S-12 peptide (solid bars) but not with the control E75 peptide (open bars). This shows the ability of these T cells to specifically recognize the P2S-12 peptide. As shown in Figure 2B, this microculture also demonstrated an increase in the number of γ -interferon spots with increasing numbers of T cells on fibroblasts transduced to express the P502S gene but not the HER-2/*neu* gene. These results provide additional confirmatory evidence that the P2S-12 peptide is a naturally 15 processed epitope of the P502S protein. Furthermore, this also demonstrates that there exists in the human T cell repertoire, high affinity T cells which are capable of recognizing this epitope. These T cells should also be capable of recognizing human tumors which express the P502S gene.

20

EXAMPLE 9

ELICITATION OF PROSTATE ANTIGEN-SPECIFIC CTL RESPONSES
IN HUMAN BLOOD

This Example illustrates the ability of a prostate-specific antigen to elicit a CTL 25 response in blood of normal humans.

Autologous dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal donors by growth for five days in RPMI medium containing 10% human serum, 50 ng/ml GMCSF and 30 ng/ml IL-4. Following culture, DC were infected overnight with recombinant P501S-expressing vaccinia virus at an M.O.I. of 5 and matured for 8 hours by the 30 addition of 2 micrograms/ml CD40 ligand. Virus was inactivated by UV irradiation, CD8^+ cells were isolated by positive selection using magnetic beads, and priming cultures were initiated in 24-well plates. Following five stimulation cycles using autologous fibroblasts retrovirally transduced

to express P501S and CD80, CD8+ lines were identified that specifically produced interferon-gamma when stimulated with autologous P501S-transduced fibroblasts. The P501S-specific activity of cell line 3A-1 could be maintained following additional stimulation cycles on autologous B-LCL transduced with P501S. Line 3A-1 was shown to specifically recognize autologous B-LCL transduced to express P501S, but not EGFP-transduced autologous B-LCL, as measured by cytotoxicity assays (^{51}Cr release) and interferon-gamma production (Interferon-gamma Elispot; *see above and Lalvani et al., J. Exp. Med.* 186:859-865, 1997). The results of these assays are presented in Figures 6A and 6B.

EXAMPLE 10

IDENTIFICATION OF A NATURALLY PROCESSED CTL EPIOTOPE CONTAINED WITHIN A PROSTATE-SPECIFIC ANTIGEN

The 9-mer peptide p5 (SEQ ID NO: 338) was derived from the P703P antigen (also referred to as P20). The p5 peptide is immunogenic in human HLA-A2 donors and is a naturally processed epitope. Antigen specific human CD8+ T cells can be primed following repeated *in vitro* stimulations with monocytes pulsed with p5 peptide. These CTL specifically recognize p5-pulsed and P703P-transduced target cells in both ELISPOT (as described above) and chromium release assays. Additionally, immunization of HLA-A2Kb transgenic mice with p5 leads to the generation of CTL lines which recognize a variety of HLA-A2Kb or HLA-A2 transduced target cells expressing P703P.

Initial studies demonstrating that p5 is a naturally processed epitope were done using HLA-A2Kb transgenic mice. HLA-A2Kb transgenic mice were immunized subcutaneously in the footpad with 100 μg of p5 peptide together with 140 μg of hepatitis B virus core peptide (a Th peptide) in Freund's incomplete adjuvant. Three weeks post immunization, spleen cells from immunized mice were stimulated *in vitro* with peptide-pulsed LPS blasts. CTL activity was assessed by chromium release assay five days after primary *in vitro* stimulation. Retrovirally transduced cells expressing the control antigen P703P and HLA-A2Kb were used as targets. CTL lines that specifically recognized both p5-pulsed targets as well as P703P-expressing targets were identified.

Human *in vitro* priming experiments demonstrated that the p5 peptide is immunogenic in humans. Dendritic cells (DC) were differentiated from monocyte cultures derived

5

10

10

15

29

30

30

Using *in vitro* whole-gene priming with P501S-vaccinia infected DC (see, for example, Yee et al, *The Journal of Immunology*, 157(9):4079-86, 1996), human CTL lines were derived that specifically recognize autologous fibroblasts transduced with P501S (also known as L1-12), as determined by interferon- γ ELISPOT analysis as described above. Using a panel of HLA-mismatched B-LCL lines transduced with P501S, these CTL lines were shown to be likely restricted to HLAB class I allele. Specifically, dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal human donors by growing for five days in RPMI medium containing 10% human serum, 50 ng/ml human GM-CSF and 30 ng/ml human IL-4. Following culture, DC were infected overnight with recombinant P501S vaccinia virus at a multiplicity of infection (M.O.I) of five, and matured overnight by the addition of 3 μ g/ml CD40 ligand. Virus was inactivated by UV irradiation. CD8⁺ T cells were isolated using a magnetic bead system, and priming cultures were initiated using standard culture techniques. Cultures were restimulated every 7-10 days using autologous primary fibroblasts retrovirally transduced with P501S and CD80. Following four stimulation cycles, CD8⁺ T cell lines were identified that specifically produced interferon- γ when stimulated with P501S and CD80-transduced autologous fibroblasts. A panel of HLA-mismatched B-LCL lines transduced with P501S were generated to define the restriction allele of the response. By measuring interferon- γ in an ELISPOT assay, the P501S specific response was shown to be likely restricted by HLA B alleles. These results demonstrate that a CD8⁺ CTL response to P501S can be elicited.

To identify the epitope(s) recognized, cDNA encoding P501S was fragmented by various restriction digests, and sub-cloned into the retroviral expression vector pBIB-KS. Retroviral supernatants were generated by transfection of the helper packaging line Phoenix-Ampho. Supernatants were then used to transduce Jurkat/A2Kb cells for CTL screening. CTL were screened in IFN- γ ELISPOT assays against these A2Kb targets transduced with the "library" of P501S fragments. Initial positive fragments P501S/H3 and P501S/F2 were sequenced and found to encode amino acids 106-553 and amino acids 136-547, respectively, of SEQ ID NO: 113. A truncation of H3 was made to encode amino acid residues 106-351 of SEQ ID NO: 113, which was unable to stimulate the CTL, thus localizing the epitope to amino acid residues 351-547. Additional fragments encoding amino acids 1-472 (Fragment A) and amino acids 1-351 (Fragment B) were also constructed. Fragment A but not Fragment B stimulated the CTL thus localizing the epitope to amino acid residues 351-472. Overlapping 20-mer and 18-mer peptides representing this region were tested by pulsing Jurkat/A2Kb cells versus CTL in an IFN- γ assay. Only peptides

P501S-369(20) and P501S-369(18) stimulated the CTL. Nine-mer and 10-mer peptides representing this region were synthesized and similarly tested. Peptide P501S-370 (SEQ ID NO: 539) was the minimal 9-mer giving a strong response. Peptide P501S-376 (SEQ ID NO: 540) also gave a weak response, suggesting that it might represent a cross-reactive epitope.

5 In subsequent studies, the ability of primary human B cells transduced with P501S to prime MHC class I-restricted, P501S-specific, autologous CD8 T cells was examined. Primary B cells were derived from PBMC of a homozygous HLA-A2 donor by culture in CD40 ligand and IL-4, transduced at high frequency with recombinant P501S in the vector pBIB, and selected with blastocidin-S. For *in vitro* priming, purified CD8+ T cells were cultured with autologous CD40
10 ligand + IL-4 derived, P501S-transduced B cells in a 96-well microculture format. These CTL microcultures were re-stimulated with P501S-transduced B cells and then assayed for specificity. Following this initial screen, microcultures with significant signal above background were cloned on autologous EBV-transformed B cells (BLCL), also transduced with P501S. Using IFN-gamma ELISPOT for detection, several of these CD8 T cell clones were found to be specific for P501S, as
15 demonstrated by reactivity to BLCL/P501S but not BLCL transduced with control antigen. It was further demonstrated that the anti-P501S CD8 T cell specificity is HLA-A2-restricted. First, antibody blocking experiments with anti-HLA-A,B,C monoclonal antibody (W6.32), anti-HLA-B,C monoclonal antibody (B1.23.2) and a control monoclonal antibody showed that only the anti-HLA-A,B,C antibody blocked recognition of P501S-expressing autologous BLCL. Secondly, the anti-
20 P501S CTL also recognized an HLA-A2 matched, heterologous BLCL transduced with P501S, but not the corresponding EGFP transduced control BLCL.

EXAMPLE 13

IDENTIFICATION OF PROSTATE-SPECIFIC ANTIGENS BY MICROARRAY ANALYSIS

25

This Example describes the isolation of certain prostate-specific polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library as described above was screened using microarray analysis to identify clones that display at least a three fold over-expression in
30 prostate tumor and/or normal prostate tissue, as compared to non-prostate normal tissues (not including testis). 372 clones were identified, and 319 were successfully sequenced. Table I presents a summary of these clones, which are shown in SEQ ID NOs:385-400. Of these sequences

SEQ ID NOs:386, 389, 390 and 392 correspond to novel genes, and SEQ ID NOs: 393 and 396 correspond to previously identified sequences. The others (SEQ ID NOs:385, 387, 388, 391, 394, 395 and 397-400) correspond to known sequences, as shown in Table I.

5

Table I
Summary of Prostate Tumor Antigens

Known Genes	Previously Identified Genes	Novel Genes
T-cell gamma chain	P504S	23379 (SEQ ID NO:389)
Kallikrein	P1000C	23399 (SEQ ID NO:392)
Vector	P501S	23320 (SEQ ID NO:386)
CGI-82 protein mRNA (23319; SEQ ID NO:385)	P503S	23381 (SEQ ID NO:390)
PSA	P510S	
Ald. 6 Dehyd.	P784P	
L-iditol-2 dehydrogenase (23376; SEQ ID NO:388)	P502S	
Ets transcription factor PDEF (22672; SEQ ID NO:398)	P706P	
hTGR (22678; SEQ ID NO:399)	19142.2, bangur.seq (22621; SEQ ID NO:396)	
KIAA0295(22685; SEQ ID NO:400)	5566.1 Wang (23404; SEQ ID NO:393)	
Prostatic Acid Phosphatase(22655; SEQ ID NO:397)	P712P	
transglutaminase (22611; SEQ ID NO:395)	P778P	
HDLBP (23508; SEQ ID NO:394)		
CGI-69 Protein(23367; SEQ ID NO:387)		
KIAA0122(23383; SEQ ID NO:391)		
TEEG		

CGI-82 showed 4.06 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 43% of prostate tumors, 25% normal prostate, not detected in other normal tissues tested. L-iditol-2 dehydrogenase showed 4.94 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 90% of prostate tumors, 100% of normal prostate, and not detected in other normal tissues tested. Ets transcription factor PDEF showed 5.55 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 47% prostate tumors, 25% normal prostate and not detected in other normal tissues tested. hTGR1 showed 9.11 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 63% of prostate tumors and is not detected in normal tissues tested including normal prostate. KIAA0295 showed 5.59 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 47% of prostate tumors, low to undetectable in normal tissues tested including normal prostate tissues. Prostatic acid phosphatase showed 9.14 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 67% of prostate tumors, 50% of normal prostate, and not detected in other normal tissues tested. Transglutaminase showed 14.84 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 30% of prostate tumors, 50% of normal prostate, and is not detected in other normal tissues tested. High density lipoprotein binding protein (HDLBP) showed 28.06 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors, 75% of normal prostate, and is undetectable in all other normal tissues tested. CGI-69 showed 3.56 fold over-expression in prostate tissues as compared to other normal tissues tested. It is a low abundant gene, detected in more than 90% of prostate tumors, and in 75% normal prostate tissues. The expression of this gene in normal tissues was very low. KIAA0122 showed 4.24 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 57% of prostate tumors, it was undetectable in all normal tissues tested including normal prostate tissues. 19142.2 bangur showed 23.25 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors and 100% of normal prostate. It was undetectable in other normal tissues tested. 5566.1 Wang showed 3.31 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors, 75% normal prostate and was also over-expressed in normal bone marrow, pancreas, and activated PBMC. Novel clone 23379 showed 4.86 fold over-expression in prostate tissues as compared to other normal tissues tested. It was detectable in 97%

of prostate tumors and 75% normal prostate and is undetectable in all other normal tissues tested. Novel clone 23399 showed 4.09 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 27% of prostate tumors and was undetectable in all normal tissues tested including normal prostate tissues. Novel clone 23320 showed 3.15 fold over-expression in prostate tissues as compared to other normal tissues tested. It was detectable in all prostate tumors and 50% of normal prostate tissues. It was also expressed in normal colon and trachea. Other normal tissues do not express this gene at high level.

EXAMPLE 14

IDENTIFICATION OF PROSTATE-SPECIFIC ANTIGENS BY ELECTRONIC SUBTRACTION

This Example describes the use of an electronic subtraction technique to identify prostate-specific antigens.

Potential prostate-specific genes present in the GenBank human EST database were identified by electronic subtraction (similar to that described by Vasmatizis et al., *Proc. Natl. Acad. Sci. USA* 95:300-304, 1998). The sequences of EST clones (43,482) derived from various prostate libraries were obtained from the GenBank public human EST database. Each prostate EST sequence was used as a query sequence in a BLASTN (National Center for Biotechnology Information) search against the human EST database. All matches considered identical (length of matching sequence >100 base pairs, density of identical matches over this region > 70%) were grouped (aligned) together in a cluster. Clusters containing more than 200 ESTs were discarded since they probably represented repetitive elements or highly expressed genes such as those for ribosomal proteins. If two or more clusters shared common ESTs, those clusters were grouped together into a "supercluster," resulting in 4,345 prostate superclusters.

Records for the 479 human cDNA libraries represented in the GenBank release were downloaded to create a database of these cDNA library records. These 479 cDNA libraries were grouped into three groups: Plus (normal prostate and prostate tumor libraries, and breast cell line libraries, in which expression was desired), Minus (libraries from other normal adult tissues, in which expression was not desirable), and Other (libraries from fetal tissue, infant tissue, tissues found only in women, non-prostate tumors and cell lines other than prostate cell lines, in which

expression was considered to be irrelevant). A summary of these library groups is presented in Table II.

Table II

Prostate cDNA Libraries and ESTs

Library	# of Libraries	# of ESTs
Plus	25	43,482
Normal	11	18,875
Tumor	11	21,769
Cell lines	3	2,838
Minus	166	
Other	287	

Each supercluster was analyzed in terms of the ESTs within the supercluster. The tissue source of each EST clone was noted and used to classify the superclusters into four groups:

10 Type 1- EST clones found in the Plus group libraries only; no expression detected in Minus or Other group libraries; Type 2- EST clones derived from the Plus and Other group libraries only; no expression detected in the Minus group; Type 3- EST clones derived from the Plus, Minus and Other group libraries, but the number of ESTs derived from the Plus group is higher than in either the Minus or Other groups; and Type 4- EST clones derived from Plus, Minus and Other group

15 libraries, but the number derived from the Plus group is higher than the number derived from the Minus group. This analysis identified 4,345 breast clusters (*see* Table III). From these clusters, 3,172 EST clones were ordered from Research Genetics, Inc., and were received as frozen glycerol stocks in 96-well plates.

Table III
Prostate Cluster Summary

Type	# of Superclusters	# of ESTs Ordered
1	688	677
2	2899	2484
3	85	11
4	673	0
Total	4345	3172

The EST clone inserts were PCR-amplified using amino-linked PCR primers for Synteni microarray analysis. When more than one PCR product was obtained for a particular clone, that PCR product was not used for expression analysis. In total, 2,528 clones from the electronic subtraction method were analyzed by microarray analysis to identify electronic subtraction breast clones that had high levels of tumor vs. normal tissue mRNA. Such screens were performed using a Synteni (Palo Alto, CA) microarray, according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Within these analyses, the clones were arrayed on the chip, which was then probed with fluorescent probes generated from normal and tumor prostate cDNA, as well as various other normal tissues. The slides were scanned and the fluorescence intensity was measured.

Clones with an expression ratio greater than 3 (*i.e.*, the level in prostate tumor and normal prostate mRNA was at least three times the level in other normal tissue mRNA) were identified as prostate tumor-specific sequences (Table IV). The sequences of these clones are provided in SEQ ID NO: 401-453, with certain novel sequences shown in SEQ ID NO: 407, 413, 416-419, 422, 426, 427 and 450.

Table IV
Prostate-tumor Specific Clones

SEQ ID NO.	Sequence Designation	Comments
401	22545	previously identified P1000C
402	22547	previously identified P704P
403	22548	known
404	22550	known
405	22551	PSA
406	22552	prostate secretory protein 94
407	22553	novel
408	22558	previously identified P509S
409	22562	glandular kallikrein
410	22565	previously identified P1000C
411	22567	PAP
412	22568	B1006C (breast tumor antigen)
413	22570	novel
414	22571	PSA
415	22572	previously identified P706P
416	22573	novel
417	22574	novel
418	22575	novel
419	22580	novel
420	22581	PAP
421	22582	prostatic secretory protein 94
422	22583	novel
423	22584	prostatic secretory protein 94
424	22585	prostatic secretory protein 94
425	22586	known
426	22587	novel
427	22588	novel
428	22589	PAP
429	22590	known
430	22591	PSA
431	22592	known
432	22593	Previously identified P777P
433	22594	T cell receptor gamma chain
434	22595	Previously identified P705P
435	22596	Previously identified P707P
436	22847	PAP
437	22848	known
438	22849	prostatic secretory protein 57
439	22851	PAP

440	22852	PAP
441	22853	PAP
442	22854	previously identified P509S
443	22855	previously identified P705P
444	22856	previously identified P774P
445	22857	PSA
446	23601	previously identified P777P
447	23602	PSA
448	23605	PSA
449	23606	PSA
450	23612	novel
451	23614	PSA
452	23618	previously identified P1000C
453	23622	previously identified P705P

EXAMPLE 15

FURTHER IDENTIFICATION OF PROSTATE-SPECIFIC ANTIGENS BY MICROARRAY ANALYSIS

This Example describes the isolation of additional prostate-specific polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library as described above was screened using microarray analysis to identify clones that display at least a three fold over-expression in prostate tumor and/or normal prostate tissue, as compared to non-prostate normal tissues (not including testis). 142 clones were identified and sequenced. Certain of these clones are shown in SEQ ID NO: 454-467. Of these sequences, SEQ ID NO: 459-461 represent novel genes. The others (SEQ ID NO: 454-458 and 461-467) correspond to known sequences.

EXAMPLE 16

FURTHER CHARACTERIZATION OF PROSTATE-SPECIFIC ANTIGEN P710P

This Example describes the full length cloning of P710P.

The prostate cDNA library described above was screened with the P710P fragment described above. One million colonies were plated on LB/Ampicillin plates. Nylon membrane

filters were used to lift these colonies, and the cDNAs picked up by these filters were then denatured and cross-linked to the filters by UV light. The P710P fragment was radiolabeled and used to hybridize with the filters. Positive cDNA clones were selected and their cDNAs recovered and sequenced by an automatic Perkin Elmer/Applied Biosystems Division Sequencer. Four
5 sequences were obtained, and are presented in SEQ ID NO: 468-471. These sequences appear to represent different splice variants of the P710P gene.

EXAMPLE 17

PROTEIN EXPRESSION OF THE PROSTATE-SPECIFIC ANTIGEN P501S

10

This example describes the expression and purification of the prostate-specific antigen P501S in *E. coli*, baculovirus and mammalian cells.

a) Expression in *E. coli*

15

Expression of the full-length form of P501S was attempted by first cloning P501S without the leader sequence (amino acids 36-553 of SEQ ID NO: 113) downstream of the first 30 amino acids of the *M. tuberculosis* antigen Ra12 (SEQ ID NO: 484) in pET17b. Specifically, P501S DNA was used to perform PCR using the primers AW025 (SEQ ID NO: 485) and AW003 (SEQ ID NO: 486). AW025 is a sense cloning primer that contains a HindIII site. AW003 is an
20 antisense cloning primer that contains an EcoRI site. DNA amplification was performed using 5 µl 10X Pfu buffer, 1 µl 20 mM dNTPs, 1 µl each of the PCR primers at 10 µM concentration, 40 µl water, 1 µl Pfu DNA polymerase (Stratagene, La Jolla, CA) and 1 µl DNA at 100 ng/µl. Denaturation at 95°C was performed for 30 sec, followed by 10 cycles of 95°C for 30 sec, 60°C for 1 min and by 72°C for 3 min. 20 cycles of 95°C for 30 sec, 65°C for 1 min and by 72°C for 3 min,
25 and lastly by 1 cycle of 72°C for 10 min. The PCR product was cloned to Ra12m/pET17b using HindIII and EcoRI. The sequence of the resulting fusion construct (referred to as Ra12-P501S-F) was confirmed by DNA sequencing.

The fusion construct was transformed into BL21(DE3)pLysE, pLysS and CodonPlus *E. coli* (Stratagene) and grown overnight in LB broth with kanamycin. The resulting culture was
30 induced with IPTG. Protein was transferred to PVDF membrane and blocked with 5% non-fat milk (in PBS-Tween buffer), washed three times and incubated with mouse anti-His tag antibody (Clontech) for 1 hour. The membrane was washed 3 times and probed with HRP-Protein A

(Zymed) for 30 min. Finally, the membrane was washed 3 times and developed with ECL (Amersham). No expression was detected by Western blot. Similarly, no expression was detected by Western blot when the Ra12-P501S-F fusion was used for expression in BL21CodonPlus by CE6 phage (Invitrogen).

5 An N-terminal fragment of P501S (amino acids 36-325 of SEQ ID NO: 113) was cloned down-stream of the first 30 amino acids of the *M. tuberculosis* antigen Ra12 in pET17b as follows. P501S DNA was used to perform PCR using the primers AW025 (SEQ ID NO: 485) and AW027 (SEQ ID NO: 487). AW027 is an antisense cloning primer that contains an EcoRI site and a stop codon. DNA amplification was performed essentially as described above. The resulting PCR
10 product was cloned to Ra12 in pET17b at the HindIII and EcoRI sites. The fusion construct (referred to as Ra12-P501S-N) was confirmed by DNA sequencing.

 The Ra12-P501S-N fusion construct was used for expression in BL21(DE3)pLysE, pLysS and CodonPlus, essentially as described above. Using Western blot analysis, protein bands were observed at the expected molecular weight of 36 kDa. Some high molecular weight bands
15 were also observed, probably due to aggregation of the recombinant protein. No expression was detected by Western blot when the Ra12-P501S-F fusion was used for expression in BL21CodonPlus by CE6 phage.

 A fusion construct comprising a C-terminal portion of P501S (amino acids 257-553 of SEQ ID NO: 113) located down-stream of the first 30 amino acids of the *M. tuberculosis* antigen
20 Ra12 (SEQ ID NO: 484) was prepared as follows. P501S DNA was used to perform PCR using the primers AW026 (SEQ ID NO: 488) and AW003 (SEQ ID NO: 486). AW026 is a sense cloning primer that contains a HindIII site. DNA amplification was performed essentially as described above. The resulting PCR product was cloned to Ra12 in pET17b at the HindIII and EcoRI sites. The sequence for the fusion construct (referred to as Ra12-P501S-C) was confirmed.

25 The Ra12-P501S-C fusion construct was used for expression in BL21(DE3)pLysE, pLysS and CodonPlus, as described above. A small amount of protein was detected by Western blot, with some molecular weight aggregates also being observed. Expression was also detected by Western blot when the Ra12-P501S-C fusion was used for expression in BL21CodonPlus induced by CE6 phage.

b) Expression of P501S in Baculovirus

The Bac-to-Bac baculovirus expression system (BRL Life Technologies, Inc.) was used to express P501S protein in insect cells. Full-length P501S (SEQ ID NO: 113) was amplified by PCR and cloned into the XbaI site of the donor plasmid pFastBacI. The recombinant bacmid and baculovirus were prepared according to the manufacturer's instructions. The recombinant baculovirus was amplified in Sf9 cells and the high titer viral stocks were utilized to infect High Five cells (Invitrogen) to make the recombinant protein. The identity of the full-length protein was confirmed by N-terminal sequencing of the recombinant protein and by Western blot analysis (Figure 7). Specifically, 0.6 million High Five cells in 6-well plates were infected with either the unrelated control virus BV/ECD_PD (lane 2), with recombinant baculovirus for P501S at different amounts or MOIs (lanes 4-8), or were uninfected (lane 3). Cell lysates were run on SDS-PAGE under reducing conditions and analyzed by Western blot with the anti-P501S monoclonal antibody P501S-10E3-G4D3 (prepared as described below). Lane 1 is the biotinylated protein molecular weight marker (BioLabs).

The localization of recombinant P501S in the insect cells was investigated as follows. The insect cells overexpressing P501S were fractionated into fractions of nucleus, mitochondria, membrane and cytosol. Equal amounts of protein from each fraction were analyzed by Western blot with a monoclonal antibody against P501S. Due to the scheme of fractionation, both nucleus and mitochondria fractions contain some plasma membrane components. However, the membrane fraction is basically free from mitochondria and nucleus. P501S was found to be present in all fractions that contain the membrane component, suggesting that P501S may be associated with plasma membrane of the insect cells expressing the recombinant protein.

c) Expression of P501S in mammalian cells

Full-length P501S (553AA) was cloned into various mammalian expression vectors, including pCEP4 (Invitrogen), pVR1012 (Vical, San Diego, CA) and a modified form of the retroviral vector pBMN, referred to as pBIB. Transfection of P501S/pCEP4 and P501S/pVR1012 into HEK293 fibroblasts was carried out using the Fugene transfection reagent (Boehringer Mannheim). Briefly, 2 ul of Fugene reagent was diluted into 100 ul of serum-free media and incubated at room temperature for 5-10 min. This mixture was added to 1 ug of P501S plasmid DNA, mixed briefly and incubated for 30 minutes at room temperature. The Fugene/DNA mixture

was added to cells and incubated for 24-48 hours. Expression of recombinant P501S in transfected HEK293 fibroblasts was detected by means of Western blot employing a monoclonal antibody to P501S.

Transfection of p501S/pCEP4 into CHO-K cells (American Type Culture Collection, Rockville, MD) was carried out using GenePorter transfection reagent (Gene Therapy Systems, San Diego, CA). Briefly, 15 µl of GenePorter was diluted in 500 µl of serum-free media and incubated at room temperature for 10 min. The GenePorter/media mixture was added to 2 µg of plasmid DNA that was diluted in 500 µl of serum-free media, mixed briefly and incubated for 30 min at room temperature. CHO-K cells were rinsed in PBS to remove serum proteins, and the GenePorter/DNA mix was added and incubated for 5 hours. The transfected cells were then fed an equal volume of 2x media and incubated for 24-48 hours.

FACS analysis of P501S transiently infected CHO-K cells, demonstrated surface expression of P501S. Expression was detected using rabbit polyclonal antisera raised against a P501S peptide, as described below. Flow cytometric analysis was performed using a FaCScan (Becton Dickinson), and the data were analyzed using the Cell Quest program.

EXAMPLE 18

PREPARATION AND CHARACTERIZATION OF ANTIBODIES AGAINST PROSTATE-SPECIFIC POLYPEPTIDES

20 a) Preparation and Characterization of Antibodies against P501S

A murine monoclonal antibody directed against the carboxy-terminus of the prostate-specific antigen P501S was prepared as follows.

A truncated fragment of P501S (amino acids 355-526 of SEQ ID NO: 113) was generated and cloned into the pET28b vector (Novagen) and expressed in *E. coli* as a thioredoxin fusion protein with a histidine tag. The trx-P501S fusion protein was purified by nickel chromatography, digested with thrombin to remove the trx fragment and further purified by an acid precipitation procedure followed by reverse phase HPLC.

Mice were immunized with truncated P501S protein. Serum bleeds from mice that potentially contained anti-P501S polyclonal sera were tested for P501S-specific reactivity using ELISA assays with purified P501S and trx-P501S proteins. Serum bleeds that appeared to react specifically with P501S were then screened for P501S reactivity by Western analysis. Mice that contained a P501S-specific antibody component were sacrificed and spleen cells were used to

generate anti-P501S antibody producing hybridomas using standard techniques. Hybridoma supernatants were tested for P501S-specific reactivity initially by ELISA, and subsequently by FACS analysis of reactivity with P501S transduced cells. Based on these results, a monoclonal hybridoma referred to as 10E3 was chosen for further subcloning. A number of subclones were generated, tested for specific reactivity to P501S using ELISA and typed for IgG isotype. The results of this analysis are shown below in Table V. Of the 16 subclones tested, the monoclonal antibody 10E3-G4-D3 was selected for further study.

Table V

Isotype analysis of murine anti-P501S monoclonal antibodies

Hybridoma clone	Isotype	Estimated [Ig] in supernatant (µg/ml)
4D11	IgG1	14.6
1G1	IgG1	0.6
4F6	IgG1	72
4H5	IgG1	13.8
4H5-E12	IgG1	10.7
4H5-EH2	IgG1	9.2
4H5-H2-A10	IgG1	10
4H5-H2-A3	IgG1	12.8
4H5-H2-A10-G6	IgG1	13.6
4H5-H2-B11	IgG1	12.3
10E3	IgG2a	3.4
10E3-D4	IgG2a	3.8
10E3-D4-G3	IgG2a	9.5
10E3-D4-G6	IgG2a	10.4
10E3-E7	IgG2a	6.5
8H12	IgG2a	0.6

The specificity of 10E3-G4-D3 for P501S was examined by FACS analysis. Specifically, cells were fixed (2% formaldehyde, 10 minutes), permeabilized (0.1% saponin, 10 minutes) and stained with 10E3-G4-D3 at 0.5 – 1 µg/ml, followed by incubation with a secondary, FITC-conjugated goat anti-mouse Ig antibody (Pharmingen, San Diego, CA). Cells were then analyzed for FITC fluorescence using an Excalibur fluorescence activated cell sorter. For FACS analysis of transduced cells, B-LCL were retrovirally transduced with P501S. For analysis of infected cells, B-LCL were infected with a vaccinia vector that expresses P501S. To demonstrate

specificity in these assays, B-LCL transduced with a different antigen (P703P) and uninfected B-LCL vectors were utilized. 10E3-G4-D3 was shown to bind with P501S-transduced B-LCL and also with P501S-infected B-LCL, but not with either uninfected cells or P703P-transduced cells.

To determine whether the epitope recognized by 10E3-G4-D3 was found on the surface or in an intracellular compartment of cells, B-LCL were transduced with P501S or HLA-B8 as a control antigen and either fixed and permeabilized as described above or directly stained with 10E3-G4-D3 and analyzed as above. Specific recognition of P501S by 10E3-G4-D3 was found to require permeabilization, suggesting that the epitope recognized by this antibody is intracellular.

The reactivity of 10E3-G4-D3 with the three prostate tumor cell lines Lncap, PC-3 and DU-145, which are known to express high, medium and very low levels of P501S, respectively, was examined by permeabilizing the cells and treating them as described above. Higher reactivity of 10E3-G4-D3 was seen with Lncap than with PC-3, which in turn showed higher reactivity than DU-145. These results are in agreement with the real time PCR and demonstrate that the antibody specifically recognizes P501S in these tumor cell lines and that the epitope recognized in prostate tumor cell lines is also intracellular.

Specificity of 10E3-G4-D3 for P501S was also demonstrated by Western blot analysis. Lysates from the prostate tumor cell lines Lncap, DU-145 and PC-3, from P501S-transiently transfected HEK293 cells, and from non-transfected HEK293 cells were generated. Western blot analysis of these lysates with 10E3-G4-D3 revealed a 46 kDa immunoreactive band in Lncap, PC-3 and P501S-transfected HEK cells, but not in DU-145 cells or non-transfected HEK293 cells. P501S mRNA expression is consistent with these results since semi-quantitative PCR analysis revealed that P501S mRNA is expressed in Lncap, to a lesser but detectable level in PC-3 and not at all in DU-145 cells. Bacterially expressed and purified recombinant P501S (referred to as P501SStr2) was recognized by 10E3-G4-D3 (24 kDa), as was full-length P501S that was transiently expressed in HEK293 cells using either the expression vector VR1012 or pCEP4. Although the predicted molecular weight of P501S is 60.5 kDa, both transfected and "native" P501S run at a slightly lower mobility due to its hydrophobic nature.

Immunohistochemical analysis was performed on prostate tumor and a panel of normal tissue sections (prostate, adrenal, breast, cervix, colon, duodenum, gall bladder, ileum, kidney, ovary, pancreas, parotid gland, skeletal muscle, spleen and testis). Tissue samples were fixed in formalin solution for 24 hours and embedded in paraffin before being sliced into 10 micron sections. Tissue sections were permeabilized and incubated with 10E3-G4-D3 antibody for 1 hr.

HRP-labeled anti-mouse followed by incubation with DAB chromogen was used to visualize P501S immunoreactivity. P501S was found to be highly expressed in both normal prostate and prostate tumor tissue but was not detected in any of the other tissues tested.

To identify the epitope recognized by 10E3-G4-D3, an epitope mapping approach was pursued. A series of 13 overlapping 20-21 mers (5 amino acid overlap; SEQ ID NO: 489-501) was synthesized that spanned the fragment of P501S used to generate 10E3-G4-D3. Flat bottom 96 well microtiter plates were coated with either the peptides or the P501S fragment used to immunize mice, at 1 microgram/ml for 2 hours at 37 °C. Wells were then aspirated and blocked with phosphate buffered saline containing 1% (w/v) BSA for 2 hours at room temperature, and subsequently washed in PBS containing 0.1% Tween 20 (PBST). Purified antibody 10E3-G4-D3 was added at 2 fold dilutions (1000 ng – 16 ng) in PBST and incubated for 30 minutes at room temperature. This was followed by washing 6 times with PBST and subsequently incubating with HRP-conjugated donkey anti-mouse IgG (H+L) Affinipure F(ab') fragment (Jackson Immunoresearch, West Grove, PA) at 1:20000 for 30 minutes. Plates were then washed and incubated for 15 minutes in tetramethyl benzidine. Reactions were stopped by the addition of 1N sulfuric acid and plates were read at 450 nm using an ELISA plate reader. As shown in Fig. 8, reactivity was seen with the peptide of SEQ ID NO: 496 (corresponding to amino acids 439-459 of P501S) and with the P501S fragment but not with the remaining peptides, demonstrating that the epitope recognized by 10E3-G4-D3 is localized to amino acids 439-459 of SEQ ID NO: 113.

In order to further evaluate the tissue specificity of P501S, multi-array immunohistochemical analysis was performed on approximately 4700 different human tissues encompassing all the major normal organs as well as neoplasias derived from these tissues. Sixty-five of these human tissue samples were of prostate origin. Tissue sections 0.6 mm in diameter were formalin-fixed and paraffin embedded. Samples were pretreated with HIER using 10 mM citrate buffer pH 6.0 and boiling for 10 min. Sections were stained with 10E3-G4-D3 and P501S immunoreactivity was visualized with HRP. All the 65 prostate tissues samples (5 normal, 55 untreated prostate tumors, 5 hormone refractory prostate tumors) were positive, showing distinct perinuclear staining. All other tissues examined were negative for P501S expression.

b) Preparation and Characterization of Antibodies against P503S

A fragment of P503S (amino acids 113-241 of SEQ ID NO: 114) was expressed and purified from bacteria essentially as described above for P501S and used to immunize both rabbits

and mice. Mouse monoclonal antibodies were isolated using standard hybridoma technology as described above. Rabbit monoclonal antibodies were isolated using Selected Lymphocyte Antibody Method (SLAM) technology at Immgenics Pharmaceuticals (Vancouver, BC, Canada). Table VI, below, lists the monoclonal antibodies that were developed against P503S.

5

Table VI

Antibody	Species
20D4	Rabbit
JA1	Rabbit
1A4	Mouse
1C3	Mouse
1C9	Mouse
1D12	Mouse
2A11	Mouse
2H9	Mouse
4H7	Mouse
8A8	Mouse
8D10	Mouse
9C12	Mouse
6D12	Mouse

The DNA sequences encoding the complementarity determining regions (CDRs) for the rabbit monoclonal antibodies 20D4 and JA1 were determined and are provided in SEQ ID NO: 502 and 503, respectively.

In order to better define the epitope binding region of each of the antibodies, a series of overlapping peptides were generated that span amino acids 109-213 of SEQ ID NO: 114. These peptides were used to epitope map the anti-P503S monoclonal antibodies by ELISA as follows.

The recombinant fragment of P503S that was employed as the immunogen was used as a positive control. Ninety-six well microtiter plates were coated with either peptide or recombinant antigen at 20 ng/well overnight at 4 °C. Plates were aspirated and blocked with phosphate buffered saline containing 1% (w/v) BSA for 2 hours at room temperature then washed in PBS containing 0.1% Tween 20 (PBST). Purified rabbit monoclonal antibodies diluted in PBST were added to the wells and incubated for 30 min at room temperature. This was followed by washing 6 times with PBST and incubation with Protein-A HRP conjugate at a 1:2000 dilution for a further 30 min. Plates were washed six times in PBST and incubated with tetramethylbenzidine (TMB) substrate for a further

20

15 min. The reaction was stopped by the addition of 1N sulfuric acid and plates were read at 450 nm using at ELISA plate reader. ELISA with the mouse monoclonal antibodies was performed with supernatants from tissue culture run neat in the assay.

All of the antibodies bound to the recombinant P503S fragment, with the exception
5 of the negative control SP2 supernatant. 20D4, JA1 and 1D12 bound strictly to peptide #2101 (SEQ ID NO: 504), which corresponds to amino acids 151-169 of SEQ ID NO: 114. 1C3 bound to peptide #2102 (SEQ ID NO: 505), which corresponds to amino acids 165-184 of SEQ ID NO: 114. 9C12 bound to peptide #2099 (SEQ ID NO: 522), which corresponds to amino acids 120-139 of SEQ ID NO: 114. The other antibodies bind to regions that were not examined in these studies.

10 Subsequent to epitope mapping, the antibodies were tested by FACS analysis on a cell line that stably expressed P503S to confirm that the antibodies bind to cell surface epitopes. Cells stably transfected with a control plasmid were employed as a negative control. Cells were stained live with no fixative. 0.5 ug of anti-P503S monoclonal antibody was added and cells were incubated on ice for 30 min before being washed twice and incubated with a FITC-labelled goat
15 anti-rabbit or mouse secondary antibody for 20 min. After being washed twice, cells were analyzed with an Excalibur fluorescent activated cell sorter. The monoclonal antibodies 1C3, 1D12, 9C12, 20D4 and JA1, but not 8D3, were found to bind to a cell surface epitope of P503S.

In order to determine which tissues express P503S, immunohistochemical analysis was performed, essentially as described above, on a panel of normal tissues (prostate, adrenal,
20 breast, cervix, colon, duodenum, gall bladder, ileum, kidney, ovary, pancreas, parotid gland, skeletal muscle, spleen and testis). HRP-labeled anti-mouse or anti-rabbit antibody followed by incubation with TMB was used to visualize P503S immunoreactivity. P503S was found to be highly expressed in prostate tissue, with lower levels of expression being observed in cervix, colon, ileum and kidney, and no expression being observed in adrenal, breast, duodenum, gall bladder, ovary,
25 pancreas, parotid gland, skeletal muscle, spleen and testis.

Western blot analysis was used to characterize anti-P503S monoclonal antibody specificity. SDS-PAGE was performed on recombinant (rec) P503S expressed in and purified from bacteria and on lysates from HEK293 cells transfected with full length P503S. Protein was transferred to nitrocellulose and then Western blotted with each of the anti-P503S monoclonal
30 antibodies (20D4, JA1, 1D12, 6D12 and 9C12) at an antibody concentration of 1 ug/ml. Protein was detected using horse radish peroxidase (HRP) conjugated to either a goat anti-mouse monoclonal antibody or to protein A-sepharose. The monoclonal antibody 20D4 detected the

appropriate molecular weight 14 kDa recombinant P503S (amino acids 113-241) and the 23.5 kDa species in the HEK293 cell lysates transfected with full length P503S. Other anti-P503S monoclonal antibodies displayed similar specificity by Western blot.

5 **c) Preparation and Characterization of Antibodies against P703P**

Rabbits were immunized with either a truncated (P703Ptrl; SEQ ID NO: 172) or full-length mature form (P703Pfl; SEQ ID NO: 523) of recombinant P703P protein was expressed in and purified from bacteria as described above. Affinity purified polyclonal antibody was generated using immunogen P703Pfl or P703Ptrl attached to a solid support. Rabbit monoclonal
10 antibodies were isolated using SLAM technology at Immgenics Pharmaceuticals. Table VII below lists both the polyclonal and monoclonal antibodies that were generated against P703P.

Table VII

Antibody	Immunogen	Species/type
Aff. Purif. P703P (truncated); #2594	P703Ptrl	Rabbit polyclonal
Aff. Purif. P703P (full length); #9245	P703Pfl	Rabbit polyclonal
2D4	P703Ptrl	Rabbit monoclonal
8H2	P703Ptrl	Rabbit monoclonal
7H8	P703Ptrl	Rabbit monoclonal

15

The DNA sequences encoding the complementarity determining regions (CDRs) for the rabbit monoclonal antibodies 8H2, 7H8 and 2D4 were determined and are provided in SEQ ID NO: 506-508, respectively.

Epitope mapping studies were performed as described above. Monoclonal
20 antibodies 2D4 and 7H8 were found to specifically bind to the peptides of SEQ ID NO: 509 (corresponding to amino acids 145-159 of SEQ ID NO: 172) and SEQ ID NO: 510 (corresponding to amino acids 11-25 of SEQ ID NO: 172), respectively. The polyclonal antibody 2594 was found to bind to the peptides of SEQ ID NO: 511-514, with the polyclonal antibody 9427 binding to the peptides of SEQ ID NO: 515-517.

25 The specificity of the anti-P703P antibodies was determined by Western blot analysis as follows. SDS-PAGE was performed on (1) bacterially expressed recombinant antigen; (2) lysates of HEK293 cells and Ltk^{-/-} cells either untransfected or transfected with a plasmid

expressing full length P703P; and (3) supernatant isolated from these cell cultures. Protein was transferred to nitrocellulose and then Western blotted using the anti-P703P polyclonal antibody #2594 at an antibody concentration of 1 ug/ml. Protein was detected using horse radish peroxidase (HRP) conjugated to an anti-rabbit antibody. A 35 kDa immunoreactive band could be observed with recombinant P703P. Recombinant P703P runs at a slightly higher molecular weight since it is epitope tagged. In lysates and supernatants from cells transfected with full length P703P, a 30 kDa band corresponding to P703P was observed. To assure specificity, lysates from HEK293 cells stably transfected with a control plasmid were also tested and were negative for P703P expression. Other anti-P703P antibodies showed similar results.

Immunohistochemical studies were performed as described above, using anti-P703P monoclonal antibody. P703P was found to be expressed at high levels in normal prostate and prostate tumor tissue but was not detectable in all other tissues tested (breast tumor, lung tumor and normal kidney).

EXAMPLE 19

CHARACTERIZATION OF CELL SURFACE EXPRESSION AND CHROMOSOME LOCALIZATION OF THE PROSTATE-SPECIFIC ANTIGEN P501S

This example describes studies demonstrating that the prostate-specific antigen P501S is expressed on the surface of cells, together with studies to determine the probable chromosomal location of P501S.

The protein P501S (SEQ ID NO: 113) is predicted to have 11 transmembrane domains. Based on the discovery that the epitope recognized by the anti-P501S monoclonal antibody 10E3-G4-D3 (described above in Example 17) is intracellular, it was predicted that following transmembrane determinants would allow the prediction of extracellular domains of P501S. Fig. 9 is a schematic representation of the P501S protein showing the predicted location of the transmembrane domains and the intracellular epitope described in Example 17. Underlined sequence represents the predicted transmembrane domains, bold sequence represents the predicted extracellular domains, and italicized sequence represents the predicted intracellular domains. Sequence that is both bold and underlined represents sequence employed to generate polyclonal rabbit serum. The location of the transmembrane domains was predicted using HHMTOP as

described by Tusnady and Simon (Principles Governing Amino Acid Composition of Integral Membrane Proteins: Applications to Topology Prediction, *J. Mol. Biol.* 283:489-506, 1998).

Based on Fig. 9, the P501S domain flanked by the transmembrane domains corresponding to amino acids 274-295 and 323-342 is predicted to be extracellular. The peptide of SEQ ID NO: 518 corresponds to amino acids 306-320 of P501S and lies in the predicted extracellular domain. The peptide of SEQ ID NO: 519, which is identical to the peptide of SEQ ID NO: 518 with the exception of the substitution of the histidine with an asparagine, was synthesized as described above. A Cys-Gly was added to the C-terminus of the peptide to facilitate conjugation to the carrier protein. Cleavage of the peptide from the solid support was carried out using the following cleavage mixture: trifluoroacetic acid:ethanediol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for two hours, the peptide was precipitated in cold ether. The peptide pellet was then dissolved in 10% v/v acetic acid and lyophilized prior to purification by C18 reverse phase hplc. A gradient of 5-60% acetonitrile (containing 0.05% TFA) in water (containing 0.05% TFA) was used to elute the peptide. The purity of the peptide was verified by hplc and mass spectrometry, and was determined to be >95%. The purified peptide was used to generate rabbit polyclonal antisera as described above.

Surface expression of P501S was examined by FACS analysis. Cells were stained with the polyclonal anti-P501S peptide serum at 10 µg/ml, washed, incubated with a secondary FITC-conjugated goat anti-rabbit Ig antibody (ICN), washed and analyzed for FITC fluorescence using an Excalibur fluorescence activated cell sorter. For FACS analysis of transduced cells, B-LCL were retrovirally transduced with P501S. To demonstrate specificity in these assays, B-LCL transduced with an irrelevant antigen (P703P) or nontransduced were stained in parallel. For FACS analysis of prostate tumor cell lines, Lncap, PC-3 and DU-145 were utilized. Prostate tumor cell lines were dissociated from tissue culture plates using cell dissociation medium and stained as above. All samples were treated with propidium iodide (PI) prior to FACS analysis, and data was obtained from PI-excluding (i.e. intact and non-permeabilized) cells. The rabbit polyclonal serum generated against the peptide of SEQ ID NO: 519 was shown to specifically recognize the surface of cells transduced to express P501S, demonstrating that the epitope recognized by the polyclonal serum is extracellular.

To determine biochemically if P501S is expressed on the cell surface, peripheral membranes from Lncap cells were isolated and subjected to Western blot analysis. Specifically, Lncap cells were lysed using a dounce homogenizer in 5 ml of homogenization buffer (250 mM

sucrose, 10 mM HEPES, 1mM EDTA, pH 8.0, 1 complete protease inhibitor tablet (Boehringer Mannheim)). Lysate samples were spun at 1000 g for 5 min at 4 °C. The supernatant was then spun at 8000g for 10 min at 4 °C. Supernatant from the 8000g spin was recovered and subjected to a 100,000g spin for 30 min at 4 °C to recover peripheral membrane. Samples were then separated by SDS-PAGE and Western blotted with the mouse monoclonal antibody 10E3-G4-D3 (described above in Example 17) using conditions described above. Recombinant purified P501S, as well as HEK293 cells transfected with and over-expressing P501S were included as positive controls for P501S detection. LCL cell lysate was included as a negative control. P501S could be detected in Lncap total cell lysate, the 8000g (internal membrane) fraction and also in the 100,000g (plasma membrane) fraction. These results indicate that P501S is expressed at, and localizes to, the peripheral membrane.

To demonstrate that the rabbit polyclonal antiserum generated to the peptide of SEQ ID NO: 519 specifically recognizes this peptide as well as the corresponding native peptide of SEQ ID NO: 518, ELISA analyses were performed. For these analyses, flat-bottomed 96 well microtiter plates were coated with either the peptide of SEQ ID NO: 519, the longer peptide of SEQ ID NO: 520 that spans the entire predicted extracellular domain, the peptide of SEQ ID NO: 521 which represents the epitope recognized by the P501S-specific antibody 10E3-G4-D3, or a P501S fragment (corresponding to amino acids 355-526 of SEQ ID NO: 113) that does not include the immunizing peptide sequence, at 1 µg/ml for 2 hours at 37 °C. Wells were aspirated, blocked with phosphate buffered saline containing 1% (w/v) BSA for 2 hours at room temperature and subsequently washed in PBS containing 0.1% Tween 20 (PBST). Purified anti-P501S polyclonal rabbit serum was added at 2 fold dilutions (1000 ng - 125 ng) in PBST and incubated for 30 min at room temperature. This was followed by washing 6 times with PBST and incubating with HRP-conjugated goat anti-rabbit IgG (H+L) Affinipure F(ab') fragment at 1:20000 for 30 min. Plates were then washed and incubated for 15 min in tetramethyl benzidine. Reactions were stopped by the addition of 1N sulfuric acid and plates were read at 450 nm using an ELISA plate reader. As shown in Fig. 11, the anti-P501S polyclonal rabbit serum specifically recognized the peptide of SEQ ID NO: 519 used in the immunization as well as the longer peptide of SEQ ID NO: 520, but did not recognize the irrelevant P501S-derived peptides and fragments.

In further studies, rabbits were immunized with peptides derived from the P501S sequence and predicted to be either extracellular or intracellular, as shown in Fig. 9. Polyclonal rabbit sera were isolated and polyclonal antibodies in the serum were purified, as described above.

To determine specific reactivity with P501S, FACS analysis was employed, utilizing either B-LCL transduced with P501S or the irrelevant antigen P703P, of B-LCL infected with vaccinia virus-expressing P501S. For surface expression, dead and non-intact cells were excluded from the analysis as described above. For intracellular staining, cells were fixed and permeabilized as
5 described above. Rabbit polyclonal serum generated against the peptide of SEQ ID NO: 548, which corresponds to amino acids 181-198 of P501S, was found to recognize a surface epitope of P501S. Rabbit polyclonal serum generated against the peptide SEQ ID NO: 551, which corresponds to amino acids 543-553 of P501S, was found to recognize an epitope that was either potentially extracellular or intracellular since in different experiments intact or permeabilized cells were
10 recognized by the polyclonal sera. Based on similar deductive reasoning, the sequences of SEQ ID NO: 541-547, 549 and 550, which correspond to amino acids 109-122, 539-553, 509-520, 37-54, 342-359, 295-323, 217-274, 143-160 and 75-88, respectively, of P501S, can be considered to be potential surface epitopes of P501S recognized by antibodies.

The chromosomal location of P501S was determined using the GeneBridge 4
15 Radiation Hybrid panel (Research Genetics). The PCR primers of SEQ ID NO: 528 and 529 were employed in PCR with DNA pools from the hybrid panel according to the manufacturer's directions. After 38 cycles of amplification, the reaction products were separated on a 1.2% agarose gel, and the results were analyzed through the Whitehead Institute/MIT Center for Genome Research web server (<http://www-genome.wi.mit.edu/cgi-bin/contig/rhmapper.pl>) to determine the
20 probable chromosomal location. Using this approach, P501S was mapped to the long arm of chromosome 1 at WI-9641 between q32 and q42. This region of chromosome 1 has been linked to prostate cancer susceptibility in hereditary prostate cancer (Smith *et al. Science* 274:1371-1374, 1996 and Berthon *et al. Am. J. Hum. Genet.* 62:1416-1424, 1998). These results suggest that P501S may play a role in prostate cancer malignancy.

25

From the foregoing, it will be appreciated that, although specific embodiments of the invention have been described herein for the purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the present invention is not limited except as by the appended claims.

30

CLAIMS

1. An isolated polypeptide comprising at least an immunogenic portion of a prostate-specific protein, or a variant thereof, wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(a) sequences recited in any one of SEQ ID NO: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471, 472-476, 524, 526, 530, 531, 533, 535 and 536;

(b) sequences that hybridize to any of the foregoing sequences under moderately stringent conditions; and

(c) complements of any of the sequence of (a) or (b).

2. An isolated polypeptide according to claim 1, wherein the polypeptide comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID No: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471, 472-476, 524, 526, 530, 531, 533, 535 and 536, or a complement of any of the foregoing polynucleotide sequences.

3. An isolated polypeptide comprising a sequence recited in any one of SEQ ID NO: 108, 112, 113, 114, 172, 176, 178, 327, 329, 331, 339, 383, 477-483, 496, 504, 505, 519, 520, 522, 525, 527, 532, 534 and 537-550.

4. An isolated polynucleotide encoding at least 15 contiguous amino acid residues of a prostate-specific protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the protein
5 comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NO: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413,
10 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471, 472-476, 524, 526, 530, 531, 533, 535 and 536, or a complement of any of the foregoing sequences.

5. An isolated polynucleotide encoding a prostate-specific protein, or a
15 variant thereof, wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NO: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396,
20 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471, 472-476, 524, 526, 530, 531, 533, 535 and 536, or a complement of any of the foregoing sequences.

6. An isolated polynucleotide comprising a sequence recited in any one
25 of SEQ ID NO: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471, 472-476, 524, 526, 530,
30 531, 533, 535 and 536.

7. An isolated polynucleotide comprising a sequence that hybridizes under moderately stringent conditions to a sequence recited in any one of SEQ ID NO: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471, 472-476, 524, 526, 530, 531, 533, 535 and 536.

8. An isolated polynucleotide complementary to a polynucleotide according to any one of claims 4-7.

9. An expression vector comprising a polynucleotide according to any one of claims 4-8.

10. A host cell transformed or transfected with an expression vector according to claim 9.

11. An isolated antibody, or antigen-binding fragment thereof, that specifically binds to a prostate-specific protein, the protein comprising an amino acid sequence encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471, 472-476, 524, 526, 530, 531, 533, 535 and 536 or a complement of any of the foregoing polynucleotide sequences.

12. A monoclonal antibody that specifically binds to an amino acid sequence selected from the group consisting of SEQ ID NO: 496, 504, 505, 509-517, 519, 520, 522 and 539-551.
- 5 13. A monoclonal antibody comprising a complementarity determining region selected from the group consisting of SEQ ID NO: 502, 503 and 506-508.
- 10 14. A fusion protein comprising at least one polypeptide according to claim 1.
- 15 15. A fusion protein according to claim 14, wherein the fusion protein comprises an expression enhancer that increases expression of the fusion protein in a host cell transfected with a polynucleotide encoding the fusion protein.
- 16 16. A fusion protein according to claim 14, wherein the fusion protein comprises a T helper epitope that is not present within the polypeptide of claim 1.
- 20 17. A fusion protein according to claim 14, wherein the fusion protein comprises an affinity tag.
- 25 18. An isolated polynucleotide encoding a fusion protein according to claim 14.
- 26 19.. A pharmaceutical composition comprising a physiologically acceptable carrier and at least one component selected from the group consisting of:
- (a) a polypeptide according to claim 1;
 - (b) a polynucleotide according to claim 4;
 - (c) an antibody according to any one of claims 11-13;
 - 30 (d) a fusion protein according to claim 14; and

(e) a polynucleotide according to claim 18.

20. A vaccine comprising an immunostimulant and at least one component selected from the group consisting of:

- 5 (a) a polypeptide according to claim 1;
(b) a polynucleotide according to claim 4;
(c) an antibody according to any one of claims 11-13;
(d) a fusion protein according to claim 14; and
(e) a polynucleotide according to claim 18.

10

21. A vaccine according to claim 20, wherein the immunostimulant is an adjuvant.

22. A vaccine according to claim 20, wherein the immunostimulant
15 induces a predominantly Type I response.

23. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a pharmaceutical composition according to claim 19.

20

24. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a vaccine according to claim 20.

25. A pharmaceutical composition comprising an antigen-presenting cell
25 that expresses a polypeptide according to claim 1, in combination with a pharmaceutically acceptable carrier or excipient.

26. A pharmaceutical composition according to claim 25, wherein the antigen presenting cell is a dendritic cell or a macrophage.

27. A vaccine comprising an antigen-presenting cell that expresses a polypeptide according to claim 1, in combination with an immunostimulant.

5 28. A vaccine according to claim 27, wherein the immunostimulant is an adjuvant.

29. A vaccine according to claim 27, wherein the immunostimulant induces a predominantly Type I response.

10

30. A vaccine according to claim 27, wherein the antigen-presenting cell is a dendritic cell.

31. A method for inhibiting the development of a cancer in a patient,
15 comprising administering to a patient an effective amount of an antigen-presenting cell that expresses a polypeptide encoded by a polynucleotide recited in any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536, and thereby inhibiting the development of a cancer in the patient.

20

32. A method according to claim 31, wherein the antigen-presenting cell is a dendritic cell.

33. A method according to any one of claims 23, 24 and 31, wherein the
25 cancer is prostate cancer.

34. A method for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a prostate-specific protein, wherein the protein comprises an amino acid sequence that is
30 encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536; and

(ii) complements of the foregoing polynucleotides;

5 wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the prostate-specific protein from the sample.

35. A method according to claim 34, wherein the biological sample is
10 blood or a fraction thereof.

36. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated according to the method of claim 50.

15

37. A method for stimulating and/or expanding T cells specific for a prostate-specific protein, comprising contacting T cells with at least one component selected from the group consisting of:

- (i) a polypeptide according to claim 1;
- 20 (ii) a polypeptide encoded by a polynucleotide comprising a sequence provided in any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536;
- (iii) a polynucleotide encoding a polypeptide of (i) or (ii); and
- (iv) an antigen presenting cell that expresses a polypeptide of (i) or (ii),
- 25 under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells.

38. An isolated T cell population, comprising T cells prepared according to the method of claim 37.

30

39. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population according to claim 38.

5 40. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

(i) a polypeptide according to claim 1;
10 (ii) a polypeptide encoded by a polynucleotide comprising a sequence of any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536;

(iii) a polynucleotide encoding a polypeptide of (i) or (ii); or
15 (iv) an antigen-presenting cell that expresses a polypeptide of (i) or (ii);

such that T cells proliferate; and

(b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient.

20

41. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

(i) a polypeptide according to claim 1;
25 (ii) a polypeptide encoded by a polynucleotide comprising a sequence of any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536;

30 (iii) a polynucleotide encoding a polypeptide of (i) or (ii); or

(iv) an antigen-presenting cell that expresses a polypeptide of (i) or (ii);

such that T cells proliferate;

(b) cloning at least one proliferated cell to provide cloned T cells; and

5 (c) administering to the patient an effective amount of the cloned T cells, and thereby inhibiting the development of a cancer in the patient.

42. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

10 (a) contacting a biological sample obtained from a patient with a binding agent that binds to a prostate-specific protein, wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NO: 1-111,
15 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536; and

(ii) complements of the foregoing polynucleotides;

(b) detecting in the sample an amount of polypeptide that binds to the binding agent; and

20 (c) comparing the amount of polypeptide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

43. A method according to claim 42, wherein the binding agent is an antibody.

25

44. A method according to claim 43, wherein the antibody is a monoclonal antibody.

45. A method according to claim 42, wherein the cancer is prostate
30 cancer.

46. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

- 5 (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a prostate-specific protein, wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide sequence of any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536, or a complement of any of the foregoing polynucleotides;
- 10 (b) detecting in the sample an amount of polypeptide that binds to the binding agent;
- (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and
- (d) comparing the amount of polypeptide detected in step (c) to the
15 amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

47. A method according to claim 46, wherein the binding agent is an antibody.

20

48. A method according to claim 47, wherein the antibody is a monoclonal antibody.

49. A method according to claim 46, wherein the cancer is a prostate
25 cancer.

50. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

- 30 (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate-specific protein,

wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide sequence of any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536, or a complement of any of the foregoing polynucleotides;

5 (b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; and

(c) comparing the amount of polynucleotide that hybridizes to the oligonucleotide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

10

51. A method according to claim 50, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

15

52. A method according to claim 50, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

20

53. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate-specific protein, wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide sequence of any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 25 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536, or a complement of any of the foregoing polynucleotides;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide;

(c) repeating steps (a) and (b) using a biological sample obtained from 30 the patient at a subsequent point in time; and

(d) comparing the amount of polynucleotide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

5 54. A method according to claim 53, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

10 55. A method according to claim 53, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

 56. A diagnostic kit, comprising:
 (a) one or more antibodies according to claim 11; and
15 (b) a detection reagent comprising a reporter group.

 57. A kit according to claim 56, wherein the antibodies are immobilized on a solid support.

20 58. A kit according to claim 56, wherein the detection reagent comprises an anti-immunoglobulin, protein G, protein A or lectin.

 59. A kit according to claim 56, wherein the reporter group is selected from the group consisting of radioisotopes, fluorescent groups, luminescent groups,
25 enzymes, biotin and dye particles.

 60. An oligonucleotide comprising 10 to 40 contiguous nucleotides that hybridize under moderately stringent conditions to a polynucleotide that encodes a prostate-specific protein, wherein the protein comprises an amino acid sequence that is
30 encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 2, 3, 8-29, 41-45,

47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 5 452, 453, 459-461, 468-476, 524, 526, 530, 531, 533, 535 and 536, or a complement of any of the foregoing polynucleotides.

61. A oligonucleotide according to claim 60, wherein the oligonucleotide comprises 10-40 contiguous nucleotides recited in any one of SEQ ID NO:
10 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-476, 524, 526, 530, 531, 533, 535 and 536.

15


62. A diagnostic kit, comprising:
(a) an oligonucleotide according to claim 61; and
(b) a diagnostic reagent for use in a polymerase chain reaction or hybridization assay.



20

63. A host cell according to claim 10, wherein the cell is selected from the group consisting of: *E. coli*, baculovirus and mammalian cells.

64. A recombinant protein produced by a host cell according to claim

25 10.

*Fig. 1*

*Fig. 2A**Fig. 2B*









Fig. 3

*Fig. 4**Fig. 5*

*Fig. 6A**Fig. 6B*

Expression of P501S by the Baculovirus Expression System



0.6 million high 5 cells in 6-well plate were infected with an unrelated control virus BV/ECD_PD (lane 2), without virus (lane 3), or with recombinant baculovirus for P501 at different MOIs (lane 4 - 8). Cell lysates were run on SDS-PAGE under the reducing conditions and analyzed by Western blot with a monoclonal antibody against P501S (P501S-10E3-G4D3). Lane 1 is the biotinylated protein molecular weight marker (BioLabs).

Fig. 7

Schematic of P501S with predicted
transmembrane, cytoplasmic, and extracellular regions

MVQRLWVSRLLRHRK AQLLLVNLLTFGLEVCLAAGIT YVPPLLLEVGVEEKFM
TMVLGIGPVLGLVCYPLLGSAS
 DHWRGRYGRRRP FIWALSLGILLSLFLIPRAGWL AGLLCPDPRPLE LALLILGVGLLDFCGQVCFTPL
 EALLSDLFRDPDHCRQ AYSVYAFMISLGGCLGYLLPAI DWDTSALAPYLGTQEE
 CLFGLLTLIFLTCVAATLLV AEEAALGPTEPAEGLSAPSLSPHCCPCRARLAFRNLGALLPRL
HQLCCRMPTLRR LFVAELCSWMALMTFTLFYTDF VGEGLYQGVPRAPGTEARRHYDEGVR
MGSLGLFLQCAISLVFSLVM DRLVQRFGTRAVYLAS VAAFPVAAGATCLSHSVAVVTA **SAA**
LTGFTFSALQILPYTLASLY HREKQVFLPKYRGDTGGASSEDSLMTSFLPGPKPGAPFPNGHVGAGGSGL
LPPPPALCGASACDVSVRVVVGEPTEARVVPGRG ICLDLAILDSAFLLSQVAPSLF MGSIVQLSQS
VTAYMVSAAAGLGLVAIYFAT QVVFDKSDLAKYSA

Underlined sequence: Predicted transmembrane domain; **Bold sequence**:
 Predicted extracellular domain; *Italic sequence*: Predicted intracellular
 domain. Sequence in bold/underlined: used generate polyclonal rabbit
 serum

Localization of domains predicted using HMMTOP (G.E. Tusnady and I. Simon
 (1998) Principles Governing Amino Acid Composition of Integral Membrane
 Proteins: Applications to topology Prediction. J. Mol Biol. 283, 489-506.

Fig. 9




Fig. 10




Fig. 11

SEQUENCE LISTING

<110> Corixa Corporation
 Xu, Jiangchun
 Dillon, Davin C.
 Mitcham, Jennifer L.
 Harlocker, Susan Louise
 Jiang Yuqui
 Reed, Steven G.
 Kalos, Michael
 Fanger, Gary
 Retter, Mark
 Solk, John
 Day, Craig
 Skeiky, Yasir A.W.
 Wang, Aijun

<120> COMPOSITIONS AND METHODS FOR THE THERAPY AND
 DIAGNOSIS OF PROSTATE CANCER

<130> 210121.42720PC

<140> PCT

<141> 2000-11-09

<160> 551

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 814

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(814)

<223> n = A,T,C or G

<400> 1

tttttttttt	tttttcacag	tataacagct	ctttatttct	gtgagttcta	ctaggaaatc	60
atcaaactctg	agggttgtct	ggaggacttc	aatacacctc	cccccatagt	gaatcagctt	120
ccagggggtc	cagtcctctc	ccttacttca	tccccatccc	atgccaaagg	aagaccctcc	180
ctccttggtc	cacagccttc	tctaggcttc	ccagtgccctc	caggacagag	tgggttatgt	240
tttcagctcc	atccttgctg	tgagtgtctg	gtgcgttggtg	cctccagctt	ctgctcagtg	300
cttcatggac	agtgtccagc	acatgtcact	ctccactctc	tcagtgtgga	tccactagtt	360
ctagagcggc	cgccaccgcg	gtggagctcc	agcttttggt	cccttttagtg	agggttaatt	420
gcgcgcttg	cgtaatcatg	gtcataactg	tttcctgtgt	gaaattgtta	tccgctcaca	480
attccacaca	acatacggagc	cggaagcata	aagtgtaaaag	cctgggggtgc	ctaattgagtg	540
anctaactca	cattaattgc	gttgcgctca	ctgnccgctt	tccagtcnng	aaaactgtcg	600
tgccagctgc	attaatgaat	cggccaacgc	ncggggaaaa	gcgggttgcg	ttttgggggc	660
tcttcgctt	ctcgctcact	nantcctgcg	ctcggtcctt	cggtgcggg	gaacggtatc	720
actcctcaaa	gnggtatta	cggttatccn	naaatcnngg	gatacccnng	aaaaaanttt	780
aacaaaagg	cancaaagg	cngaaacgta	aaaa			814

<210> 2

<211> 816

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(816)

<223> n = A,T,C or G

<400> 2

acagaaatgt	tggatggtgg	agcacctttc	tatacgactt	acaggacagc	agatggggaa	60
ttcatggctg	ttggagcaat	agaacccag	ttctacgagc	tgctgatcaa	aggacttggg	120
ctaaagtctg	atgaacttcc	caatcagatg	agcatggatg	attggccaga	aatgaagaag	180
aagtttgcag	atgtatttgc	aaagaagacg	aaggcagagt	ggtgtcaa	ctttgacggc	240
acagatgcct	gtgtgactcc	ggttctgact	tttgaggagg	ttgttcatca	tgatcacaac	300
aaggaacggg	gctcgtttat	caccagtggg	gagcaggacg	tgagcccccg	ccctgcacct	360
ctgctgttaa	acacccagc	catcccttct	ttcaaaagg	atccactagt	tctagaagcg	420
gccgccaccg	cgggtggagct	ccagcttttg	ttccctttag	tgagggttaa	ttgcgcgctt	480
ggcgtaatac	tggtcatagc	tgtttctgt	gtgaaattgt	tatccgctca	caattccccc	540
aacatacag	cgggaacata	aagtgttaag	cctggggtgc	ctaattgagt	agctaactcn	600
cattaattgc	gttgcgctca	ctgcccgtt	tccagtcggg	aaaactgtcg	tgccactgen	660
ttantgaatc	ngccaccccc	cgggaaaagg	cgggtgcntt	ttgggcctct	tccgctttcc	720
tcgctcattg	atcctngcnc	ccggtcttcg	gctgcggnga	acggttcact	cctcaaaggc	780
ggtntnccgg	ttatcccaa	acnngggata	ccnga			816

<210> 3

<211> 773

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(773)

<223> n = A,T,C or G

<400> 3

cttttgaaag	aagggatggc	tggggtgttt	aacagcagag	gtgcagggcg	ggggctcag	60
tctgtcctct	cactggatgat	aaacgagccc	cgttccttgt	tgtgatcatg	atgaacaacc	120
tcctcaaaag	tcagaaccgg	agtcacacag	gcactgtgtc	cgtcaaagat	ttgacaccac	180
tctgccttcg	tcttctttgc	aaatacatct	gcaaacttct	tcttcatttc	tggccaatca	240
tccatgctca	tctgattggg	aagtcatca	gacttttagt	canntccttt	gatcagcagc	300
tcgtagaact	ggggttctat	tgctccaaca	gccatgaatt	ccccatctgc	tgtcctgtaa	360
gtcgtataga	aagggtgtcc	accatccaac	atgttctgtc	ctcgaggggg	ggcccggtac	420
ccaattcgcc	ctatantgag	tcgtattacg	cgcgctcact	ggcgcgtcgt	ttacaacgtc	480
gtgactggga	aaaccctggg	cgttaccaac	ttaatcgctt	tgagcacat	ccccctttcg	540
ccagctgggc	gtaatanca	aaaggccggc	accgatcgcc	cttccaacag	ttgcgcacct	600
gaatgggnaa	atgggacccc	cctgttaccc	cgcattnaac	ccccgcnggg	tttngttggt	660
accccaacnt	nnaccgctta	cactttgcca	gcgccttanc	gcccgtccc	tttnccttt	720
cttcccttcc	tttncnccn	ctttcccccg	gggtttcccc	cntcaaacc	cna	773

<210> 4

<211> 828

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(828)

<223> n = A,T,C or G

<400> 4

cctcctgagt	cctactgacc	tgtgctttct	ggtgtggagt	ccagggctgc	taggaaaagg	60
aatgggcaga	cacaggtgta	tgccaatgtt	tctgaaatgg	gtataatttc	gtcctctcct	120
tcggaacact	ggctgtctct	gaagacttct	cgctcagttt	cagtgaggac	acacacaaag	180
acgtgggtga	ccatgttggt	tgtggggtgc	agagatggga	ggggtggggc	ccaccctgga	240
agagtggaca	gtgacacaag	gtggacactc	tctacagatc	actgaggata	agctggagcc	300
acaatgcatg	aggcacacac	acagcaagga	tgacnctgta	aacatagccc	acgtgtcct	360
gngggcactg	ggaagcctan	atnaggccgt	gagcanaaag	aaggggagga	tccactagtt	420
ctanagcggc	cgccaccgcy	gtgganctcc	ancttttggt	ccctttagtg	agggttaatt	480
gcgcgcttgg	cntaatcatg	gtcatanctn	tttctgtgtg	gaaattgtta	tccgctcaca	540
attccacaca	acatacganc	cggaacata	aantgtaaac	ctggggtgcc	taatgantga	600
ctaactcaca	ttaattgcgt	tgcgctcact	gcccgttttc	caatcnggaa	acctgtcttg	660
ccncttgcac	tnatgaatcn	gccaaacccc	ggggaaaagc	gtttgcgttt	tgggcgctct	720
tccgcttcct	cnctcantta	ntccctncnc	tcggtcattc	cggctgcngc	aaaccggttc	780
accnctcca	aagggggtat	tccggtttcc	ccnaatccgg	gganance		828

<210> 5

<211> 834

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (834)

<223> n = A,T,C or G

<400> 5

tttttttttt	tttttactga	tagatggaat	ttattaagct	tttcacatgt	gatagcacat	60
agttttaatt	gcatccaaag	tactaacaaa	aactctagca	atcaagaatg	gcagcatgtt	120
attttataac	aatacaacac	tgtggctttt	aaaatttggt	tttcataaga	taatttatac	180
tgaagttaat	ctagccatgc	ttttaaaaaa	tgctttaggt	cactccaagc	ttggcagtta	240
acatttgcca	taaacaataa	taaaacaatc	acaatttaat	aaataacaaa	tacaacattg	300
taggccataa	tcatatacag	tataaggaaa	aggtggtagt	gttgagtaag	cagttattag	360
aatagaatac	cttggcctct	atgcaaatat	gtctagacac	tttgattcac	tcagccctga	420
cattcagttt	tcaaagtagg	agacagggtc	tacagtatca	ttttacagtt	tccaacacat	480
tgaaaaaagg	tagaaaatga	tgagttgatt	tttattaatg	cattacatcc	tcaagagtta	540
tcaccaaccc	ctcagttata	aaaaattttc	aagttatatt	agtcataata	cttgggtggtc	600
ttattttaaa	ttagtgtctaa	atggattaag	tgaagacaac	aatggtcccc	taatgtgatt	660
gatattgggtc	atttttaacca	gcttctaaat	ctnaactttc	aggcttttga	actggaacat	720
tgnatnacag	tgttccanag	ttncaaccta	ctggaacatt	acagtgtgct	tgattcaaaa	780
tgttattttg	ttaaaaatta	aattttaacc	tggtggaaaa	ataatttgaa	atna	834

<210> 6

<211> 818

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (818)

<223> n = A,T,C or G

<400> 6

tttttttttt	tttttttttt	aagaccctca	tcaatagatg	gagacataca	gaaatagtca	60
aaccacatct	acaaaaatgcc	agtatcaggc	ggcggtctcg	aagccaaagt	gatgtttgga	120
tgtaaaagtga	aatattagtt	ggcggtatgaa	gcagatagtg	aggaaagtgt	agccaataat	180
gacgtgaagt	ccgtggaagc	ctgtggctac	aaaaaatgtt	gagccgtaga	tgccgtcgga	240
aatggtgaag	ggagactcga	agtactctga	ggcttgtagg	agggtaaaaat	agagacccag	300

taaaattgta	ataagcagtg	cttgaattat	ttggtttcgg	ttgttttcta	ttagactatg	360
gtgagctcag	gtgattgata	ctcctgatgc	gagtaatacg	gatgtgttta	ggagtggggac	420
ttctagggga	tttagcgggg	tgatgcctgt	tgggggccag	tgcctccta	gttgggggggt	480
aggggctagg	ctggagtggg	aaaagggtca	gaaaaatcct	gcgaagaaaa	aaacttctga	540
ggtaataaat	aggattatcc	cgtatcgaag	gcctttttgg	acaggtgggtg	tgtgggtggcc	600
ttggtatgtg	ctttctcgtg	ttacatcgcg	ccatcattgg	tatatgggta	gtgtgttggg	660
ttantangg	ctantatgaa	gaacttttgg	antggaatta	aatcaatngc	ttggccggaa	720
gtcattanga	nggctnaaaa	ggcctgttta	nggggtctggg	ctnggtttta	cccnacccat	780
ggaatncncc	ccccggacna	ntgnatccct	attcttaa			818

<210> 7

<211> 817

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(817)

<223> n = A,T,C or G

<400> 7

tttttttttt	tttttttttt	tggctctaga	gggggtagag	ggggtgctat	agggtaaata	60
cgggcccctat	ttcaaagatt	tttaggggaa	ttaattctag	gacgatgggt	atgaaactgt	120
ggtttgctcc	acagatttca	gagcattgac	cgtagtatac	ccccggtcgt	gtagcgggtga	180
aagtggtttg	gttagacgt	ccgggaattg	catctgtttt	taagcctaata	gtggggacag	240
ctcatgagtg	caagacgtct	tgtgatgtaa	ttattatacn	aatgggggct	tcaatcgggga	300
gtactactcg	attgtcaacg	tcaaggagtc	gcaggtcgcc	tggttctagg	aataatgggg	360
gaagtatgta	ggaattgaag	attaatccgc	cgtagtcggg	gttctcctag	gttcaatacc	420
attggtggcc	aattgatattg	atggtaaggg	gagggatcgt	tgaactcgtc	tgttatgtaa	480
aggatncctt	ngggatggga	aggcnatnaa	ggactangga	tnaatggcgg	gcangatatt	540
tcaaacngtc	tctanttcct	gaaacgtctg	aaatgttaat	aanaattaan	tttngttatt	600
gaatnttng	gaaaagggct	tacaggacta	gaaaccaaat	angaaaanta	atnntaangg	660
cnttatcntn	aaaggtnata	accnctccta	tnatcccacc	caatngnatt	ccccacnenn	720
acnattggat	cccccanttc	canaaaanggc	cncctcccg	tgnannccnc	cttttgttcc	780
cttnantgan	ggttattcnc	ccctngcntt	atcancc			817

<210> 8

<211> 799

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(799)

<223> n = A,T,C or G

<400> 8

catttccggg	tttactttct	aaggaaagcc	gagcggaagc	tgctaacgtg	ggaatcggtg	60
cataaggaga	actttctgct	ggcacgcgct	agggacaagc	gggagagcga	ctccgagcgt	120
ctgaagcgca	cgtcccagaa	ggtggacttg	gcactgaaac	agctgggaca	catccgcgag	180
tacgaacagc	gcctgaaaagt	gctggagcgg	gaggtccagc	agtgtagccg	cgtcctgggg	240
tgggtggccg	angcctganc	cgctctgect	tgctgcccc	angtgggccc	ccacccctg	300
acctgcctgg	gtccaaacac	tgagccctgc	tggcggactt	caagganaac	ccccacangg	360
ggattttgct	cctanantaa	ggctcatctg	ggcctcgccc	ccccacctg	gttggccttg	420
tctttgangt	gcaccccatg	tccatctggg	ccactgtcng	gaccaccttt	ngggagtgtt	480
ctccttacia	ccacannatg	ccgggctcct	ccgggaaacc	antcccance	tgngaaggat	540
caagnccctn	atccactnnt	nctanaaccg	gcncncnccg	cngtggaaacc	cnccttntgt	600
tccttttctt	tnagggttaa	tnnccgcttg	gccttnccan	ngtccctncn	nttttccnnt	660

gttnaaattg	ttangcnccc	ncnntcccn	cnnnnnnan	cccgaccenn	annttnnann	720
ncctgggggt	ncnncngat	tgaccenncc	nccctntant	tgcnttnggg	nncnttgccc	780
ctttccctct	nggganncg					799

<210> 9
 <211> 801
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (801)
 <223> n = A,T,C or G

<400> 9						
acgccttgat	cctcccaggc	tgggactggt	tctgggagga	gccgggcatg	ctgtgggttg	60
taangatgac	actcccaaag	gtggctcctga	cagtggccca	gatggacatg	gggctcacct	120
caaggacaag	gccaccagg	gcggggggcg	aagcccacat	gatccttact	ctatgagcaa	180
aatccccctgt	gggggcttct	ccttgaagtc	cgccancagg	gctcagtctt	tggacccang	240
caggtcatgg	ggttgtngnc	caactggggg	ccncaacgca	aaanggcnc	gggcctcngn	300
caccatccc	angacgcggc	tacactnctg	gacctccnc	tccaccactt	tcatgcgctg	360
ttcntaccg	cgnatntgtc	ccanctgttt	cngtgccnac	tccancttct	nggacgtgcg	420
ctacatacgc	ccggantcnc	nectccgctt	tgccctatc	cacgtncan	caacaaattt	480
cncntantg	cacnattcc	cacntttnc	agntttcnc	nncngcttc	cttntaaaag	540
ggttgancce	cggaaaatnc	cccaaagggg	ggggggcngg	tacccaactn	ccccctnata	600
gctgaantcc	ccatnaccnn	gnctcnatgg	anccntccnt	tttaannacn	ttctnaactt	660
gggaanance	ctcgnccntn	ccccnttaa	tccnccttg	cnangnnent	cccccnntcc	720
nccnnntng	gcntntnann	cnaaaaaggc	cnnnancaa	tctcctnncn	cctcanttcg	780
ccanccctcg	aaatcgccn	c				801

<210> 10
 <211> 789
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (789)
 <223> n = A,T,C or G

<400> 10						
cagtctatnt	ggccagtgtg	gcagctttcc	ctgtggctgc	cggtgccaca	tgctgtccc	60
acagtgtggt	cgtgggtgaca	gcttcagccg	ccctcacccg	gttcaccttc	tcagccctgc	120
agatcctgcc	ctacacactg	gcctccctct	accacccgga	gaagcagggt	ttcctgccc	180
aataccgagg	ggacactgga	ggtgctagca	gtgaggacag	cctgatgacc	agcttctgc	240
caggccctaa	gcctggagct	ccctcccta	atggacacgt	gggtgctgga	ggcagtggcc	300
tgctccacc	tccaccgcg	ctctgcgggg	cctctgcctg	tgatgtctcc	gtacgtgtgg	360
tggtgggtga	gcccaccgan	gccagggtgg	ttccggggcg	gggcatctgc	ctggacctcg	420
ccatcctgga	tagtgcttcc	tgctgtccca	ngtgcccca	tccctgttta	tgggctccat	480
tgctcagctc	agccagtctg	tactgccta	tatgggtgtc	gccgcaggcc	tgggtctggt	540
ccattttact	ttgtacaca	ggtantattt	gacaagaacg	anttgcccaa	atactcagcg	600
ttaaaaaatt	ccagcaacat	tgggggtgga	aggcctgcct	cactgggtcc	aactccccgc	660
tcctgttaac	cccatggggc	tgccggcttg	gccgccaatt	tctgttgctg	ccaaantnat	720
gtggctctct	gctgccacct	gttgctggct	gaagtgcnta	cngcncanct	nggggggtng	780
gngttccc						789

<210> 11
 <211> 772

<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(772)
<223> n = A,T,C or G

<400> 11
cccaccctac ccaaataatta gacaccaaca cagaaaagct agcaatggat tcccttctac 60
tttgttaaat aaataagtta aatatTTaaa tgcctgtgtc tctgtgatgg caacagaagg 120
accaacaggc cacatcctga taaaaggtaa gaggggggtg gatcagcaaa aagacagtgc 180
tgtgggctga ggggacctgg ttcttgtgtg ttgcccctca ggactcttcc cctacaaata 240
actttcatat gtTcaaTcc catggaggag tgTttcatcc tagaaactcc catgcaagag 300
ctacattaaa cgaagctgca ggttaagggg cttanagatg ggaaaccagg tgactgagtt 360
tattcagctc caaaaaaccc ttctctaggt gtgtctcaac taggaggcta gctgttaacc 420
ctgagcctgg gtaatccacc tgcagagtcc ccgcattcca gtgcatggaa cccttctggc 480
ctccctgtat aagtccagac tgaacccccc ttggaaggnc tccagtcagg cagccctana 540
aactggggaa aaaagaaaaag gacgccccan cccccagctg tgcanctacg cacctcaaca 600
gcacagggtg gcagcaaaaa aaccacttta ctttggcaca acaaaaaact ngggggggca 660
accccgccac cccnangggg gttaacagga ancngggnaa cntggaaccc aattnaggca 720
ggccnccac ccnaatntt gctgggaaat ttttctccc ctaaattntt tc 772

<210> 12
<211> 751
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(751)
<223> n = A,T,C or G

<400> 12
gccccaatTC cagctgccac accaccacag gtgactgcat tagttcggat gtcatacaaa 60
agctgattga agcaaccctc tacttttttg tegttagcct tttgcttggT gcaggtttca 120
ttggctgtgt tggTgacgtt gtcattgcaa cagaatgggg gaaaggcact gttctctttg 180
aagtanggtg agtcctcaaa atccgtatag ttggTgaagc cacagcactt gagcccttTC 240
atggtggTgt tccacacttg agtgaagtct tccTgggaac cataatcttt cttgatggca 300
ggcactacca gcaacgtcag ggaagtgtc agccattgtg gtgtacacca aggcgaccac 360
agcagctgcn acctcagcaa tgaagatgan gaggangatg aagaagaacg tcncgagggc 420
acacttgctc tcagtcttan caccatanca gcccntgaaa accaananca aagaccacna 480
cnccggctgc gatgaagaaa tnaccccnCG ttgacaaact tgcatggcac tggganccac 540
agtggcccnA aaaatcttca aaaaggatgc cccatcnatt gaccccccaa atgcccactg 600
ccaacagggg ctgccccacn cncnnaacga tganccnatt gnacaagatc tncntggTct 660
tnatnaacnt gaaccctgcn tngtggctcc tgTtcaggnc cnnggcctga cttctnaann 720
aangaactcn gaagncccca cngganannC g 751

<210> 13
<211> 729
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(729)
<223> n = A,T,C or G

<400> 13

gagccaggcg	tccctctgcc	tgcccactca	gtggcaacac	ccgggagctg	ttttgtcctt	60
tgtggancct	cagcagtncc	ctctttcaga	actcantgcc	aaganccctg	aacaggagcc	120
accatgcagt	gcttcagctt	cattaagacc	atgatgatcc	tcttcaattt	gctcatcttt	180
ctgtgtggtg	cagccctggt	ggcagtgggc	atctgggtgt	caatcgatgg	ggcatccttt	240
ctgaagatct	tcggggccact	gtcgtccagt	gccatgcagt	ttgtcaacgt	gggctacttc	300
ctcatcgtag	ccggcggtgt	ggtcttagct	ctaggtttcc	tgggctgcta	tgggtgctaag	360
actgagagca	agtgtgccct	cgtgacgttc	ttcttcatcc	tcctcctcat	cttcattgct	420
gaggttgcaa	tgtgtgtgtc	gccttggtgt	acaccacaat	ggctgagcac	ttcctgacgt	480
tgtgtgtaat	gcctgccatc	aanaaaagat	tatgggttcc	caggaanact	tcactcaagt	540
gttgaacac	caccatgaaa	gggctcaagt	gctgtggctt	cnnccaacta	tacggatttt	600
gaagantcac	ctacttcaaa	gaaaanagt	cctttccccc	atctctgttg	caattgacaa	660
acgtccccaa	cacagccaat	tgaaaacctg	cacccaaccc	aaanggggtcc	ccaaccanaa	720
attnaaggg						729

<210> 14

<211> 816

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (816)

<223> n = A,T,C or G

<400> 14

tgtctttcct	caaagttggt	cttgttgcca	taacaaccac	cataggtaaa	gcgggagcag	60
tgttcgctga	aggggttgta	gtaccagcgc	gggatgctct	ccttgagag	tcctgtgtct	120
ggcaggtcca	cgagtgccc	tttgtcactg	gggaaatgga	tgcgctggag	ctcgtcaaag	180
ccactcgtgt	atttttcaca	ggcagcctcg	tccgacgcgt	cggggcagtt	gggggtgtct	240
tcacactcca	ggaaactgtc	natgcagcag	ccattgctgc	agcggaaactg	ggtgggctga	300
cangtgccag	agcacactgg	atggcgctt	tccatggnan	gggcccctgng	ggaaagtccc	360
tganccccc	anctgcctct	caaangcccc	accttgacac	ccccgacagg	ctagaatgga	420
atctttcttc	cgaaggttag	ttnttcttgt	tgcccaancc	ancccntaa	acaaactctt	480
gcanatctgc	tccngggggg	tcntantacc	ancgtgggaa	aagaacccca	ggcngcgaac	540
caancttggt	tggatnccgaa	gcnataatct	nctnttctgc	ttggtggaca	gcaccantna	600
ctgtnnanct	ttagncctng	gtcctcntgg	gttgnncttg	aacctaatcn	ccnntcaact	660
gggacaaggt	aantngccnt	cctttnaatt	ccnancntn	ccccctgggt	tgggggtttt	720
cncnctcta	ccccagaaan	nccgtgttcc	cccccaacta	ggggccnaaa	ccnntnttcc	780
cacaacctn	ccccacccac	gggttcngnt	ggttng			816

<210> 15

<211> 783

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (783)

<223> n = A,T,C or G

<400> 15

ccaaggcctg	ggcaggcata	nacttgaagg	tacaacccca	ggaacccctg	gtgctgaagg	60
atgtggaaaa	cacagattgg	cgctactgc	ggggtgacac	ggatgtcagg	gtagagagga	120
aagacccaaa	ccaggtggaa	ctgtggggac	tcaaggaang	cacctacctg	ttccagctga	180
cagtgactag	ctcagaccac	ccagaggaca	cggccaacgt	cacagtcact	gtgctgtcca	240
ccaagcagac	agaagactac	tgctcgcct	ccaacaangt	gggtcgctgc	cggggctctt	300
tcccacgctg	gtactatgac	cccacggagc	agatctgcaa	gagtttcgtt	tatggagggt	360

gcttgggcaa	caagaacaac	taccttcggg	aagaagagt	cattctancc	tgtcnggggtg	420
tgcaagggtg	gcctttgana	ngcanctctg	gggctcangc	gactttcccc	cagggcccct	480
ccatggaaa	gcgccatcca	ntgttctctg	gcacctgtca	gcccaccag	ttccgctgca	540
ncaatggctg	ctgcatcnac	antttcctng	aattgtgaca	acacccccca	ntgcccccaa	600
ccctcccaac	aaagcttccc	tgttnaaaaa	tacnccantt	ggcttttnac	aaacncccg	660
cncctcctt	ttccccnntn	aacaaagggc	nctngcnttt	gaactgccc	aaccnnggaa	720
ctnccnngg	aaaaantncc	ccccctgggt	cctnnaancc	cctccncaaa	anctncccc	780
ccc						783

<210> 16
 <211> 801
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(801)
 <223> n = A,T,C or G

<400> 16						
gccccaatc	cagctgccac	accaccacag	gtgactgcat	tagttcggat	gtcatacaaa	60
agctgattga	agcaaccctc	tacttttttg	tcgtgagcct	tttgettgg	gcaggtttca	120
ttggctgtgt	tggtagcgtt	gtcattgcaa	cagaatgggg	gaaaggcact	gttctctttg	180
aagtagggtg	agtcctcaaa	atccgtatag	ttggtgaagc	cacagcactt	gagcccttcc	240
atggtggtgt	ttcacacttg	agtgaagtct	tcctgggaac	cataatcttt	cttgatggca	300
ggcactacca	gcaacgtcag	gaagtgtctc	gccattgtgg	tgtacaccaa	ggcgaccaca	360
gcagctgcaa	cctcagcaat	gaagatgagg	aggaggatga	agaagaacgt	cncgagggca	420
cacttgctct	ccgtcttagc	accatagcag	cccangaaac	caagagcaaa	gaccacaacg	480
ccngctgcca	atgaaagaaa	ntaccacagt	tgacaaactg	catggccact	ggacgacagt	540
tggcccgaan	atcttcagaa	aagggatgcc	ccatcgattg	aacaccana	tgccactgc	600
cnacagggtc	gncncncn	gaaagaatga	gccattgaag	aaggatontc	ntggtcttaa	660
tgaactgaaa	cnctgcatgg	tggccctgt	tcagggtctc	tggcagtga	ttctganaaa	720
aaggaaacng	ntnagcccc	ccaaangana	aaacaccccc	gggtgttgcc	ctgaattggc	780
ggccaaggan	ccctgccccn	g				801

<210> 17
 <211> 740
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(740)
 <223> n = A,T,C or G

<400> 17						
gtgagagcca	ggcgtccctc	tgccctgcca	ctcagtggca	acacccggga	gctgttttgt	60
cctttgtgga	gcctcagcag	ttccctcttt	cagaactcac	tgccaagagc	cctgaacagg	120
agccaccatg	cagtgttcca	gcttcattaa	gaccatgatg	atcctcttca	atttgctcat	180
ctttctgtgt	ggtgcagccc	tgttggcagt	gggcatctgg	gtgtcaatcg	atggggcatc	240
ctttctgaag	atcttcgggc	cactgtcgtc	cagtgcctatg	cagtttgtca	acgtgggcta	300
cttctctc	gcagccggcg	ttgtggtctt	tgctcttggt	ttcctgggct	gctatgggtc	360
taagacggag	agcaagtgtg	ccctcgtgac	gttcttcttc	atcctcctcc	tcctcttcat	420
tgtggaagtt	gcagctgctg	tggctgcctt	ggtgtacacc	acaatggctg	aaccattcct	480
gacgttgctg	gtantgctg	ccatcaanaa	agattatggg	ttcccaggaa	aaattcactc	540
aantntggaa	caccnccatg	aaaagggtc	caatttctgn	tggcttcccc	aactataccg	600
gaattttgaa	agantcnccc	tacttccaaa	aaaaaanant	tgcttttnc	ccntttctgt	660
tgaatgaaa	acntcccaan	acngccaatn	aaaacctgcc	cnnncaaaaa	ggntcncaaa	720

caaaaaaant nnaagggttn

740

<210> 18
 <211> 802
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(802)
 <223> n = A,T,C or G

<400> 18
 ccgctgggttg cgctgggtcca gngnagccac gaagcacgtc agcatacaca gcctcaatca 60
 caaggtcttc cagctgcccgc acattacgca gggcaagagc ctccagcaac actgcatatg 120
 ggatacactt tactttagca gccagggtga caactgagag gtgtcgaagc ttattcttct 180
 gagcctctgt tagtggagga agattccggg cttcagctaa gtagtcagcg tatgtcccat 240
 aagcaaacac tgtgagcagc cggaaggtag aggcaaagtc actctcagcc agctctctaa 300
 cattgggcat gtccagcagt tctccaaaca cgtagacacc agnggcctcc agcacctgat 360
 ggatgagtgt ggccagcgct gccccttgg cgcacttggc taggagcaga aattgtcctt 420
 ggttctgccc tgtcaccttc acttccgcac tcatcactgc actgagtgtg ggggacttgg 480
 gctcaggatg tccagagacg tggttccgcc ccctcnctta atgacaccgn ccanncaacc 540
 gtcggctccc gccgantgng ttcgtcgtnc ctgggtcagg gtctgctggc cinctacttgc 600
 aanccttcgtc nggcccatgg aattcacenc accggaactn gtangatcca ctntttctat 660
 aaccggncgc caccgcnnnt ggaactccac tctnttnc tttacttgag ggtaagggtc 720
 acccttnnng ttaccttggg ccaaaccntn ccntgtgtcg anatngtnaa tcnggncna 780
 tnccancnc atangaagcc ng 802

<210> 19
 <211> 731
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(731)
 <223> n = A,T,C or G

<400> 19
 cnaagcttcc aggtnacggg ccgnaancc tgaccnagg tancanaang cagnncggg 60
 gagcccaccg tcacnggng gngtctttat nggagggggc ggagccacat cnetggacnt 120
 cntgacccca actcccncc ncncantgca gtgatgagtg cagaactgaa ggtnacgtgg 180
 caggaaccaa gancaaannc tgctccnntc caagtcggcn nagggggcgg ggctggccac 240
 gencatccnt cnagtgtgn aaagcccn cctgtctact tgtttgaga acngcnnga 300
 catgcccagn gttanataac nggcngagag tnantttgcc tctcccttcc ggctgcgcan 360
 cngtntgct tagnggacat aacctgacta cttaactgaa ccnngaate tncnccct 420
 ccactaagct cagaacaaaa aacttcgaca ccactcantt gtcacctgnc tgctcaagta 480
 aagtgtaccc catnccaat gtntgctnga ngtctgncc tgcnttangt tcggtcctgg 540
 gaagacctat caattnaagc tatgtttctg actgcctctt gtcctctgna acaancnacc 600
 cnncnntcca agggggggnc ggcccccaat ccccccaacc ntnaattnan ttancccn 660
 ccccnnggc cggcctttta cnancntcnn nnacnggna aaaccnnngc ttncccaac 720
 nnaatccncc t 731

<210> 20
 <211> 754
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(754)
 <223> n = A,T,C or G

<400> 20
 . tttttttttt tttttttttt taaaaacccc ctccattnaa tgnaaacttc cgaaattgtc 60
 caaccccctc ntccaaatnn ccntttccgg gnggggggttc caaacccaan ttanntttgg 120
 annttaaat aaatnttntt tggnggnnna anccnaatgt nangaaagtt naaccanta 180
 tnancttnaa tncctggaaa ccngtngntt ccaaaaatnt ttaaccctta antccctccg 240
 aaatngttna nggaaaaccc aantttctnt aaggttggtt gaaggntnaa tnaaaanccc 300
 nmccaattgt ttttngccac gcttgaatta attggnntcc gntgttttcc nttaaaanaa 360
 ggnnancccc ggttantnaa tcccccnnc cccaattata ccganttttt ttngaattgg 420
 gancccnccg gaattaacgg ggnnnntccc tnttgggggg cnggnncccc cccntcggg 480
 ggttngggnc aggnccnaat tgtttaaggg tccgaaaaat ccctccnaga aaaaaanctc 540
 ccaggtgag nntnggggtt ncccccccc cangggccct ctcgnanagt tggggtttgg 600
 ggggcttggg atttntttt cctnttnc tcccccccc cnggganag aggttngngt 660
 tttgntcnc ggcccnccn aagantttt ccganttna ttaaatcct gcctnggcga 720
 agtccttgn agggntaaan ggccccctnn cggg 754

<210> 21
 <211> 755
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(755)
 <223> n = A,T,C or G

<400> 21
 atcanccat gacccnaac nngggaccnc tcanccggnc nnncnaccnc cgcccnatca 60
 nngtnagnnc actncnntn natcacnccc cncnactac gcccnananc cnaccncta 120
 nncanatncc actganngcg cgangtngan ngagaaanct nataccanag ncaccanacn 180
 ccagctgtcc nanaangcct nnnatacngg nnnatccaat ntgnancttc cnaagtattn 240
 nncnncanat gattttcctn anccgattac ccntncccc tanccctcc cccccaacna 300
 cgaaggcnct ggncnnaagg nngcgnccc ccgctagntc ccnncaagt cnncncccta 360
 aactcancn nattacnccg ttcttgagta tcaactcccc aatctcaccc tactcaactc 420
 aaaaanatch gatacaaat aatncaagcc tgnttatnac actntgactg ggtctctatt 480
 ttagnngtcc ntnaancntc ctaatacttc cagctcncct tcnccaattt ccnaanggct 540
 ctttcngaca gcatnttttg gttcccnntt gggttcttan ngaattgccc ttctnngaac 600
 gggctcctct tttccttcgg ttanccctggg ttcnnccggc cagttattat ttccntttt 660
 aaattcctnc cntttanttt tggcnttca aacccccggc cttgaaaacg gccccctggg 720
 aaaaggttgt tttganaaaa tttttgtttt gtccc 755

<210> 22
 <211> 849
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(849)
 <223> n = A,T,C or G

<400> 22
 tttttttttt tttttangtg tngtcgtgca ggtagaggct tactacaant gtgaanacgt 60
 acgctnngan taangcgacc cgantttctag gannccnccct aaaatcanac tgtgaagatn 120

atcctgnnna	cggaanggtc	accggnggat	nntgctaggg	tgneenctcc	cannnenttn	180
cataactcng	nggccectgcc	caccaccttc	ggcgccccng	ngnccgggcc	cgggtcattn	240
gnnttaaccn	cactnngcna	ncggtttccn	nccccnncng	accnnggcga	tccgggggtnc	300
tctgtcttcc	cctgnagncn	anaaantggg	ccnccggcccc	ctttaccctt	nnacaagcca	360
cngcctteta	nccnccgcc	cccctccant	nnnggggact	gccnanngt	ccgttntctng	420
nnaccccnnn	gggtncctcg	gttgctcgant	cnaccgnang	ccanggatcc	cnaaggaagg	480
tgcgttnttg	gcccctaccc	ttcgctncgg	nncacccttc	ccgacnanga	nccgctcccc	540
cncnccgnng	cctcncctcg	caacaccgcg	nctctcngt	ncggnncccc	ccccaccgcg	600
nccctcncnc	ngnccgnanc	ctccnccncc	gtctcannca	ccaccccgcc	ccgccaggcc	660
ntcanccacn	ggnggacnng	nagcncnntc	gcncgcgcgn	gcgnccctt	cgcncngaa	720
ctnctcngg	ccantnncgc	tcaancnna	cnaaacgcgc	ctgcgcggcc	cgnagcgncc	780
ncctccncca	gtcctcccg	cttcnacc	angnttccn	cgaggacacn	nnaccccgcc	840
nncangcgg						849

<210> 23
 <211> 872
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(872)
 <223> n = A,T,C or G

<400> 23						
gcgcaaacta	tacttcgctc	gnactcgtgc	gcctcgtcnc	tcttttcttc	cgcaaccatg	60
tctgacnanc	ccgattnggc	ngatatenan	aagntcganc	agtccaaact	gantaacaca	120
cacacnncan	aganaaatcc	nctgccttcc	anagtanacn	attgaacnng	agaaccangc	180
nggcgaatcg	taatnaggcg	tgcgccgcca	atntgtcncc	gtttattntn	ccagcncnc	240
ctnccnacc	tactntcttc	nagctgtcnn	accctngtn	cgnaccccc	naggctcgga	300
tcgggttttn	nntgaccgng	cnccccctcc	cccctccat	nacgancnc	ccgcaccacc	360
nanngcncgc	ncccggnct	cttcgcnc	ctgtcctntn	ccctgtngc	ctggcncngn	420
accgcattga	cctcgcgnn	ctnccngaaa	ncgnanacgt	ccgggttggn	annancgtg	480
tgggnnngcg	tctgncgcg	gttccttcn	ncncttcca	ccatcttct	tacngggct	540
ccnccgctc	tcnnnccnc	cctgggacgc	tnctctntgc	cccccttnac	tccccctt	600
cgcgtgncc	cgnccccacc	ntcatttnca	nacgntcttc	acaannncc	ggntnnctcc	660
cnancngncn	gtcancnag	ggaaggngg	ggnnccnntg	nttgacgttg	ngngangtc	720
cgaanantcc	tcnccntcan	cncctaccc	cggcggnct	ctcngttncc	aacttancaa	780
ntctcccccg	ngngcncntc	tcagctcnc	cccccncct	ctctgcantg	tnctctgctc	840
tnaccnntac	gannttccn	cncctcttt	cc			872

<210> 24
 <211> 815
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(815)
 <223> n = A,T,C or G

<400> 24						
gcatgcaagc	ttgagtattc	tatagngtca	cctaaatanc	ttggcntaat	catggctnta	60
nctgncttcc	tgtgtcaa	gtatacnaa	tanatatgaa	tctnatntga	caaganngta	120
tcntncattg	gtaacaantg	tnntgtccat	cctgtcngan	canattccca	tnnattnccn	180
cgcattcncn	gencantatn	taatngggaa	ntcnntnnn	ncaccnncat	ctatcncnc	240
gcncctcgac	tggnagagat	ggatnanttc	tnntntgacc	nacatgttca	tcttggtatn	300
aanaccccc	cgcngnccac	cggtnngng	cnagccnntc	ccaagacctc	ctgtggagggt	360

aacctgcgtc	aganncatca	aacntgggaa	acccgcnncc	angtnnaagt	ngnnncanan	420
gatcccgtec	aggnttnacc	atcccttcnc	agcgccccct	ttngtgcctt	anagnnagc	480
gtgtccnanc	cncatcaat	ganacgcgcc	agnccanccg	caattnggca	caatgtcgnc	540
gaaccccccta	gggggantna	tncaaaanccc	caggattgtc	cncncangaa	atcccnanc	600
ccnccctac	ccncttttg	gacngtgacc	aantcccgga	gtncagtc	ggccngnctc	660
ccccaccggt	nnccntgggg	gggtgaanct	cngnntcanc	cngncgaggn	ntcgnaagga	720
accggncctn	ggncgaanng	ancnntcnga	agngccnct	cgtataaccc	cccctcncca	780
nccnacngnt	agntcccccc	cngggtncgg	aangg			815

<210> 25

<211> 775

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (775)

<223> n = A,T,C or G

<400> 25

ccgagatgtc	tgcctccgtg	gccttagctg	tgtctcgct	actctctctt	tctggcctgg	60
aggctatcca	gcgtactcca	aagattcagg	tttactcacg	tcateccagca	gagaatggaa	120
agtcaaattt	ectgaattgc	tatgtgtctg	ggtttcaccc	atccgacatt	gaanttgact	180
tactgaagaa	tgganagaga	attgaaaaag	tggagcattc	agacttgtct	ttcagcaagg	240
actggtcttt	ctatctcntg	tactacactg	aattcacccc	cactgaaaaa	gatgagtatg	300
cctgcctgtg	gaaccatgtg	actttgtcac	agcccaagat	agttaagtgg	gatcgagaca	360
tgtaagcagn	cnncatggaa	gtttgaagat	gccgcatttg	gattggatga	attccaaatt	420
ctgcttgctt	gcnttttaat	antgatatgc	ntataacccc	taccctttat	gnccccaat	480
tgtaggggtt	acatnantgt	tcnctnngga	catgatcttc	ctttataant	ccnccnttcg	540
aattgcccgt	cncccngttn	ngaattgttc	cnnaaccacg	gttggtctcc	ccaggtcncc	600
tcttacggaa	gggcttgggc	cnctttncaa	ggttggggga	accnaaaatt	tcnctnttgc	660
ccnccncca	cnntcttngg	mnccantttt	ggaacccttc	cnattccctt	tggcctcnna	720
nccttnncta	anaaaaacttn	aaanctngc	naaanntttt	acttcccccc	ttacc	775

<210> 26

<211> 820

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (820)

<223> n = A,T,C or G

<400> 26

anattantac	agtgtaatct	tttcccagag	gtgtgtanag	ggaacggggc	ctagaggcat	60
cccanagata	ncttatanca	acagtgtctt	gaccaagagc	tgctgggcac	atttcctgca	120
gaaaagggtg	cggtccccat	cactcctcct	ctcccatagc	catcccagag	gggtgagtag	180
ccatcangcc	ttcggtggga	gggagtcang	gaaacaacan	accacagagc	anacagacca	240
ntgatgacca	tgggcgggag	cgagcctctt	ccctgnaccg	gggtggcana	nganagccta	300
nctgaggggt	cacactataa	acgttaacga	ccnagatnan	cacctgtctc	aagtgcaccc	360
ttcctacctg	acnaccagng	accnnnaact	gcngcctggg	gacagcnctg	ggancagcta	420
acnnagcact	cacctgcccc	cccatggccg	tnccntccc	tggtcctgnc	aagggaagct	480
ccctgttggg	attncgggga	naccaaggga	nnccctcctt	ccanctgtga	aggaaaaann	540
gatggaattt	tncccttcg	gccnntcccc	tcttcttcta	caagccccct	nntactcttc	600
tcctctnttt	ntcctgncnc	acttttnacc	ccnnnatctc	ccttnattga	tcggannctn	660
ganattccac	tnnccgctnc	cntcnatcng	naaanacaaa	nactntctna	cccnggggat	720
gggnncctcg	ntcatcctct	ctttttcnct	accnccnntt	ctttgctctt	ccttngatca	780

tccaacntc gntggcctn ccccccnntc tcttttnc

820

<210> 27
 <211> 818
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)... (818)
 <223> n = A,T,C or G

<400> 27
 tctgggtgat ggctcttcc tcctcaggga cctctgactg ctctgggcca aagaatctct 60
 tgtttcttct ccgagcccca ggcagcggg attcagccct gcccaacctg attctgatga 120
 ctgcggtatgc tgtgacggac ccaaggggca aatagggtcc cagggtccag ggaggggccc 180
 ctgctgagca cttccgcccc tcacctgcc cagccctgc catgagctct gggctgggtc 240
 tccgctcca gggttctgct cttccangca ngccancaa tggcgctggg ccacactggc 300
 ttcttctgc ccntccctg gctctganc tctgtcttcc tgtcctgtgc angcnccttg 360
 gatctcagtt tccctcctc anngaactct gtttctgann tcttcantta actntgantt 420
 tatnaccnan tggnetgtnc tgcnnactt taatgggcn gaccggctaa tccctccctc 480
 nctcccttcc anttcnnna accngcttnc cntctctcc cntancccg ccngggaanc 540
 ctcttttgc ctnaccang gcnnnaccg cccntnctn ggggggcnng gtnnctnnc 600
 ctgntncccc cncctcncnt tncctcgtcc cnnncnecn nngcannttc nngtcccn 660
 tnnctcttcn ngntcgnaa ngntcncntn tnnnnngn ngtntntn tccctctcnc 720
 cnnatgnang tntttnnnnc ncngncccc nnnncnnnn nggnntnnn tctnncngc 780
 cccncccc ngnattaagg cctcncntc ccggcnc 818

<210> 28
 <211> 731
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)... (731)
 <223> n = A,T,C or G

<400> 28
 aggaagggcg gagggatatt gtangggatt gagggatagg agnataangg gggaggtgtg 60
 tccaacatg anggtgnngt tctcttttga angaggggtg ngtttttann ccnggtgggt 120
 gattnaaccc cattgtatgg agnnaaagg ttnaggatg ttttcggctc ttatcagtat 180
 ntanattcct gtnaatcgga aaatnatntt tcnnnggaa aatnttgctc ccatccgnaa 240
 attnctcccg gtagtgcat nttngggggn cngccangtt tcccaggctg ctanaatcgt 300
 actaaagntt naagtgggan tncaaatgaa aacctnncac agagnatccn taccgactg 360
 tnnnttncct tcgcccctng actctgcng agcccaatac ccngngnat gtcnccngn 420
 nnngcgnnc tgaaannnc tcngggctnn gancatcang gggtttcgca tcaaaagcnn 480
 cgtttencat naaggaactt tngcctcct caaccnctng cctcnncca tttngccgtc 540
 nggttencct acgctnntng cncctnnntn ganattttnc ccgctnngg naancctcct 600
 gnaatgggta gggnetntc ttttnaccnn gnggtntact aatcnnctnc acgctnctt 660
 tctnacccc ccccttttt caatccanc ggcnaatggg gtctccccnn cgangggggg 720
 nnnccannc c 731

<210> 29
 <211> 822
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (822)
 <223> n = A,T,C or G

<400> 29
 actagtccag tgtggtggaa ttccattgtg ttggggncnc ttctatgant antnttagat 60
 cgctcanacc tcacancctc ccnacnange ctataangaa nannaataga nctgtncnnt 120
 atntntacnc tcatanncct cnnnaccac tccctcttaa cccntactgt gcctatngcn 180
 tnnctantct ntgccgcctn cnanccaccn gtgggcnac cncnngnatt ctcnatctcc 240
 tcnccatntn gcctananta ngtnicatacc ctatacctac nccaatgcta nnnctaancn 300
 tccatnantt annmtaacta ccactgacnt ngactttcnc atnanctcct aatttgaatc 360
 tactctgact cccacngcct annnattagc anctcccccc nacnatntct caaccaaadc 420
 ntcaacaacc tatctantctg ttcnccaaacc nttncctcgg atccccnnac aacccccctc 480
 ccaaataccc nccacctgac ncctaaccn caccatcccc gcaagccnan ggncatttan 540
 ccactggaat cacnatngga naaaaaaac ccnaactctc tancncnnat ctccctaana 600
 aatnctcctn naatttactn ncantnccat caancccaacn tgaaacnnaa cccctgtttt 660
 tanatccctt ctttcgaaaa ccnacccttt annncccaac ctttngggcc ccccnctnc 720
 ccnaatgaag gncncccaat cnangaaacg nccntgaaaa ancnaggcna anannntccg 780
 canatcctat cccttanttn ggggnccctt nccnggggcc cc 822

<210> 30
 <211> 787
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (787)
 <223> n = A,T,C or G

<400> 30
 cggcgcctcg ctctggcaca tgccctcctga atggcatcaa aagtgatgga ctgcccattg 60
 ctagagaaga ccttctctcc tactgtcatt atggagccct gcagactgag ggctccccctt 120
 gtctgcagga tttgatgtct gaagtcgtgg agtgtggctt ggagctctc atctacatna 180
 gctggaagcc ctggagggcc tctctcgcca gcctccccct tctctccaag ctctccangg 240
 acaccagggg ctccaggcag cccattattc ccagnangac atgggtgttcc tccacgcgga 300
 cccatggggc ctgnaaggcc agggctcctt ttgacaccat ctctcccgte ctgcctggca 360
 ggccgtggga tccactantt ctanaacggn cgccaccncg gtgggagctc cagcttttgt 420
 tcccnttaat gaaggttaat tgcnegcttg gcgtaatcat nggtcanaac tntttcctgt 480
 gtgaaattgt ttntccccctc ncnattccnc ncnacatacn aaccgcgaan cataaagtgt 540
 taaagcctgg gggtngectn nngaataaac tnaactcaat taattgcgtt ggctcatggc 600
 ccgctttccn ttcnngaaaa ctgtcntccc ctgcnttntt gaatcgcca cccccnggg 660
 aaaagcgggt tgcnttttng ggggntcctt ccncttcccc cctcnctaan cctncgcct 720
 cggtcgttnc nggtngcggg gaangggnat nnnctcccnc naagggggng agnnngntat 780
 ccccaaa 787

<210> 31
 <211> 799
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (799)
 <223> n = A,T,C or G

<400> 31

```

tttttttttt ttttttttggc gatgctactg ttttaattgca ggaggtgggg gtgtgtgtac      60
catgtaccag ggctattaga agcaagaagg aaggaggagg gcagagcgc cctgctgagc      120
aacaaggac tcctgcagcc ttctctgtct gtctcttggc gcaggcacat ggggaggcct      180
cccgagggt gggggccacc agtccagggg tgggagcact acanggggtg ggagtgggtg      240
gtggctggtg cnaatggcct gncacanatc cctacgattc ttgacacctg gatttcacca      300
ggggaccttc tgttctccca nggnaacttc nttnatctcn aaagaacaca actgtttctt      360
cngcanttct ggctgttcat ggaaagcaca ggtgtccnat ttnggctggg acttgggtaca      420
tatggttccg gcccacctct cccntcnaan aagtaattca ccccccccn cctctnttg      480
cctgggccct taantacca caccggaact canttanta ttcatcttng gntgggcttg      540
ntnatcnccn cctgaangcg ccaagttgaa aggccacgcc gtncnccnctc cccatagnan      600
nttttnnct canctaagtc cccccnnggc aacnatccaa tcccccccn tgggggcccc      660
agcccanggc ccccgntcgc ggnnnccngn ncgnantcc ccagntctc ccantcngnc      720
ccnnngcncc cccgcacgca gaacanaagg ntngagccnc cgcannnnnn nggtnncnac      780
ctcgcccccc ccnncgngg

```

```

<210> 32
<211> 789
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(789)
<223> n = A,T,C or G

```

```

<400> 32
tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt      60
ttttnccnag ggcaggttta ttgacaacct cncgggacac aancaggctg gggacaggac      120
ggcaacaggc tccggcggcg gcggcggcgg ccctacctgc ggtaccaaat ntgcagcctc      180
cgctcccgcg tgatnttccg ctgcagctgc aggatgcent aaaaaggggc ctcggcctn      240
ggtgggcacc ctgggatttn aatttccacg ggcacaatgc ggtcgcanc cctcaccacc      300
nattaggaat agtggtnnta ccnccncccg ttggcncact cccntggaa accactntc      360
gcggctcccg catctggtct taaaccttgc aaacnctggg gccctctttt tggttantnt      420
nccngccaca atcatnactc agactggcnc gggctggccc caaaaaancn ccccaaaacc      480
ggncatgtc ttnnccgggt tgctgcnatn tncatcact cccgggcnc naaggncaac      540
ccaaaagtgc ttgnggcccn caaaaaanct ccggggggnc ccagtttcaa caaagtcac      600
ccccttggcc cccaaatcct cccccgntt nctgggtttg ggaacccacg cctctnnctt      660
tggnnggcaa gntgntccc ccttcgggcc cccggtgggc ccnctctaa ngaaaacncc      720
ntcctnnnca ccatcccccc nngnnacgnc tancaangna tcctttttt tanaaacggg      780
ccccccnccg

```

```

<210> 33
<211> 793
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(793)
<223> n = A,T,C or G

```

```

<400> 33
gacagaacat gttggatggt ggagcacctt tctatacgac ttacaggaca gcagatgggg      60
aattcatggc tgttgagca atanaacccc agttctacga gctgctgac aaaggacttg      120
gactaaagtc tgatgaactt cccaatcaga tgagcatgga tgattggcca gaaatgaana      180
agaagtttgc agatgtatgt gaaaagaaga cgaaggcaga gtggtgtcaa atctttgacg      240
gcacagatgc ctgtgtgact ccggttctga cttttgagga ggtgttcat catgatcaca      300
acaangaacg gggctcgttt atcaccantg aggagcagga cgtgagcccc cgcctgcac      360

```


ctctgctgtt	aaacacccca	gccatccctt	ctttcaaaag	ggatccacta	cttctagagc	420
ggncgccacc	gcggtggagc	tccagctttt	gttcccttta	gtgagggtta	attgcgcgct	480
tggcgtaatc	atggtcatan	ctgtttcctg	tgtgaaattg	ttatccgctc	acaattccac	540
acaacatacg	anccggaagc	atnaaatttt	aaagcctggg	ggtngcctaa	tgantgaact	600
nactcacatt	aattggcttt	gcgctcactg	cccgttttcc	agtcgggaaa	acctgtcctt	660
gccagctgcc	nttaatgaat	cnggccaccc	cccggggaaa	aggcngtttg	cttnttgggg	720
cgcncctccc	gctttctcgc	ttcctgaant	ccttcccccc	ggtctttcgg	cttgccgcna	780
acggtatcna	cct					793

<210> 34

<211> 756

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (756)

<223> n = A,T,C or G

<400> 34

gccgcgaccg	gcatgtacga	gcaactcaag	ggcgagtggg	accgtaaaag	ccccaatctt	60
ancaagtgcg	gggaanagct	gggtcgactc	aagctagtgc	ttctggagct	caacttcttg	120
ccaaccacag	ggaccaagct	gaccaaacag	cagctaattc	tggcccgtga	catactggag	180
atcggggccc	aattggagcat	cctacgcaan	gacatcccct	ccttcgagcg	ctacatggcc	240
cagctcaaat	gctactactt	tgattacaan	gagcagctcc	ccgagtcagc	ctatatgcac	300
cagctccttg	gcctcaacct	cctcttcctg	ctgtcccaga	accgggtggc	tgantnccac	360
acgganttgg	ancggctgcc	tgcccaanga	catacanacc	aatgtctaca	tcnaccacca	420
gtgtcctgga	gcaatactga	tgganggcag	ctaccncaaa	gtnttcctgg	ccnagggtaa	480
catccccgcg	cgagagctac	accttcttca	ttgacatcct	gctcgacact	atcaggggatg	540
aaaatcgcn	ggttgctcca	gaaaggtcnc	aanaanattc	tttctnctga	aggcccccg	600
atnctnctagt	nctagaatcg	gcccgcacac	gcggtggganc	ctccaacctt	tcgttncctt	660
ttactgaggg	ttnattgcg	cccttgccgt	tatcatgggc	acnccngtn	cctgtgttga	720
aattnttaac	ccccacaaat	tccaagccna	cattnng			756

<210> 35

<211> 834

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (834)

<223> n = A,T,C or G

<400> 35

ggggatctct	anactnacct	gnatgcatgg	ttgtcggtgt	ggtcgctgtc	gatgaanatg	60
aacaggatct	tgcccttgaa	gctctcggtc	gctgtnttta	agttgctcag	tctgccgtca	120
tagtcagaca	cncctctggg	caaaaaacan	caggatntga	gtcttgattt	cacctccaat	180
aatcttctng	gctgtctgct	cggtgaactc	gatgacnang	ggcagctggg	tgtgtntgat	240
aaantccanc	angttctcct	tggtgacctc	cccttcaaa	ttgttccggc	cttcatcaaa	300
cttctnnaan	angannancc	canctttgtc	gagctgggat	ttgganaaca	cgctactgtt	360
ggaaactgat	cccaaatggg	atgtcatcca	tcgcctctgc	tgccctgcaa	aaacttgctt	420
ggcncaaatc	cgactccccn	tccttgaaag	aagccnatca	cacccccctc	cctggactcc	480
nncaangaat	ctnccgctnc	cccntccnng	cagggttggt	ggcannccgg	gcccntgcgc	540
ttcttcagcc	agttcacnat	nttcatcagc	ccctctgcca	gctgttntat	tccttggggg	600
ggaanccgct	tctcccttcc	tgaannaact	ttgaccgtng	gaatagccgc	gcntcncnt	660
acntnctggg	ccgggttcaa	antccctecn	ttgncnntcn	cctcgggcca	ttctggattt	720
ncnnaacttt	ttcttcccc	cncctccnng	ngtttggnnt	tttcatnggg	ccccactct	780

gctnttggcc antcccctgg gggcntntan cccccctnt ggtcccntng ggcc

834

<210> 36
 <211> 814
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1) ... (814)
 <223> n = A,T,C or G

<400> 36
 cgngcgtttt ccngccgcgc cccgtttcca tgacnaagge tcccttcang ttaaatacnn 60
 cctagnaaac attaatgggt tgctctacta atacatcata cnaaccagta agcctgcccc 120
 naacgccaac tcaggccatt cctaccaaag gaagaaagge tggctctctcc accccctgta 180
 ggaaaggcct gccttgtaag acaccacaat ncggtgaat ctnaagtctt gtgttttact 240
 aatggaaaaa aaaaataaac aanagggtttt gttctcatgg ctgccaccg cagcctggca 300
 ctaaaacanc ccagcgtca cttctgcttg ganaaatatt ctttgcctt ttggacatca 360
 ggcttgatgg tatcactgcc acntttccac ccagctgggc ncccttcccc catntttgtc 420
 antganctgg aaggcctgaa ncttagtctc caaaagtctc ngcccacaag accggccacc 480
 aggggagtc nttncagtg gatctgcca anantaccn tatcatcnnt gaataaaaag 540
 gccctgaac ganatgcttc cancanctt taagacccat aatcctngaa ccatggtgcc 600
 ctccgggtct gatccnaaag gaatgttctt ggggtccant ccctcctttg ttncctacgt 660
 tgnttggac cntgctngn atnaccnaan tganatcccc ngaagcacc tnccttgge 720
 atttganttt cntaaattct ctgccctacn nctgaaagca cnattccctn ggcnccnaan 780
 ggngaactca agaaggctcn ngaaaaacca cncn 814

<210> 37
 <211> 760
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1) ... (760)
 <223> n = A,T,C or G

<400> 37
 gcatgtgct ctccctcaaa gttgttcttg ttgccataac aaccaccata ggtaaagcgg 60
 gcgcagtgtt cgctgaagg gttgtagtac cagcgcgga tgctctcct gcagagtcct 120
 gtgtctggca ggtccacgca atgccctttg tctactggga aatggatgcg ctggagctcg 180
 tcnaanccac tcgtgtattt ttcacangca gcctcctccg aagcntccg gcagttgggg 240
 gtgtcgtcac actccactaa actgtcgatn cancagccca ttgctgcagc ggaactgggt 300
 gggctgacag gtgccagaac aactggatn ggctttcca tggaagggcc tgggggaaat 360
 cncctnancc caaactgcct ctcaaaggcc accttgaca cccgacagg ctagaaatgc 420
 actcttcttc ccaaaggtag ttgttcttgc tgcccaagca ncctccanca aaccaaaanc 480
 ttgcaaaatc tgctccgtgg ggtcatnnn taccanggtt ggggaaanaa acccgcnngn 540
 gancncctt gtttgaatgc naaggnaata atcctcctgt cttgcttggg tggaanagca 600
 caattgaact gttacnttg ggccnggttc cncnnggtg gtctgaaact aatcaccgtc 660
 actggaaaaa ggtangtgcc ttccttgaat tcccaaant ccctngntt tgggtntttt 720
 ctctctncc ctaaaaatcg tnttcccccc centanggcg 760

<210> 38
 <211> 724
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(724)
 <223> n = A,T,C or G

<400> 38
 tttttttttt tttttttttt tttttttttt tttttaaaaa cccctccat tgaatgaaaa 60
 cttccnaaat tgtccaaccc cctcnnccaa atnnccattt ccgggggggg gttccaaacc 120
 caaattaatt ttgganttta aattaaatnt tnatnngggg aanaanccaa atgtnaagaa 180
 aatttaaccc attatnaact taaatnccctn gaaacccntg gnttccaaaa atttttaacc 240
 cttaaaatccc tccgaaattg ntaanggaaa accaaattcn cctaaggctn tttgaagggt 300
 ngattttaaac ccccttnant tnttttnacc cnnngctnaa ntatttngnt tccggtgttt 360
 tectnttaan cntnggtaac tcccngtaat gaannnccct aanccaatta aaccgaattt 420
 tttttgaatt ggaaattccn ngggaattna ccgggggttt tcccntttgg gggccatncc 480
 cccnctttcg ggggtttgggn ntagggtgaa tttttnnang nccccaaaaa ncccccaana 540
 aaaaaactcc caagnnttaa ttngaattnc ccccttccca ggccttttgg gaaaggnggg 600
 tttntggggg ccngggantt cnttccccn ttncncccc ccccccnggt aaanggttat 660
 ngnttttggg ttttggggccc cttnanggac cttccggatn gaaattaaat ccccggnccg 720
 gccg 724

<210> 39
 <211> 751
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(751)
 <223> n = A,T,C or G

<400> 39
 tttttttttt tttttctttg ctcacattta atttttatth tgattttttt taatgctgca 60
 caacacaata tttatttcat ttgtttcttt tattttcattt tatttggttg ctgctgctgt 120
 tttatttatt ttactgaaa gtgagaggga acttttgttg ccttttttcc tttttctgta 180
 ggccgcctta agctttctaa atttggaaca tctaagcaag ctgaanggaa aaggggggtt 240
 cgcaaaatca ctccggggaa nggaaagggt gctttgttaa tcatgcccta tgggtgggtga 300
 ttaactgctt gtacaattac ntttcacttt taattaattg tgctnaangc ttttaattana 360
 cttggggggt cccctcccn accaacccn ctgacaaaaa gtgccngccc tcaaatnatg 420
 tcccggcnnt cnttgaaaca cacngcngaa ngttctcatt ntcccnccnc caggtnaaaa 480
 tgaagggtta ccatntttaa cncacctcc acntggcnnn gcctgaatcc tcnaaaancn 540
 ccctcaancn aattnctnng ccccggtcnc gentnngtcc cncccgggct ccgggaantn 600
 cccccnga anncnntnnc naacnaaatt ccgaaaatat tcccnntcnc tcaattcccc 660
 cnnagactnt cctcnnncn cncaattttc tttntntcac gaacncgnnc cnnaaatgn 720
 nnnncnctc cnetngtcen naatcnccan c 751

<210> 40
 <211> 753
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(753)
 <223> n = A,T,C or G

<400> 40
 gtggattttt ctgtaagatc aggtgttcct cccctcgtagg tttagaggaa acaccctcat 60
 agatgaaaaac ccccccgaga cagcagcact gcaactgccca agcagccggg gtagggaggg 120

cgccctatgc	acagctgggc	ccttgagaca	gcagggttc	gatgtcaggc	tcgatgtcaa	180
tggtctggaa	gcggcggctg	tacctgcgta	ggggcacacc	gtcagggccc	accagggaact	240
tctcaaagtt	ccaggcaacn	tcgttgcgac	acaccggaga	ccagggtgatn	agcttgggggt	300
cggtcataa	cgcggtggcg	tcgtcgctgg	gagctggcag	ggcctcccg	aggaaggcna	360
ataaaaggtg	cgcccccgca	ccgttcantc	cgcacttctc	naanaccatg	angttgggct	420
cnaaccacc	accannccgg	acttccttga	nggaattccc	aatctctctc	gntcttgggc	480
ttctnctgat	gccctanctg	gttgcccngn	atgccaanca	nccccaancc	ccgggggtcct	540
aaanaccn	cctcctcntt	tcatctgggt	tntntcccc	ggacntgggt	tcctctcaag	600
ggancccata	tctcnaccan	tactcacnt	nccccccnt	gnnaccanc	cttctanngn	660
ttccncccg	ncctctggcc	cntcaaan	gcttnacna	cctgggtctg	ccttcccccc	720
tnccctatct	gnacccn	ttgtctcan	tnt			753

<210> 41
 <211> 341
 <212> DNA
 <213> Homo sapien

actatatcca	tcacaacaga	catgcttcat	cccatagact	tcttgacata	gcttcaaagt	60
agtgaacca	tccttgattt	atatacatat	atgttctcag	tattttggga	gcctttccac	120
ttctttaaac	cttggtcatt	atgaacactg	aaaataggaa	tttgtgaaga	gttaaaaagt	180
tatagcttgt	ttacgtagta	agtttttgaa	gtctacattc	aatccagaca	cttagttgag	240
tgttaaactg	tgatttttaa	aaaatatcat	ttgagaatat	tctttcagag	gtattttcat	300
ttttactttt	tgattaattg	tgttttatat	attagggtag	t		341

<210> 42
 <211> 101
 <212> DNA
 <213> Homo sapien

acttactgaa	tttagttctg	tgctcttctc	tatttagtgt	tgtatcataa	atactttgat	60
gtttcaaaca	ttctaaataa	ataattttca	gtggcttcat	a		101

<210> 43
 <211> 305
 <212> DNA
 <213> Homo sapien

acatctttgt	tacagtctaa	gatgtgttct	taaatcacca	ttccttctctg	gtcctcaccc	60
tccagggtgg	tctcacactg	taattagagc	tattgaggag	tctttacagc	aaattaagat	120
tcagatgect	tgctaagtct	agagttctag	agttatgttt	cagaaagtct	aagaaacca	180
cctcttgaga	ggtcagtaaa	gaggacttaa	tatttcatat	ctacaaaatg	accacaggat	240
tgatacaga	acgagagtta	tcctggataa	ctcagagctg	agtacctgcc	cgggggcccgc	300
tcgaa						305

<210> 44
 <211> 852
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (852)
 <223> n = A,T,C or G

<400> 44

```

acataaatat cagagaaaag tagtctttga aatattttacg tccaggaggt ctttgtttct 60
gattatttgg tgtgtgtttt ggtttgtgtc caaagtattg gcagcttcag ttttcatttt 120
ctctccatcc tcgggcattc ttcccaaatt tatataccag tcttcgtcca tccacacgct 180
ccagaatttc tctttttag tagtatctca tagctcggct gagcttttca taggtcatgc 240
tgctgttgtt cttcttttta ccccatagct gagccactgc ctctgatttc aagaacctga 300
agacgccctc agatcgggtc tcccatttta ttaatcctgg gttcttgtct ggggtccaaga 360
ggatgtcgcg gatgaattcc cataagttag tccctctcgg gttgtgtctt ttgggtgtggc 420
acttggcagg ggggtcttgc tcctttttca tatcaggtga ctctgcaaca ggaagggtgac 480
tggtggttgt catggagatc tgagcccggc agaaagtatt gctgtccaac aaatctactg 540
tgctaccata gttggtgtca tataaatagt tctngtcttt ccaggtgttc atgatggaag 600
gctcagtttg tttagtcttg acaatgacat tgtgtgtgga ctggaacagg tcactactgc 660
actggccgtt ccacttcaga tgctgcaagt tgctgtagag gagntgcccc gccgtccctg 720
ccgcccgggt gaactcctgc aaactcatgc tgcaaagggt ctcgccgttg atgtcgaaact 780
cntggaaagg gatacaattg gcatccagct ggttgggtgc caggaggtga tggagccact 840
cccacacctg gt 852

```

```

<210> 45
<211> 234
<212> DNA
<213> Homo sapien

```

```

<400> 45
acaacagacc cttgctcgct aacgacctca tgctcatcaa gttggacgaa tccgtgtccg 60
agtctgacac catccggagc atcagcattg ctctgcagtg ccctaccgcg gggaaactctt 120
gcctcgtttc tggtcgggt ctgctggcga acggcagaa gectaccgtg ctgcagtgcg 180
tgaacgtgtc ggtggtgtct gaggaggtct gcagtaagct ctatgaccgc ctgt 234

```

```

<210> 46
<211> 590
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (590)
<223> n = A,T,C or G

```

```

<400> 46
actttttatt taaatgttta taaggcagat ctatgagaat gatagaaaac atgggtgtgta 60
atttgatagc aatatttttg agattacaga gttttagtaa ttaccaatta cacagttaaa 120
aagaagataa tatattccaa gcanatacaa aatatctaata gaaagatcaa ggcaggaaaa 180
tgantataac taattgacaa tggaaaatca attttaatgt gaattgcaca ttatccttta 240
aaagctttca aaanaaanaa ttattgcagt ctanttaatt caaacagtggt taaatgggtat 300
caggataaan aactgaaggg canaaaagaat taattttcac ttcatgtaac ncaccanatt 360
ttacaatggc ttaaatgcan ggaaaaagca gtggaagtag ggaagtantc aaggtctttc 420
tggtctctaa tctgccttac tctttgggtg tggctttgat cctctggaga cagctgccag 480
ggctcctgtt atateccaaa tcccagcagc aagatgaagg gatgaaaaag gacacatgct 540
gccttccttt gaggagactt catctcactg gccaacactc agtcacatgt 590

```

```

<210> 47
<211> 774
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (774)
<223> n = A,T,C or G

```

<400> 47
 acaagggggc ataatgaagg agtggggana gatttttaag aaggaaaaaa aacgaggccc 60
 tgaacagaat tttcctgnac aacggggctt caaaataatt ttcttgggga gggtcaagac 120
 gcttcactgc ttgaaactta aatggatgtg ggacanaatt ttctgtaatg accctgaggg 180
 cattacagac gggactcttg gaggaaggat aaacagaaag gggacaaagg ctaatcccaa 240
 aacatcaaag aaaggaagggt ggcgtcatat ctcccagcct acacagttct ccagggtctt 300
 cctcatccct ggaggacgac agtggaggaa caactgacca tgtccccagg ctctgtgtgtg 360
 ctggctcctg gtcttcagcc cccagctctg gaagcccacc ctctgtgat cctgcgtggc 420
 ccacactcct tgaacacaca tccccaggtt atattcctgg acatggctga acctcctatt 480
 cctacttccg agatgccttg ctccctgcag cctgtcaaaa tcccaactcac cctccaaacc 540
 acggcatggg aagcctttct gacttgcttg attactccag catcttggaa caatccctga 600
 ttccccactc cttagaggca agataggggtg gtttaagagta gggctggacc acttgaggcc 660
 aggtctgttg cttcaaattt tggctcattt acgagctatg ggaccttggg caagtnatct 720
 tcacttctat gggcntcatt ttgttctacc tgcaaaatgg gggataataa tagt 774

<210> 48
 <211> 124
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(124)
 <223> n = A,T,C or G

<400> 48
 canaaattga aattttataa aaaggcattt ttctcttata tccataaaat gatataattt 60
 ttgcaantat anaaatgtgt cataaattat aatgttcctt aattacagct caacgcaact 120
 tgggt 124

<210> 49
 <211> 147
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(147)
 <223> n = A,T,C or G

<400> 49
 gccgatgcta ctatttttatt gcaggagggtg ggggtgtttt tattattctc tcaacagctt 60
 tgtggctaca ggtggtgtct gactgcatna aaaanttttt tacgggtgat tgcaaaaatt 120
 ttagggcacc catatcccaa gcantgt 147

<210> 50
 <211> 107
 <212> DNA
 <213> Homo sapien

<400> 50
 acattaaatt aataaaagga ctgttgggggt tctgctaaaa cacatggctt gatataattgc 60
 .atggtttgag gttaggagga gttaggcata tgttttggga gaggggt 107

<210> 51
 <211> 204
 <212> DNA

<213> Homo sapien

<400> 51

gtcctaggaa gtctagggga cacacgactc tggggtcacg gggccgacac acttgcaagg	60
cgggaaggaa aggcagagaa gtgacaccgt cagggggaaa tgacagaaag gaaaatcaag	120
gccttgcaag gtcagaaagg ggactcaggg cttccaccac agccctgccc cacttgcca	180
cctccctttt gggaccagca atgt	204

<210> 52

<211> 491

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(491)

<223> n = A,T,C or G

<400> 52

acaaagataa catttatctt ataacaaaaa ttgatagtt ttaaagggtta gtattgtgta	60
gggtattttt caaaagacta aagagataac tcaggtaaaa agttagaaat gtataaaaca	120
ccatcagaca ggttttttaa aaacaacata ttacaaaatt agacaatcat ccttaaaaaa	180
aaaacttctt gtatcaattt cttttgttca aaatgactga ctttaantatt tttaaatatt	240
tcanaaacac ttctcaaaaa attttcaana tggtagcttt canatgtnc ctcagtccca	300
atgttgctca gataaataaa tctcgtgaga acttaccacc caccacaagc tttctggggc	360
atgcaacagt gtcttttctt tnccttttct tttttttttt ttacaggcac agaaactcat	420
caattttatt tggataacaa agggctctca aattatattg aaaaataaat ccaagttaat	480
atcactcttg t	491

<210> 53

<211> 484

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(484)

<223> n = A,T,C or G

<400> 53

acataattta gcagggctaa ttaccataag atgctattta ttaanaggtn tatgatctga	60
gtattaacag ttgctgaagt ttggtatttt tatgcagcat tttctttttg ctttgataac	120
actacagaac ccttaaggac actgaaaatt agtaagtaaa gttcagaaac attagctgct	180
caatcaaadc tctacataac actatagtaa ttaaaacggt aaaaaaaagt gttgaaatct	240
gcactagtat anaccgctcc tgcaggata anactgcttt ggaacagaaa gggaaaaanc	300
agctttgant ttctttgtgc tgatangagg aaaggctgaa ttaccttggt gcctctccct	360
aatgattggc aggtcnggta aatnccaaaa catattccaa ctcaacactt cttttccncg	420
tancttgant ctgtgtattc caggancagg cggatggaat gggccagccc ncggatgttc	480
cant	484

<210> 54

<211> 151

<212> DNA

<213> Homo sapien

<400> 54

actaaacctc gtgcttggtga actccatata gaaaacgggt ccatccctga acacggctgg	60
ccactgggta tactgctgac aaccgcaaca aaaaaaacac aaatccttgg cactggctag	120

tctatgtcct ctcaagtgcc tttttgtttg t 151

<210> 55
 <211> 91
 <212> DNA
 <213> Homo sapien

<400> 55
 acctggcttg tctccgggtg gttcccggtg ccccccacgg tccccagaac ggacactttc 60
 gccctccagt ggatactcga gccaaagtgg t 91

<210> 56
 <211> 133
 <212> DNA
 <213> Homo sapien

<400> 56
 ggccgatgtg cgttggttat atacaaatat gtcattttat gtaagggact tgagtatact 60
 tggatttttg gtatctgtgg gttgggggga cggtcagga accaataccc catggatacc 120
 aagggacaac tgt 133

<210> 57
 <211> 147
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(147)
 <223> n = A,T,C or G

<400> 57
 actctggaga acctgagccg ctgctccgcc tctgggatga ggtgatgcan gcngtggcgc 60
 gactgggagc tgagcccttc cctttgcgcc tgcctcagag gattgttgcc gacntgcana 120
 tctcantggg ctggatncat gcagggt 147

<210> 58
 <211> 198
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(198)
 <223> n = A,T,C or G

<400> 58
 acagggatat aggtttnaag ttattgtnat tgtaaaatac attgaatttt ctgtatactc 60
 tgattacata catttacct ttaaaaaaga tgtaaatctt aatttttatg ccatctatta 120
 atttaccaat gagttacctt gtaaatgaga agtcatgata gcactgaatt ttaactagtt 180
 ttgacttcta agtttggt 198

<210> 59
 <211> 330
 <212> DNA
 <213> Homo sapien

<400> 59

acaacaaatg ggttgtgagg aagtcttatac agcaaaaactg gtgatggcta ctgaaaagat	60
ccattgaaaa ttatcattaa tgattttaaa tgacaagtta tcaaaaactc actcaatddd	120
cacctgtgct agcttgctaa aatgggagtt aactctagag caaatatagt atcttctgaa	180
tacagtcaat aaatgacaaa gccagggcct acaggtgggt tccagacttt ccagaccag	240
cagaaggaaat ctatdddtaac acatggatct ccgtctgtgc tcaaaaatacc taatgatatt	300
tttctgtcttt attggaacttc tttgaagagt	330

<210> 60
 <211> 175
 <212> DNA
 <213> Homo sapien

<400> 60	
accgtgggtg ccttctacat tcttgacggc tcttccacca acatctgggt ctacttcggc	60
gtcgtgggct ccttctcttt catctcctc cagctgggtg tgctcatcga ctttgccgac	120
tcttggaacc agcgggtggct gggcaaggcc gaggagtgcg attcccgtgc ctggt	175

<210> 61
 <211> 154
 <212> DNA
 <213> Homo sapien

<400> 61	
acccactttt tctcctgtg agcagtctgg acttctcact gctacatgat gaggggtgag	60
ggttgttgct cttcaacagt atcctcccct ttccggatct gctgagccgg acagcagtgc	120
tggactgcac agccccgggg ctccacattg ctgt	154

<210> 62
 <211> 30
 <212> DNA
 <213> Homo sapien

<400> 62	
cgctcgagcc ctatagttag tcgtattaga	30

<210> 63
 <211> 89
 <212> DNA
 <213> Homo sapien

<400> 63	
acaagtcatt tcagaccct ttgctcttca aaactgacca tcttttatat ttaatgcttc	60
ctgtatgaat aaaaatgggt atgtcaagt	89

<210> 64
 <211> 97
 <212> DNA
 <213> Homo sapien

<400> 64	
accggagtaa ctgagtcggg acgctgaatc tgaatccacc aataaataaa ggttctgcag	60
aatcagtgc tccaggattg gtcttggat ctgggggt	97

<210> 65
 <211> 377
 <212> DNA
 <213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(377)

<223> n = A,T,C or G

<400> 65

acaacaanaa ntcccttctt taggcactg atggaaacct ggaacccccct tttgatggca	60
gcatggcgtc ctaggccttg acacagcggc tggggtttgg gctntcccaa accgcacacc	120
ccaaccctgg tctaccacaca nttctggcta tgggctgtct ctgccactga acatcagggt	180
tcggtcataa natgaaatcc caanggggac agaggtcagt agagggaagct caatgagaaa	240
ggtgctgttt gctcagccag aaaacagctg cctggcattc gccgctgaac tatgaacccg	300
tgggggtgaa ctaccccan gaggaatcat gcctgggcga tgcaanggtg ccaacaggag	360
gggcgggagg agcatgt	377

<210> 66

<211> 305

<212> DNA

<213> Homo sapien

<400> 66

acgcctttcc ctcagaattc aggggaagaga ctgtcgctg ccttcctccg ttgttgctg	60
agaaccgctg tgccccttcc caccatatcc accctcgctc catctttgaa ctcaaacacg	120
aggaactaac tgcaccctgg tctctcccc agtccccagt tcaccctcca tccctcacct	180
tctccactc taagggatat caacactgcc cagcacaggg gccctgaatt tatgtggttt	240
ttatatattt tttaataaga tgcactttat gtcatttttt aataaagtct gaagaattac	300
tgttt	305

<210> 67

<211> 385

<212> DNA

<213> Homo sapien

<400> 67

actacacaca ctccacttgc ccttgtgaga cactttgtcc cagcacttta ggaatgctga	60
ggtcggacca gccacatctc atgtgcaaga ttgccagca gacatcaggt ctgagagttc	120
cccttttaaa aaaggggact tgcttaaaaa agaagtctag ccacgattgt gtagagcagc	180
tgtgctgtgc tggagattca cttttgagag agttctcctc tgagacctga tctttagagg	240
ctgggcagtc ttgcacatga gatggggctg gtctgatctc agcactcctt agtctgcttg	300
cctctcccag ggccccagcc tggccacacc tgcttacagg gcactctcag atgcccatac	360
catagtttct gtgctagtgg accgt	385

<210> 68

<211> 73

<212> DNA

<213> Homo sapien

<400> 68

acttaaccag atatattttt accccagatg gggatattct ttgtaaaaaa tgaaaataaa	60
gtttttttta tg	73

<210> 69

<211> 536

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(536)

<223> n = A,T,C or G

<400> 69

actagtcacag	tgtggtggaa	ttccattgtg	ttgggggctc	tcaccctcct	ctcctgcagc	60
tccagctttg	tgctctgcct	ctgaggagac	catggcccag	catctgagta	ccctgctgct	120
cctgctggcc	accctagctg	tggccctggc	ctggagcccc	aaggaggagg	ataggataat	180
cccggttggc	atctataacg	cagacctcaa	tgatgagtgg	gtacagcgtg	cccttcactt	240
cgccatcagc	gagtataaca	aggccacca	agatgactac	tacagacgtc	cgctgcgggt	300
actaagagcc	aggcaacaga	ccgttggggg	ggtgaattac	ttcttcgacg	tagagggtgg	360
ccgaaccata	tgtaccaagt	cccagcccaa	cttggacacc	tgtgccttcc	atgaacagcc	420
agaactgcag	aagaaacagt	tgtgctcttt	cgagatctac	gaagtccct	ggggagaaca	480
gaangtcctt	gggtgaaatc	caggtgtcaa	gaaatcctan	ggatctgttg	ccaggc	536

<210> 70

<211> 477

<212> DNA

<213> Homo sapien

<400> 70

atgacccta	acaggggccc	tctcagccct	cctaataacc	tccggcctag	ccatgtgatt	60
tcacttcac	tccataacgc	tctcataact	aggcctaact	accaacacac	taaccatata	120
ccaatgatgg	cgcgatgtaa	cacgagaaag	cacataccaa	ggccaccaca	caccacctgt	180
ccaaaaaggg	cttcgatagc	ggataatcct	atttattacc	tcagaagttt	ttttcttcgc	240
agggattttt	ctgagccttt	taccactcca	gectagcccc	taccccccaa	ctaggaggggc	300
actggccccc	aacaggcatc	accccgctaa	atccccctaga	agtcctcactc	ctaaacacat	360
ccgtattact	cgcatcagga	gtatcaatca	cctgagctca	ccatagtcta	atagaaaaca	420
accgaaacca	aattattcaa	agcactgctt	attacaattt	tactgggtct	ctattttt	477

<210> 71

<211> 533

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (533)

<223> n = A,T,C or G

<400> 71

agagctatag	gtacagtgtg	atctcagctt	tgcaaacaca	ttttctacat	agatagtact	60
aggtattaat	agatatgtaa	agaaagaaat	cacaccatta	ataatggtaa	gattggttta	120
tgtgatttta	gtggtatttt	tggcaccctt	atatatgttt	tccaaacttt	cagcagtgat	180
attatttcca	taacttaaaa	agtgagtttg	aaaaagaaaa	tctccagcaa	gcattctcatt	240
taaataaagg	tttgtcatct	ttaaaaatac	agcaatatgt	gactttttta	aaaagctgtc	300
aaataggtgt	gaccctacta	ataattatta	gaaatacatt	taaaaacatc	gagtacctca	360
agtcagtttg	ccttgaaaaa	tatcaaatat	aactcttaga	gaaatgtaca	taaaagaatg	420
cttcgtaatt	ttggagtang	aggttccctc	ctcaattttg	tattttttaa	aagtacatgg	480
taaaaaaaaa	aattcacaac	agtatataag	gctgtaaaaa	gaagaattct	gcc	533

<210> 72

<211> 511

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (511)

<223> n = A,T,C or G

```

<400> 72
tattacggaa aaacacacca cataattcaa ctancaaaga anactgcttc agggcgtgta      60
aaatgaaagg cttccaggca gttatctgat taaagaacac taaaagaggg acaaggctaa      120
aagccgcagg atgtctacac tatancaggc gctatttggg ttggctggag gagctgtgga      180
aaacatggan agattggtgc tgganatcgc cgtggctatt cctcattgtt attacanaht      240
gaggttctct gtgtgcccac tggtttgaaa accgttctnc aataatgata gaatagtaca      300
cacatgagaa ctgaaatggc ccaaaccag aaagaaaagg caactagatc ctgagaanac      360
gcttctaggg acaataaccg atgaagaaaa gatggcctcc ttgtgcccc gtctgttatg      420
atttctctcc attgcagcna naaacccgtt cttctaagca aacncagggtg atgatggcna      480
aaatacacc cctcttgaag naccnggagg a                                     511

```

```

<210> 73
<211> 499
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (499)
<223> n = A,T,C or G

```

```

<400> 73
cagtgccagc actggtgccg gtaccagtac caataacagt gccagtgccg gtgccagcac      60
cagtgggtggc ttcagtgtct gtgccagcct gaccgccact ctcacatttg ggctcttcgc      120
tggccttggg ggagctgggt ccagcaccag tggcagctct ggtgcctgtg gtttctccta      180
caagttagat tttagatatt gttaatcctg ccagtcttcc tcttcaagcc aggggtgcac      240
ctcagaaacc tactcaacac agcactctag gcagccacta tcaatcaatt gaagttgaca      300
ctctgcatta aatctatttg ccatttctga aaaaaaaaaa aaaaaaaggg cggccgctcg      360
antctagagg gcccgtttaa acccgctgat cagcctcgac tgtgccttct anttgcacgc      420
catctgttgt ttgccccctc cccgntgcct tccttgaccc tggaaagtgc cactcccact      480
gtccttttct aantaaaat                                     499

```

```

<210> 74
<211> 537
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (537)
<223> n = A,T,C or G

```

```

<400> 74
tttcatagga gaacacactg aggagatact tgaagaattt ggattcagcc gcgaagagat      60
ttatcagctt aactcagata aaatcattga aagtaataag gtaaaagcta gtctctaact      120
tccaggccca cggctcaagt gaatttgaat actgcattta cagtgtagag taacacataa      180
cattgtatgc atggaaacat ggaggaacag tattacagtg tcctaccact ctaatcaaga      240
aaagaattac agactctgat tctacagtga tgattgaatt ctaaaaatgg taatcattag      300
ggcttttgat ttataanact ttgggtactt atactaaatt atggtagtta tactgccttc      360
cagtttgctt gatataattg ttgatattaa gattcttgac ttatatattg aatgggttct      420
actgaaaaan gaatgatata ttcttgaaga catcgatata catttattta cactcttgat      480
tctacaatgt agaaaatgaa ggaaatgccc caaattgtat ggtgataaaa gtccccgt      537

```

```

<210> 75
<211> 467
<212> DNA
<213> Homo sapien

```

<220>
 <221> misc_feature
 <222> (1)...(467)
 <223> n = A,T,C or G

<400> 75
 caaanacaat tgttcaaaag atgcaaatag tacactactg ctgcagctca caaacacctc 60
 tgcataattac acgtacctcc tctgtctcct caagtagtgt ggtctatatt gccatcatca 120
 cctgctgtct gcttagaaga acggctttct gctgcaangg agagaaatca taacagacgg 180
 tggcacaagg aggccatctt ttcctcatcg gttattgtcc ctagaagcgt cttctgagga 240
 tctagtggg ctttctttct gggtttgggc catttcantt ctcagtgtg tactattcta 300
 tcattattgt ataacgggtt tcaaaccngt ggacacncag agaacctcac tctgtaataa 360
 caatgaggaa tagccacggg gatctccagc accaaatctc tccatgttnt tccagagctc 420
 ctcacgcca cccaaatagc cgctgctatn gtgtagaaca tccctgn 467

<210> 76
 <211> 400
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(400)
 <223> n = A,T,C or G

<400> 76
 aagctgacag cattcggggc gagatgtctc gctccgtggc cttagctgtg ctgcgctac 60
 tctctctttc tggcctggag gctatccagc gtactccaaa gattcagggt tactcacgtc 120
 atccagcaga gaatggaaaag tcaaatttcc tgaattgcta tgtgtctggg tttcatccat 180
 ccgacattga agttgactta ctgaagaatg gagagagaat tgaaaaagt gagcattcag 240
 acttgtcttt cagcaaggac tggctctttc atctcttgta ctacactgaa ttcaccccca 300
 ctgaaaaaga tgagtatgcc tgccgtgtga accatgtgac tttgtcacag cccaagatng 360
 ttnagtggga tcganacatg taagcagcan catggggagg 400

<210> 77
 <211> 248
 <212> DNA
 <213> Homo sapien

<400> 77
 ctggagtgcc ttggtgtttc aagccctgc aggaagcaga atgcaccttc tgaggcacct 60
 ccagctgccc cggcggggga tgcgaggctc ggagcaccct tgcccggctg tgattgctgc 120
 caggcactgt tcatctcagc ttttctgtcc ctttgtctcc ggcaagcgt tctgctgaaa 180
 gttcatatct ggagcctgat gtcttaacga ataaaggctc catgctccac ccgaaaaaaa 240
 aaaaaaaaaa 248

<210> 78
 <211> 201
 <212> DNA
 <213> Homo sapien

<400> 78
 actagtccag tgtggtggaa ttccattgtg ttgggcccac cacaatggct acctttaaca 60
 tcaccagac cccgcctgc ccgtgcccc cgtgctgct aacgacagta tgatgcttac 120
 tctgtactc ggaaactatt tttatgtaat taatgtatgc tttcttgttt ataaatgct 180
 gatttaaaaa aaaaaaaaaa a 201

<210> 79
 <211> 552
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (552)
 <223> n = A,T,C or G

<400> 79
 tccttttggt aggtttttga gacaacccta gacctaaact gtgtcacaga cttctgaatg 60
 tttaggcagt gctagtaatt tcctcgtaat gattctgtta ttactttcct attcctttatt 120
 cctctttcct ctgaagatta atgaagttga aaattgaggt ggataaatac aaaaaggtag 180
 tgtgatagta taagtatcta agtcagatg aaagtgtgtt atatatatcc attcaaaatt 240
 atgcaagtta gtaattactc agggttaact aaattacttt aatatgctgt tgaacctact 300
 ctgttccttg gctagaaaaa attataaaca ggactttgtt agtttgggaa gccaaattga 360
 taatattcta tgttctaaaa gttgggctat acataaanta tnaagaaata tggaatttta 420
 ttcccaggaa tatgggggtc atttatgaat antaccggg anagaagttt tganthaaac 480
 cngttttggt taatacgtta atatgtcctn aatnaacaag gcntgactta tttccaaaaa 540
 aaaaaaaaaa aa 552

<210> 80
 <211> 476
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (476)
 <223> n = A,T,C or G

<400> 80
 acagggattt gagatgctaa ggccccagag atcgtttgat ccaaccctct tattttcaga 60
 ggggaaaaatg gggcctagaa gttacagagc atctagctgg tgcgctggca cccctggcct 120
 cacacagact cccgagtagc tgggactaca ggcacacagt cactgaagca ggcctgttt 180
 gcaattcacg ttgccacctc caacttaaac attcttcata tgtgatgtcc ttagtacta 240
 aggttaaaact ttcccaccca gaaaaggcaa cttagataaa atcttagagt actttcatac 300
 tcttctaagt cctcttccag cctcactttg agtcctcctt gggggttgat aggaantntc 360
 tcttggtttt ctcaataaaa tctctatcca tctcatgttt aatttggtac gcntaaaaat 420
 gctgaaaaaa ttaaaatggt ctggttcnc tttaaaaaaa aaaaaaaaaa aaaaaa 476

<210> 81
 <211> 232
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (232)
 <223> n = A,T,C or G

<400> 81
 tttttttttg tatgcntcn ctgtgnggtt attgttctg ccaccctgga ggagcccagt 60
 ttcttctgta tttttctttt ctgggggagc ttctggctc tgccctcca ttcccagcct 120
 ctcacccca tcttgactt ttgctagggg tggaggcgt ttctggtag cccctcagag 180
 actcagtcag cgggaataag tcctaggggt ggggggtgtg gcaagccggc ct 232

<210> 82
 <211> 383
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (383)
 <223> n = A,T,C or G

<400> 82
 aggcgggagc agaagctaaa gccaaagccc aagaagagtg gcagtgccag cactggtgcc 60
 agtaccagta ccaataacat gccagtgccg gtgccagcac cagtgggtggc ttcagtgtgt 120
 gtgccagcct gaccgccact ctacacattt ggctcttcgc tggccttggt ggagctggtg 180
 ccagcaccag tggcagctct ggtgcctgtg gtttctccta caagtgaat ttagatatt 240
 gttaatectg ccagtctttc tcttcaagcc aggggtgcac ctcaaaaacc tactcaacac 300
 agcactctng gcagccacta tcaatcaatt gaagttgaca ctctgcatta aatctatttg 360
 ccatttcaaa aaaaaaaaaa aaa 383

<210> 83
 <211> 494
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (494)
 <223> n = A,T,C or G

<400> 83
 accgaattgg gaccgtggc ttataagcga tcatgtcttc cagtattacc tcaacgagca 60
 gggagatcga gtctatacgc tgaagaaatt tgaccgatg ggacaacaga cctgctcagc 120
 ccacccctgt cggttctccc cagatgacaa atactctcga caccgaatca ccatcaagaa 180
 acgtttcaag gtgtcatga cccagcaacc gcgccctgtc ctctgagggg ccttaaaactg 240
 atgtcttttc tgccacctgt taccctctcg agactccgta accaaactct tcggactgtg 300
 agccctgatg cctttttgccc agccatactc tttggcntcc agtctctcgt ggcgattgat 360
 tatgcttggt tgaggcaatc atggtggcat caccatnaa gggaacacat ttganttttt 420
 tttncatat tttaaattac naccagaata nttcagaata aatgaattga aaaactctta 480
 aaaaaaaaaa aaaa 494

<210> 84
 <211> 380
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (380)
 <223> n = A,T,C or G

<400> 84
 gctggtagcc tatggcgtgg ccacggangg gtcctgagg cacgggacag tgacttccca 60
 agtatcctgc gccgcgtctt ctaccgtccc tacctgcaga tcttcgggca gattccccag 120
 gaggacatgg acgtggccct catggagcac agcaactgct cgtcggagcc cggcttctgg 180
 gcacaccctc ctggggccca ggcgggcacc tgcgtctccc agtatgccaa ctggctgggtg 240
 gtgtgtctcc tegtcatctt cctgctcgtg gccaacatcc tgctgggtcac ttgctcattg 300
 ccatgttcag ttacacattc ggcaaagtac agggcaacag cnatctctac tgggaaggcc 360
 agcgttnccg cctcatccgg 380

<210> 85
 <211> 481
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(481)
 <223> n = A,T,C or G

<400> 85
 gagttagctc ctccacaacc ttgatgaggt cgtctgcagt ggcctctcgc ttcataaccgc 60
 tnccatcgtc atactgtagg tttgccacca cctcctgcat cttggggcgg ctaatatcca 120
 ggaaactctc aatcaagtca ccgtcnatna aacctgtggc tggttctgtc ttccgctcgg 180
 tgtgaaagga tctccagaag gagtgtctga tcttcccac acttttgatg actttattga 240
 gtcgattctg catgtccagc aggaggttgt accagctctc tgacagtgag gtcaccagcc 300
 ctatcatgcc nttgaacgtg ccgaagaaca ccgagccttg tgtggggggg gnagtctcac 360
 ccagattctg cattaccaga nagccgtggc aaaaganatt gacaactcgc ccaggngaa 420
 aaagaacacc tcttggaagt gctngccgct cctcgtcnt tggtggnngc gcntnccttt 480
 t 481

<210> 86
 <211> 472
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(472)
 <223> n = A,T,C or G

<400> 86
 aacatcttcc tgtataatgc tgtgtaatat cgatccgatn ttgtctgctg agaattcatt 60
 acttgaaaa gcaacttnaa gcctggacac tggattataa attcacaata tgcaacactt 120
 taaacagtggt gtcaatctgc tcccttaact ttgtcatcacc agtctgggaa taagggtatg 180
 cccattcac acctgttaaa agggcgctaa gcatttttga ttcaacatct ttttttttga 240
 cacaagtcgg aaaaaagcaa aagtaaacag ttnttaattt gttagccaat tcactttctt 300
 catgggacag agccatttga tttaaaaagc aaattgcata atattgagct ttgggagctg 360
 atatntgagc ggaagantag cctttctact tcaccagaca caactccttt catattggga 420
 tgttnacnaa agttatgtct cttacagatg ggatgctttt gtggcaattc tg 472

<210> 87
 <211> 413
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(413)
 <223> n = A,T,C or G

<400> 87
 agaaaccagt atctctnaaa acaacctctc ataccttggtg gacctaatTT tgtgtgctg 60
 tgtgtgtgcg cgcataattat atagacagcg acatcttttt tacttttgta aaagcttatg 120
 cctcttttgg atctatatct gtgaaagttt taatgatctg ccataatgtc ttggggacct 180
 ttgtcttctg tgtaaatggt actagagaaa acacctatnt tatgagtcaa tctagttngt 240
 tttattcgac atgaaggaaa tttccagatn acaacactna caaactctcc cttgactagg 300

ggggacaaag aaaagcanaa ctgaacatna gaaacaattn cctggtgaga aattncataa 360
acagaaattg ggtngtatat tgaaanang catcattnaa acgttttttt ttt 413

<210> 88
<211> 448
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(448)
<223> n = A,T,C or G

<400> 88
cgcagcgggt cctctctatc tagctccagc ctctcgctg cccactccc cgcgtcccgc 60
gtcctagccn accatggcgc ggcccctgcg cgcccgcctg ctccctgctg ccatcctggc 120
cgtggccctg gcggtgagcc ccgcgcccggt ctccagtcgc ggcaagccgc cgcgcctggt 180
gggaggccca tggaccccggt gtggaagaag aaggtgtgcg gcggtgactg gactttgccg 240
tcggcnanta caacaaaccc gcaacnactt ttaccnagcn cgcgctgcag gttgtgccgc 300
cccaancaaa ttgttactng gggtaanataa ttcttggaag ttgaacctgg gccaaacnng 360
tttaccagaa ccnagccaat tngaacaatt ncccctccat aacagcccct tttaaaaagg 420
gaancantcc tgnctctttc caaatctt 448

<210> 89
<211> 463
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(463)
<223> n = A,T,C or G

<400> 89
gaattttgtg cactggccac tgtgatggaa ccattgggccc aggatgcttt gagtttatca 60
gtagtgttc tgccaaagt ggtgttgtaa catgagtatg taaaatgtca aaaaattagc 120
agaggtctag gtctgcatat cagcagacag ttgtgccgtg tattttgtag ccttgaagtt 180
ctcagtgaca agttnnttct gatgcgaagt tctnattcca gtgttttagt cctttgcac 240
tttnatgttn agacttgccct ctntnaaatt gcttttgtnt tctgcaggta ctatctgtgg 300
tttaacaaaa tagaannact tctctgcttn gaanatttga atatcttaca tctnaaaatn 360
aattctctcc ccatannaaa acccangccc ttggganaat ttgaaaaang gntccttcnn 420
aattcnnana anttcagntn tcatacaaca naacngganc ccc 463

<210> 90
<211> 400
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(400)
<223> n = A,T,C or G

<400> 90
agggattgaa ggtctntnt actgtcggac tgttcanca ccaactctac aagttgctgt 60
cttccactca ctgtctgtaa gentnttaac ccagactgta tcttcataaa tagaacaat 120
tcttcaccag tcacatcttc taggaccttt ttggattcag ttagtataag ctctccact 180
tcctttgtta agacttcac tggtaaagtc ttaagtcttg tagaaaggaa ttaattgct 240

cgttctctaa caatgtcttc tccttgaagt atttggtga acaaccacc tnaagtcct	300
ttgtgcatcc attttaata tacttaata ggcattggtn cactaggta aattctgcaa	360
gagtcactcg tctgcaaaag ttgcgttagt atatctgcca	400

<210> 91
 <211> 480
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(480)
 <223> n = A,T,C or G

<400> 91	
gagctcggat ccaataatct ttgtctgagg gcagcacaca tatncagtgc catggnnaact	60
ggtctacccc acatgggagc agcatgccgt agntatataa ggctattccc tgagtcagac	120
atgcctcttt gactaccgtg tgccagtgtc ggtgattctc acacacctcc nncgctctt	180
tgtggaaaaa ctggcacttg nctggaaacta gcaagacatc acttacaat tcaccacga	240
gacactgaa aggtgtaaca aagcgactct tgcattgctt tttgtccctc cggcaccagt	300
tgtcaatact aacccgctgg tttgcctcca tcacatttgt gatctgtagc tctggataca	360
tctctgaca gtactgaaga acttctctt ttgtttcaa agcaactctt ggtgcctgtt	420
ngatcagggt cccatttccc agtcggaatg ttcacatggc atatnttact tcccacaaa	480

<210> 92
 <211> 477
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(477)
 <223> n = A,T,C or G

<400> 92	
atacagccca natcccacca cgaagatgcg cttgttgact gagaacctga tgcggtcact	60
ggtcccgtg tagccccagc gactctccac ctgctggaag cggttgatgc tgcactcctt	120
cccacgcagg cagcagcggg gccggtcaat gaactccact cgtggcttgg ggttgacggt	180
taantgcagg aagaggctga ccacctcgcg gtccaccagg atgcccgaact gtgcgggacc	240
tgcagcgaat ctctctgatg gtcattgagc ggaagcgaat gangcccagg gccttgccca	300
gaacctccg cctgttctct ggcgtcacct gcagctgctg ccgctnacac tcggcctcgg	360
accagcggac aaacggcggt gaacagccgc acctcacgga tgcccantgt gtcgcgtcc	420
aggaacggcn ccagcgtgtc caggtcaatg tcggtgaanc ctccgcgggt aatggcg	477

<210> 93
 <211> 377
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(377)
 <223> n = A,T,C or G

<400> 93	
gaacggctgg accttgctc gcattgtgct gctggcagga ataccttggc aagcagctcc	60
agtccgagca gcccagacc gctgccgcc gaagctaagc ctgcctctgg ccttccctc	120
cgctcaatg cagaaccant agtgggagca ctgtgtttag agttaagagt gaacactgtn	180

tgattttact	tggaatttc	ctctgttata	tagcttttcc	caatgcta	ttccaaacaa	240
caacaacaaa	ataacatggt	tgctgttna	gttgataaaa	agtangtgat	tctgtatnta	300
aagaaaatat	tactgttaca	tatactgctt	gcaanttctg	tatttattgg	tnctctggaa	360
ataaatatat	tattaaa					377

<210> 94
 <211> 495
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(495)
 <223> n = A,T,C or G

<400> 94						
ccctttgagg	ggttagggc	cagttcccag	tggaagaaac	aggccaggag	aantgcgtgc	60
cgagctgang	cagatttccc	acagtgaccc	cagagccctg	ggctatagtc	tctgaccctt	120
ccaaggaaag	accaccttct	ggggacatgg	gctggagggc	aggacctaga	ggcaccaagg	180
gaaggcccca	ttccggggct	gttccccgag	gaggaaggga	aggggctctg	tgtgcccccc	240
acgaggaana	ggccttgant	cctgggatca	nacaccctt	cacgtgtatc	cccacacaaa	300
tgcaagctca	ccaagggtccc	ctctcagtc	cttccctaca	ccctgaacgg	ncactggccc	360
acaccacccc	agancancca	cccgccatgg	ggaatgttct	caaggaatcg	cngggcaacg	420
tggaactctng	tcccnnaagg	gggcagaatc	tccaatagan	gganngaacc	cttgctnana	480
aaaaaaaaana	aaaaa					495

<210> 95
 <211> 472
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(472)
 <223> n = A,T,C or G

<400> 95						
ggttacttgg	tttcattgcc	accacttagt	ggatgtcatt	tagaaccatt	ttgtctgtc	60
cctctggaag	ccttgccgag	agcggacttt	gtaattgttg	gagaataact	gctgaatttt	120
tagctgtttt	gagttgatcc	gcaccactgc	accacaactc	aatatgaaaa	ctatttnact	180
tatttattat	cttgtgaaaa	gtatacaatg	aaaattttgt	tcatactgta	tttatcaagt	240
atgatgaaaa	gcaatagata	tatattcttt	tattatgttn	aattatgatt	gccattatta	300
atcggaacaa	tgtggagtgt	atgttctttt	cacagtaata	tatgcctttt	gtaacttcac	360
ttggttattt	tattgtaaat	gaattacaaa	attcttaatt	taagaaaatg	gtangttata	420
tttanttcan	taatttcttt	ccttgtttac	gttaattttg	aaaagaatgc	at	472

<210> 96
 <211> 476
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(476)
 <223> n = A,T,C or G

<400> 96						
ctgaagcatt	tcttcaaact	tntctacttt	tgctcattgat	acctgtagta	agttgacaat	60

```

gtgggtgaaat ttcaaaatta tatgtaactt ctactagttt tacttttctcc cccaagtctt 120
ttttaactca tgattttttac acacacaatc cagaacttat tatatagcct ctaagtcttt 180
attcttcaca gtatgatgatg aaagagtcct ccagtgtctt gngcanaatg ttctagntat 240
agctgggatac atacngtggg agttctataa actcatacct cagtgggact naaccaaaat 300
tgtgttagtc tcaattccta ccacactgag ggagcctccc aaatcactat attcttatct 360
gcaggtactc ctccagaaaa acngacaggg caggcttgca tgaaaaagtn acatctgcgt 420
tacaagtctt atcttctccta nangtctgtn aaggaacaat ttaatcttct agcttt 476

```

```

<210> 97
<211> 479
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(479)
<223> n = A,T,C or G

```

```

<400> 97
actcttttcta atgctgatat gatcttgagt ataagaatgc atatgtcact agaatggata 60
aaataatgct gcaaacttaa tgttcttatg caaaatggaa cgctaataa acacagctta 120
caatcgcaaa tcaaaactca caagtgtccta tctgtttag atttagtgta ataagactta 180
gattgtgctc ctccggatat gattgtttct canatcttgg gcaatnttcc ttagtcaaat 240
caggctacta gaattctggt attggatatn tgagagcatg aaatttttaa naatacactt 300
gtgattatna aattaatcac aaatttctact tatacctgct atcagcagct agaaaaacat 360
ntnnttttta natcaaagta ttttgtgttt ggaantgtnn aaatgaaatc tgaatgtggg 420
ttcnatctta ttttttcccn gacnactant tnttttttta gggncatttc tganccatc 479

```

```

<210> 98
<211> 461
<212> DNA
<213> Homo sapien

```

```

<400> 98
agtgacttgt cctccaacaa aacccttga tcaagtttgt ggcaactgaca atcagacctt 60
tgctagttcc tgcactctat tcgctactaa atgcagactg gaggggacca aaaaggggca 120
tcaactccag ctggattatt ttggagcctg caaatctatt cctacttgta cggactttga 180
agtgattcag tttcctctac ggatgagaga ctggctcaag aatatcctca tgcagcttta 240
tgaagccact ctgaacacgc tggttatcta gatgagaaca gagaaataaa gtcagaaaat 300
ttacctggag aaaagaggct ttggctgggg accatcccat tgaaccttct cttaaggact 360
ttaagaaaaa ctaccacatg ttgtgtatcc tggcgccggc cgtttatgaa ctgaccaccc 420
tttggataaa tcttgacgct cctgaacttg ctctctgcg a 461

```

```

<210> 99
<211> 171
<212> DNA
<213> Homo sapien

```

```

<400> 99
gtggcgcgc gcaggtgttt cctcgtaaccg cagggccccc tcccttcccc aggcgtccct 60
cggcgccctc gcgggcccga ggaggagcgg ctggcggttg gggggagtgt gaccacccct 120
cggtgagaaa agccttctct agcgatctga gaggcgtgcc ttgggggtac c 171

```

```

<210> 100
<211> 269
<212> DNA
<213> Homo sapien

```

<400> 100

cgcccgcaag	tgcaactcca	gctggggccg	tgccgacgaa	gattctgcc	gcagttggtc	60
cgactgcgac	gacggcgccg	gcgacagtcg	caggtgcagc	gcgggcgcct	ggggtcttgc	120
aaggctgagc	tgacgccgca	gaggtcgtgt	cacgtccac	gacctgacg	ccgtcgggga	180
cagccggaac	agagcccgt	gaagcgggag	gcctcgggga	gcccctcggg	aaggcgcc	240
cgagagatac	gcaggtgcag	gtggccgcc				269

<210> 101

<211> 405

<212> DNA

<213> Homo sapien

<400> 101

tttttttttt	ttttggaatc	tactgcgagc	acagcaggtc	agcaacaagt	ttattttgca	60
gctagcaagg	taacagggtg	gggcatgggt	acatgttcag	gtcaacttcc	tttgcgtgg	120
ttgattgggt	tgtctttatg	ggggcggggg	gggtagggg	aaacgaagca	aataacatgg	180
agtgggtgca	ccctccctgt	agaacctggg	tacaaagctt	ggggcagttc	acctggtctg	240
tgacctcat	tttcttgaca	tcaatgttat	tagaagtcag	gatatctttt	agagagtcca	300
ctgttctgga	gggagattag	ggtttcttgc	caaatccaac	aaaatccact	gaaaaagtgg	360
gatgatcagt	acgaataccg	aggcatatcc	tcatatcggt	ggcca		405

<210> 102

<211> 470

<212> DNA

<213> Homo sapien

<400> 102

tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	60
ggcacttaat	ccatttttat	ttcaaaatgt	ctacaaattt	aatcccatta	tacggtattt
tcaaaatcta	aattattcaa	attagccaaa	tccttaccac	ataataccca	aaaatcaaaa
atatacttct	ttcagcaaac	ttgttacata	aattaaaaaa	atatatacgg	ctggtgtttt
caaagtacaa	ttatcttaac	actgcaaaac	ttttaaggaa	ctaaaataaa	aaaaaacact
ccgcaaagg	taaagggaac	aacaaattct	tttacaacac	cattataaaa	atcatatctc
aaatcttagg	ggaatatata	cttcacacgg	gatcttaact	tttactcact	ttgtttattt
ttttaaacca	ttgtttgggc	ccaacacaat	ggaatcccc	ctggactagt	470

<210> 103

<211> 581

<212> DNA

<213> Homo sapien

<400> 103

tttttttttt	ttttttttga	ccccctctt	ataaaaaaca	agttaccatt	ttatttttact	60
tacacatatt	tattttataa	ttggtattag	atattcaaaa	ggcagctttt	aaaatcaaac	120
taaatggaaa	ctgccttaga	tacataattc	ttaggaatta	gcttaaaatc	tgccataaagt	180
gaaaatcttc	tctagctctt	ttgactgtaa	atttttgact	cttgtaaaac	atccaaattc	240
atttttcttg	tctttaaaat	tatctaattc	ttccattttt	tcctatttcc	aagtcaattt	300
gcttctctag	cctcatttcc	tagctcttat	ctactattag	taagtggctt	tttccctaaa	360
agggaaaaca	ggaagagaaa	tggcacacaa	aacaaacatt	ttatattcat	atttctacct	420
acgttaataa	aatagcattt	tgtgaagcca	gctcaaaaga	aggcttagat	ccttttatgt	480
ccatttttagt	cactaaacga	tatcaaagtg	ccagaatgca	aaagggttgt	gaacatttat	540
tcaaagcta	atataagata	tttcacatac	tcatctttct	g		581

<210> 104

<211> 578

<212> DNA

<213> Homo sapien

<400> 104

tttttttttt	tttttttttt	tttttctctt	cttttttttt	gaaatgagga	tcgagttttt	60
cactctctag	atagggcatg	aagaaaactc	atctttccag	ctttaaaata	acaatcaaat	120
ctcttatgct	atatcatatt	ttaagttaaa	ctaagtatgc	actggcttat	cttctcctga	180
aggaaatctg	ttcattcttc	tcattcatat	agttatatca	agtactacct	tgcatattga	240
gaggtttttc	ttctctattt	acacatatat	ttccatgtga	atttgtatca	aacctttatt	300
ttcatgcaaa	ctagaaaata	atgtttcttt	tgcataagag	aagagaacaa	tatagcatta	360
caaaactgct	caaattgttt	gttaagttat	ccattataat	tagttggcag	gagctaatac	420
aaatcacatt	tacgacagca	ataataaaac	tgaagtacca	gttaaatatc	caaaaataatt	480
aaaggaacat	ttttagcctg	ggtataatta	gctaattcac	tttacaagca	tttattagaa	540
tgaattcaca	tgttattatt	cctagcccaa	cacaatgg			578

<210> 105

<211> 538

<212> DNA

<213> Homo sapien

<400> 105

tttttttttt	tttttcagta	ataatcagaa	caatatttat	ttttatat	aaaattcata	60
gaaaagtgcc	ttacatttaa	taaaagtgtg	tttctcaaag	tgatcagagg	aattagatat	120
gtcttgaaca	ccaatattaa	tttgaggaaa	atacaccaaa	atacattaag	taaattattt	180
aagatcatag	agcttgtaag	tgaaaagata	aaatttgacc	tcagaaactc	tgagcattaa	240
aaatccacta	ttagcaaaata	aattactatg	gacttcttgc	tttaattttg	tgatgaatat	300
ggggtgtcac	tggtaaaacca	acacattctg	aaggatacat	tacttagtga	tagattctta	360
tgtactttgc	taatacgtgg	atatgagttg	acaagtttct	ctttcttcaa	tcttttaagg	420
ggcgagaaat	gaggaagaaa	agaaaaggat	tacgcatact	gttctttcta	tggaaggatt	480
agatatgttt	cctttgccaa	tattaaaaaa	ataataatgt	ttactactag	tgaaaccc	538

<210> 106

<211> 473

<212> DNA

<213> Homo sapien

<400> 106

tttttttttt	tttttttagtc	aagtttctat	ttttattata	attaaagtct	tggtcatttc	60
ttttattagc	tctgcaactt	acatatttaa	attaaagaaa	cgtttttagac	aactgtacaa	120
ttttataaatg	taagtgccca	ttattgagta	atatattcct	ccaagagtgg	atgtgtccct	180
tctcccacca	actaatgaac	agcaacatta	gtttaatttt	attagtagat	atacatgct	240
gcaaacgcta	attctcttct	ccatccccat	gtgatattgt	gtatatgtgt	gagttggtag	300
aatgcatcac	aatctacaat	caacagcaag	atgaagctag	gctgggcttt	cggtgaaaat	360
agactgtgtc	tgtctgaatc	aaatgatctg	acctatcctc	ggtggcaaga	actcttcgaa	420
ccgcttcctc	aaaggcgctg	ccacatttgt	ggctctttgc	acttgtttca	aaa	473

<210> 107

<211> 1621

<212> DNA

<213> Homo sapien

<400> 107

cgccatggca	ctgcagggca	tctcgggtcat	ggagctgtcc	ggcctggccc	cgggcccgtt	60
ctgtgctatg	gtcctggctg	acttcggggc	gcgtgtggta	cgcgtggacc	ggcccggctc	120
ccgctacgac	gtgagccgct	tgggccgggg	caagcgctcg	ctagtgtctg	acctgaagca	180
gccgcgggga	gccgcgctgc	tggggcgctc	gtgcaagcgg	tcggatgtgc	tgctggagcc	240
cttcgccgcg	ggtgtcatgg	agaaactcca	gctgggcccc	gagattctgc	agcgggaaaa	300
tccaaggctt	atttatgcca	ggctgagtg	atttggccag	tcagggaagct	tctgccggtt	360
agctggccac	gatatcaact	atttggcttt	gtcagggtgt	ctctcaaaaa	ttggcagaag	420
tggtgagaat	ccgtatgccc	cgctgaatct	cctggctgac	tttgcgtgtg	gtggccttat	480
gtgtgcactg	ggcattataa	tggctctttt	tgaccgcaca	cgcactgaca	agggtcagg	540

```

cattgatgca aatatggtgg aaggaacagc atatttaagt tcttttctgt ggaaaactca      600
gaaatcgagt ctgtgggaag cacctcgagg acagaacatg ttggatgggtg gagcaccttt      660
ctatacgact tacaggacag cagatgggga attcatggct gttggagcaa tagaacccca      720
gttctacgag ctgctgatca aaggacttgg actaaagtct gatgaacttc ccaatcagat      780
gagcatggat gattggccag aaatgaagaa gaagtttgca gatgtatttg caaagaagac      840
gaaggcagag tgggtgtcaaa tctttgacgg cacagatgcc tgtgtgactc cggttctgac      900
ttttgaggag gttgttcac atgacacaa caaggaacgg ggctcgttta tcaccagtga      960
ggagcaggac gtgagccccc gccctgcacc tctgctgtta aacaccccag ccattcccttc     1020
tttcaaaagg gatcctttca taggagaaca cactgaggag atacttgaag aatttggatt     1080
cagccgcgaa gagatttacc agcttaactc agataaaatc attgaaagta ataaggtaaa     1140
agctagtctc taacttcag gccacggct caagtgaaat tgaatactgc atttacagtg     1200
tagagtaaca cataacattg tatgcatgga aacatggagg aacagtatta cagtgtccta     1260
ccactcta at caagaaaaga attacagact ctgattctac agtgatgatt gaattctaaa     1320
aatggttatc attagggtt ttgatttata aaactttggg tacttatact aaattatggt     1380
agttattctg ctttcagtt tgcttgatat atttgtgat attaagattc ttgacttata     1440
ttttgaatgg gttctagtga aaaaggaatg atatattctt gaagacatcg atatacattt     1500
atttacactc ttgattctac aatgtagaaa atgaggaaat gccacaaatt gtatggtgat     1560
aaaagtcacg tgaacaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa     1620
a                                                                                   1621

```

<210> 108

<211> 382

<212> PRT

<213> Homo. sapien

<400> 108

```

Met Ala Leu Gln Gly Ile Ser Val Met Glu Leu Ser Gly Leu Ala Pro
1      5      10      15
Gly Pro Phe Cys Ala Met Val Leu Ala Asp Phe Gly Ala Arg Val Val
20     25     30
Arg Val Asp Arg Pro Gly Ser Arg Tyr Asp Val Ser Arg Leu Gly Arg
35     40     45
Gly Lys Arg Ser Leu Val Leu Asp Leu Lys Gln Pro Arg Gly Ala Ala
50     55     60
Val Leu Arg Arg Leu Cys Lys Arg Ser Asp Val Leu Leu Glu Pro Phe
65     70     75     80
Arg Arg Gly Val Met Glu Lys Leu Gln Leu Gly Pro Glu Ile Leu Gln
85     90     95
Arg Glu Asn Pro Arg Leu Ile Tyr Ala Arg Leu Ser Gly Phe Gly Gln
100    105    110
Ser Gly Ser Phe Cys Arg Leu Ala Gly His Asp Ile Asn Tyr Leu Ala
115    120    125
Leu Ser Gly Val Leu Ser Lys Ile Gly Arg Ser Gly Glu Asn Pro Tyr
130    135    140
Ala Pro Leu Asn Leu Leu Ala Asp Phe Ala Gly Gly Gly Leu Met Cys
145    150    155    160
Ala Leu Gly Ile Ile Met Ala Leu Phe Asp Arg Thr Arg Thr Asp Lys
165    170    175
Gly Gln Val Ile Asp Ala Asn Met Val Glu Gly Thr Ala Tyr Leu Ser
180    185    190
Ser Phe Leu Trp Lys Thr Gln Lys Ser Ser Leu Trp Glu Ala Pro Arg
195    200    205
Gly Gln Asn Met Leu Asp Gly Gly Ala Pro Phe Tyr Thr Thr Tyr Arg
210    215    220
Thr Ala Asp Gly Glu Phe Met Ala Val Gly Ala Ile Glu Pro Gln Phe
225    230    235    240
Tyr Glu Leu Leu Ile Lys Gly Leu Gly Leu Lys Ser Asp Glu Leu Pro
245    250    255

```

Asn Gln Met Ser Met Asp Asp Trp Pro Glu Met Lys Lys Lys Phe Ala
 260 265 270
 Asp Val Phe Ala Lys Lys Thr Lys Ala Glu Trp Cys Gln Ile Phe Asp
 275 280 285
 Gly Thr Asp Ala Cys Val Thr Pro Val Leu Thr Phe Glu Glu Val Val
 290 295 300
 His His Asp His Asn Lys Glu Arg Gly Ser Phe Ile Thr Ser Glu Glu
 305 310 315 320
 Gln Asp Val Ser Pro Arg Pro Ala Pro Leu Leu Asn Thr Pro Ala
 325 330 335
 Ile Pro Ser Phe Lys Arg Asp Pro Phe Ile Gly Glu His Thr Glu Glu
 340 345 350
 Ile Leu Glu Glu Phe Gly Phe Ser Arg Glu Glu Ile Tyr Gln Leu Asn
 355 360 365
 Ser Asp Lys Ile Ile Glu Ser Asn Lys Val Lys Ala Ser Leu
 370 375 380

<210> 109
 <211> 1524
 <212> DNA
 <213> Homo sapien

<400> 109
 ggcacgaggc tgcgcacagg cctgagcggg ggcgggggca gcctcgccag cgggggcccc 60
 gggcctggcc atgcctcact gagccagcgc ctgcgcctct acctcgccga cagctggaac 120
 cagtgcgacc tagtggtctt cacctgcttc ctctgggctg tgggctgccc gctgaccccg 180
 ggttgtacc acctgggccc cactgtcttc tgcacgact tcatggtttt cacggtgccc 240
 ctgcttcaca tcttcacggg caacaaacag ctggggccca agatcgatcat cgtgagcaag 300
 atgatgaagg acgtgttctt ctctctcttc ttctctggcg tgtggctggt agcctatggc 360
 gtggccacgg aggggtcctt gaggccacgg gacagtgaact tcccaagtat cctgcgccc 420
 gtctcttacc gtccctacct gcagatcttc gggcagattc cccaggagga catggacgtg 480
 gccctcatgg agcacagcaa ctgctcgctg gagcccggtt tctgggcaca cctcctggg 540
 gcccaggcgg gcacctgctt ctcccagtat gccaaactgg tgggtggtgt gctcctcgtc 600
 atcttctctg tctgtggcaa catcctgctg gtcaacttgc tcattgccat gttcagttac 660
 acattcggca aagtagcagg caacagcgat ctctactgga aggcgcagcg ttaccgcctc 720
 atccgggaat tccactctcg gcccgcgctg gcccgcctt ttatcgatcat cctccacttg 780
 cgctcctctg tcaggcaatt gtgcaggcga ccccgagcgc cccagccgct cctcccgccc 840
 ctgcagcatt tccgggttta cctttctaag gaagccgagc ggaagctgct aacgtgggaa 900
 tccgtgcata aggaagactt tctgctggca cgcgctaggg acaagcggga gagcgactcc 960
 gaggctctga agcgcacgct ccagaagggt gacttggcac tgaacagct gggacacatc 1020
 cgcgagtacg aacagcgctt gaaagtgtgt gagcgggagg tccagcagtg tagccgctc 1080
 ctgggtggtg tggccgaggc cctgagccgc tctgcttggc tgccccagg tggccgcca 1140
 cccctgacc tgcctgggtc caaagactga gccctgctgg cggacttcaa ggagaagccc 1200
 ccacagggga ttttgtcctt agagtaaggc tcatctgggc ctcgccccc gcacctggtg 1260
 gccttgtcct tgaggtgagc cccatgtcca tctggggcac tgtcaggacc acctttggga 1320
 gtgtcatcct tacaaccac agcatgccc gctcctccca gaaccagtc cagcctggga 1380
 ggatcaaggc ctggatcccc ggccgttatc catctggagg ctgcagggtc cttggggtaa 1440
 cagggaccac agaccctca cactcacag attcctcaca ctggggaaat aaagccattt 1500
 cagaggaaaa aaaaaaaaaa aaaa 1524

<210> 110
 <211> 3410
 <212> DNA
 <213> Homo sapien

<400> 110
 gggaaccagc ctgcacgcgc tggctccggg tgacagccgc gcgcctcggc caggatctga 60
 gtgatgagac gtgtccccac tgaggtgccc cacagcagca ggtgttgagc atgggctgag 120

aagctggacc	ggcaccaaag	ggctggcaga	aatgggcgcc	tggctgattc	ctaggcagtt	180
ggcggcagca	aggaggagag	gccgcagctt	ctggagcaga	gccgagacga	agcagttctg	240
gagtgcctga	acggccccct	gagccctacc	cgctggcccc	actatggctc	agaggctgtg	300
ggtgagccgc	ctgtctcggc	accggaagc	ccagctcttg	ctggtcaacc	tgctaacctt	360
tggcctggag	gtgtgtttgg	ccgcaggcat	cacctatgtg	ccgcctctgc	tgctggaagt	420
gggggtagag	gagaagttca	tgacctgggt	gctgggcatt	ggtccagtgc	tgggcctggg	480
ctgtgtcccg	ctcctaggct	cagccagtga	ccactggcgt	ggacgctatg	gccgcccgcg	540
gcccttcac	tgggcactgt	ccttgggcct	cctgtgagc	ctctttctca	tcccaagggc	600
cggttggtta	gcagggtgc	tgtgcccga	tcccagccc	ctggagctgg	cactgctcat	660
cctgggcgtg	gggctgctgg	acttctgtgg	ccagggtgtg	ttcactccac	tggaggccct	720
gctctctgac	ctcttccggg	acccggacca	ctgtcgccag	gcctactctg	tctatgcctt	780
catgatcagt	cttgggggct	gcctgggcta	cctcctgcct	gccattgact	gggacaccag	840
tgccctggcc	ccctacctgg	gcaccagga	ggagtgcctc	tttggcctgc	tcacctcat	900
cttctcacc	tgctagcag	ccacactgct	ggtggctgag	gaggcagcgc	tgggccccac	960
cgagccagca	gaagggtgt	cggccccctc	cttgtcgccc	cactgtctgc	catgccgggc	1020
ccgttcggct	ttccggaacc	tggcgccct	gcttccccgc	ctgcaccagc	tgtgctgccg	1080
catgccccgc	accctgcgcc	ggctcttctg	ggctgagctg	tgcagctgga	tggcactcat	1140
gaccttcacg	ctgttttaca	cggatttctg	gggcgagggg	ctgtaccagg	gcgtgccccag	1200
agctgagccg	ggcaccgagg	cccggagaca	ctatgatgaa	ggcgttcgga	tgggcagcct	1260
ggggctgttc	ctgcagtgcg	ccatctccct	ggtcttctct	ctggtcatgg	accggctggg	1320
gcagcgatc	ggcactcgag	cagtctattt	ggccagtgtg	gcagctttcc	ctgtggtctg	1380
cggtgccaca	tgctgtccc	acagtgtggc	cgtggtgaca	gcttcagccg	ccctcacccg	1440
gttcaccttc	tcagccctgc	agatcctgcc	ctcacactg	gcctccctct	accacgggga	1500
gaagcaggtg	ttcctgcccc	aataccgagg	ggacactgga	ggtgctagca	gtgaggacag	1560
cctgatgacc	agcttcctgc	caggccctaa	gcctggagct	cccttcccta	atggacacgt	1620
gggtgctgga	ggcagtggcc	tgctcccacc	tccaccgcg	ctctgcgggg	cctctgcctg	1680
tgatgtctcc	gtacgtgtgg	tgggtgggtga	gccaccgag	gccaggggtg	ttccggggcg	1740
gggcatctgc	ctggacctcg	ccatcctgga	tagtgccctc	ctgctgtccc	aggtggcccc	1800
atccctgttt	atgggtcca	ttgtccagct	cagccagctc	gtcactgcct	atatggtgtc	1860
tgcccgagtc	ctgggtctgg	tcgccattta	ctttgctaca	caggtagtat	ttgacaagag	1920
cgacttggcc	aaatactcag	cgtagaaaac	ttccagcaca	ttgggggtgga	gggcctgcct	1980
cactgggtcc	cagctccccg	ctcctgttag	ccccatgggg	ctgccgggct	ggccgccagt	2040
ttctgttgct	gccaaagtaa	tgtggctctc	tgctgccacc	ctgtgctgct	gaggtgcgta	2100
gctgcacagc	tgggggctgg	ggcgtccctc	tccctctctc	ccagtctcta	gggtgcctg	2160
actggaggcc	ttccaagggg	gtttcagctc	ggacttatac	agggaggcca	gaagggtctc	2220
atgcactgga	atgcggggac	tctgcaggtg	gattaccacg	gctcagggtt	aacagctagc	2280
ctcctagtgt	agacacacct	agagaagggg	ttttgggagc	tgaataaact	cagtcacctg	2340
gtttcccatc	tctaagcccc	ttaacctgca	gcttcgttta	atgtagctct	tgcatgggag	2400
tttctaggat	gaaacactcc	tccatgggat	ttgaacatat	gacttatttg	taggggaaga	2460
gtcctgaggg	gcaacacaca	agaaccaggt	ccctcagcc	cacagcactg	tctttttgct	2520
gatccacccc	cctcttacct	tttatcagga	tgtggcctgt	tggctcctct	gttgccatca	2580
cagagacaca	ggcatttaaa	tatttaactt	atttatttaa	caaagtagaa	gggaatccat	2640
tgttagcttt	tctgtgttgg	tgtctaatat	ttgggtaggg	tgggggatcc	ccaacaatca	2700
ggtcccttga	gatagctggt	cattgggctg	atcattgcca	gaatcttctt	ctcctggggg	2760
ctggcccccc	aaaatgccta	acccaggacc	ttggaaatc	tactcatccc	aaatgataat	2820
tccaaatgct	gttaccceaag	gttaggggtg	tgaaggagg	tagagggtgg	ggcttcagggt	2880
ctcaacggct	tccctaacca	ccctcttct	cttggcccag	cctggttccc	cccacttcca	2940
ctccctctta	ctctctctag	gactgggctg	atgaaggcac	tgcccaaaat	ttccctacc	3000
cccaactttc	ccctaccccc	aactttcccc	accagctcca	caacctgtt	tggagctact	3060
gcaggaccag	aagcacaaag	tgcggtttcc	caagcctttg	tccatctcag	ccccagagt	3120
atatctgtgc	ttggggaatc	tcacacagaa	accaggagc	acccctgcc	tgagctaagg	3180
gaggtcttat	ctctcagggg	gggtttaagt	gccgtttgca	ataatgtcgt	cttattttatt	3240
tagcgggggtg	aatattttat	actgtaagt	agcaatcaga	gtataatgtt	tatggtgaca	3300
aaattaaagg	ctttcttata	tgtttaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	3360
aaaaaaaaara	aaaaaaaaaa	aaaaaaaaaa	aaaaaaataa	aaaaaaaaaa		3410

<210> 111

<211> 1289

<212> DNA

<213> Homo sapien

<400> 111

agccaggcgt	ccctctgcct	gcccaactcag	tggcaacacc	cgggagctgt	tttgccttt	60
gtggagcctc	agcagttccc	tctttcagaa	ctcactgcc	agagccctga	acaggagcca	120
ccatgcagtg	cttcagcttc	attaagacca	tgatgaccc	cttcaatttg	ctcatctttc	180
tgtgtggtgc	agccctggtg	gcagtgggca	tctgggtgtc	aatcgatggg	gcaccccttc	240
tgaagatctt	cgggccactg	tcgtccagtg	ccatgcagtt	tgtcaacgtg	ggctacttcc	300
tcattcgagc	cggtgtgtg	gtctttgtc	ttgggttctc	gggtgtgtat	ggtgtgaaga	360
ctgagagcaa	gtgtgccctc	gtgacgttct	tcttcaccc	cctcctcatc	ttcattgtgt	420
aggttgcagc	tgctgtggtc	gccttggtgt	acaccacaat	ggctgagcac	ttcctgacgt	480
tgctggtagt	gcctgccatc	aagaaagatt	atggttccca	ggaagacttc	actcaagtgt	540
ggaacaccac	catgaaaggg	ctcaagtgtc	gtggcttcac	caactatacg	gattttgagg	600
actcacccta	cttcaaagag	aacagtgcct	ttccccatt	ctgttgcaat	gacaacgtca	660
ccaacacagc	caatgaaacc	tgaccaagc	aaaaggctca	cgaccaaaaa	gtagagggtt	720
gcttcaatca	gcttttgtat	gacatccgaa	ctaatgcagt	caccgtgggt	ggtgtggcag	780
ctggaatttg	gggcctcgag	ctggctgcc	tgattgtgtc	catgtatctg	tactgcaatc	840
tacaataagt	ccacttctgc	ctctgccact	actgctgcc	catgggaact	gtgaagaggc	900
accctggcaa	gcagcagtg	ttgggggagg	ggacaggatc	taacaatgtc	acttgggcca	960
gaatggacct	gccctttctg	ctccagactt	gggtctagat	agggaccact	ccttttagcg	1020
atgcctgact	ttccttccat	tggtgggtgg	atgggtgggg	ggcattccag	agcctctaag	1080
gtagccagtt	ctgttgccca	ttccccaggt	ctattaaacc	cttgatatgc	cccctaggcc	1140
tagtggatgat	cccagtgctc	tactggggga	tgagagaaag	gcattttata	gcctgggcat	1200
aagtgaatc	agcagagcct	ctgggtggat	gtgtagaagg	cacttcaaaa	tgcataaacc	1260
tggtacaatg	ttaaaaaaa	aaaaaaaaa				1289

<210> 112

<211> 315

<212> PRT

<213> Homo sapien

<400> 112

Met	Val	Phe	Thr	Val	Arg	Leu	Leu	His	Ile	Phe	Thr	Val	Asn	Lys	Gln
1				5				10					15		
Leu	Gly	Pro	Lys	Ile	Val	Ile	Val	Ser	Lys	Met	Met	Lys	Asp	Val	Phe
			20					25				30			
Phe	Phe	Leu	Phe	Phe	Leu	Gly	Val	Trp	Leu	Val	Ala	Tyr	Gly	Val	Ala
		35					40					45			
Thr	Glu	Gly	Leu	Leu	Arg	Pro	Arg	Asp	Ser	Asp	Phe	Pro	Ser	Ile	Leu
		50					55				60				
Arg	Arg	Val	Phe	Tyr	Arg	Pro	Tyr	Leu	Gln	Ile	Phe	Gly	Gln	Ile	Pro
65				70				75						80	
Gln	Glu	Asp	Met	Asp	Val	Ala	Leu	Met	Glu	His	Ser	Asn	Cys	Ser	Ser
			85					90						95	
Glu	Pro	Gly	Phe	Trp	Ala	His	Pro	Pro	Gly	Ala	Gln	Ala	Gly	Thr	Cys
			100					105					110		
Val	Ser	Gln	Tyr	Ala	Asn	Trp	Leu	Val	Val	Leu	Leu	Leu	Val	Ile	Phe
			115				120						125		
Leu	Leu	Val	Ala	Asn	Ile	Leu	Leu	Val	Asn	Leu	Leu	Ile	Ala	Met	Phe
		130					135						140		
Ser	Tyr	Thr	Phe	Gly	Lys	Val	Gln	Gly	Asn	Ser	Asp	Leu	Tyr	Trp	Lys
145				150				155						160	
Ala	Gln	Arg	Tyr	Arg	Leu	Ile	Arg	Glu	Phe	His	Ser	Arg	Pro	Ala	Leu
			165					170						175	
Ala	Pro	Pro	Phe	Ile	Val	Ile	Ser	His	Leu	Arg	Leu	Leu	Leu	Arg	Gln
			180					185						190	
Leu	Cys	Arg	Arg	Pro	Arg	Ser	Pro	Gln	Pro	Ser	Ser	Pro	Ala	Leu	Glu

															<400>	113
Met	Val	Gln	Arg	Leu	Trp	Val	Ser	Arg	Leu	Leu	Arg	His	Arg	Lys	Ala	
1				5					10					15		
Gln	Leu	Leu	Leu	Val	Asn	Leu	Leu	Thr	Phe	Gly	Leu	Glu	Val	Cys	Leu	
			20					25					30			
Ala	Ala	Gly	Ile	Thr	Tyr	Val	Pro	Pro	Leu	Leu	Leu	Glu	Val	Gly	Val	
		35					40					45				
Glu	Glu	Lys	Phe	Met	Thr	Met	Val	Leu	Gly	Ile	Gly	Pro	Val	Leu	Gly	
	50					55					60					
Leu	Val	Cys	Val	Pro	Leu	Leu	Gly	Ser	Ala	Ser	Asp	His	Trp	Arg	Gly	
65					70					75				80		
Arg	Tyr	Gly	Arg	Arg	Arg	Pro	Phe	Ile	Trp	Ala	Leu	Ser	Leu	Gly	Ile	
			85						90					95		
Leu	Leu	Ser	Leu	Phe	Leu	Ile	Pro	Arg	Ala	Gly	Trp	Leu	Ala	Gly	Leu	
			100					105					110			
Leu	Cys	Pro	Asp	Pro	Arg	Pro	Leu	Glu	Leu	Ala	Leu	Leu	Ile	Leu	Gly	
		115					120					125				
Val	Gly	Leu	Leu	Asp	Phe	Cys	Gly	Gln	Val	Cys	Phe	Thr	Pro	Leu	Glu	
	130					135					140					
Ala	Leu	Leu	Ser	Asp	Leu	Phe	Arg	Asp	Pro	Asp	His	Cys	Arg	Gln	Ala	
145					150					155				160		
Tyr	Ser	Val	Tyr	Ala	Phe	Met	Ile	Ser	Leu	Gly	Gly	Cys	Leu	Gly	Tyr	
			165						170					175		
Leu	Leu	Pro	Ala	Ile	Asp	Trp	Asp	Thr	Ser	Ala	Leu	Ala	Pro	Tyr	Leu	
			180					185					190			
Gly	Thr	Gln	Glu	Glu	Cys	Leu	Phe	Gly	Leu	Leu	Thr	Leu	Ile	Phe	Leu	
		195					200					205				
Thr	Cys	Val	Ala	Ala	Thr	Leu	Leu	Val	Ala	Glu	Glu	Ala	Ala	Leu	Gly	
	210					215					220					
Pro	Thr	Glu	Pro	Ala	Glu	Gly	Leu	Ser	Ala	Pro	Ser	Leu	Ser	Pro	His	
225					230					235				240		
Cys	Cys	Pro	Cys	Arg	Ala	Arg	Leu	Ala	Phe	Arg	Asn	Leu	Gly	Ala	Leu	
			245						250					255		
Leu	Pro	Arg	Leu	His	Gln	Leu	Cys	Cys	Arg	Met	Pro	Arg	Thr	Leu	Arg	
			260					265					270			
Arg	Leu	Phe	Val	Ala	Glu	Leu	Cys	Ser	Trp	Met	Ala	Leu	Met	Thr	Phe	
	275						280					285				

Thr Leu Phe Tyr Thr Asp Phe Val Gly Glu Gly Leu Tyr Gln Gly Val
 290 295 300
 Pro Arg Ala Glu Pro Gly Thr Glu Ala Arg Arg His Tyr Asp Glu Gly
 305 310 315 320
 Val Arg Met Gly Ser Leu Gly Leu Phe Leu Gln Cys Ala Ile Ser Leu
 325 330 335
 Val Phe Ser Leu Val Met Asp Arg Leu Val Gln Arg Phe Gly Thr Arg
 340 345 350
 Ala Val Tyr Leu Ala Ser Val Ala Ala Phe Pro Val Ala Ala Gly Ala
 355 360 365
 Thr Cys Leu Ser His Ser Val Ala Val Val Thr Ala Ser Ala Ala Leu
 370 375 380
 Thr Gly Phe Thr Phe Ser Ala Leu Gln Ile Leu Pro Tyr Thr Leu Ala
 385 390 395 400
 Ser Leu Tyr His Arg Glu Lys Gln Val Phe Leu Pro Lys Tyr Arg Gly
 405 410 415
 Asp Thr Gly Gly Ala Ser Ser Glu Asp Ser Leu Met Thr Ser Phe Leu
 420 425 430
 Pro Gly Pro Lys Pro Gly Ala Pro Phe Pro Asn Gly His Val Gly Ala
 435 440 445
 Gly Gly Ser Gly Leu Leu Pro Pro Pro Ala Leu Cys Gly Ala Ser
 450 455 460
 Ala Cys Asp Val Ser Val Arg Val Val Val Gly Glu Pro Thr Glu Ala
 465 470 475 480
 Arg Val Val Pro Gly Arg Gly Ile Cys Leu Asp Leu Ala Ile Leu Asp
 485 490 495
 Ser Ala Phe Leu Leu Ser Gln Val Ala Pro Ser Leu Phe Met Gly Ser
 500 505 510
 Ile Val Gln Leu Ser Gln Ser Val Thr Ala Tyr Met Val Ser Ala Ala
 515 520 525
 Gly Leu Gly Leu Val Ala Ile Tyr Phe Ala Thr Gln Val Val Phe Asp
 530 535 540
 Lys Ser Asp Leu Ala Lys Tyr Ser Ala
 545 550

<210> 114
 <211> 241
 <212> PRT
 <213> Homo sapien

<400> 114
 Met Gln Cys Phe Ser Phe Ile Lys Thr Met Met Ile Leu Phe Asn Leu
 1 5 10 15
 Leu Ile Phe Leu Cys Gly Ala Ala Leu Leu Ala Val Gly Ile Trp Val
 20 25 30
 Ser Ile Asp Gly Ala Ser Phe Leu Lys Ile Phe Gly Pro Leu Ser Ser
 35 40 45
 Ser Ala Met Gln Phe Val Asn Val Gly Tyr Phe Leu Ile Ala Ala Gly
 50 55 60
 Val Val Val Phe Ala Leu Gly Phe Leu Gly Cys Tyr Gly Ala Lys Thr
 65 70 75 80
 Glu Ser Lys Cys Ala Leu Val Thr Phe Phe Phe Ile Leu Leu Leu Ile
 85 90 95
 Phe Ile Ala Glu Val Ala Ala Ala Val Val Ala Leu Val Tyr Thr Thr
 100 105 110
 Met Ala Glu His Phe Leu Thr Leu Leu Val Val Pro Ala Ile Lys Lys
 115 120 125
 Asp Tyr Gly Ser Gln Glu Asp Phe Thr Gln Val Trp Asn Thr Thr Met

130	135	140
Lys Gly Leu Lys Cys Cys Gly Phe Thr Asn Tyr Thr Asp Phe Glu Asp		
145	150	155
Ser Pro Tyr Phe Lys Glu Asn Ser Ala Phe Pro Pro Phe Cys Cys Asn		160
	165	170
Asp Asn Val Thr Asn Thr Ala Asn Glu Thr Cys Thr Lys Gln Lys Ala		175
	180	185
His Asp Gln Lys Val Glu Gly Cys Phe Asn Gln Leu Leu Tyr Asp Ile		190
	195	200
Arg Thr Asn Ala Val Thr Val Gly Gly Val Ala Ala Gly Ile Gly Gly		205
	210	215
Leu Glu Leu Ala Ala Met Ile Val Ser Met Tyr Leu Tyr Cys Asn Leu		220
225	230	235
Gln		240

<210> 115
 <211> 366
 <212> DNA
 <213> Homo sapien

<400> 115
 gctctttctc tccctctctc tgaatttaaat tctttcaact tgcaatttgc aaggattaca 60
 catttcactg tgatgtatat tgtgttgcaa aaaaaaaaaa gtgtctttgt ttaaaattac 120
 ttggtttgtg aatccatctt gctttttccc cattggaact agtcattaac ccatctctga 180
 actggtagaa aaacatctga agagctagtc tatcagcatc tgacagggtga attggatggt 240
 tctcagaacc atttcaccca gacagcctgt ttctatcctg tttataaat tagtttgggt 300
 tctctacatg cataacaaac cctgctccaa tctgtcacat aaaagtctgt gacttgaagt 360
 ttagtc 366

<210> 116
 <211> 282
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(282)
 <223> n = A,T,C or G

<400> 116
 acaaagatga accatttcct atattatagc aaaattaaaa tctacccgta ttctaattatt 60
 gagaaatgag atnaaacaca atnttataaa gtctacttag agaagatcaa gtgacctcaa 120
 agactttact attttcatat tttaagacac atgatttata ctatttttagt aacctgggtc 180
 atacgttaaa caaaggataa tgtgaacagc agagaggatt tgttggcaga aaatctatgt 240
 tcaatctnga actatctana tcacagacat ttctattcct tt 282

<210> 117
 <211> 305
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(305)
 <223> n = A,T,C or G

<400> 117

```

acacatgtcg cttcactgcc ttcttagatg cttctggtca acatanagga acagggacca      60
tattttacct ccctcctgaa acaattgcaa aataanacaa aatatatgaa acaattgcaa      120
aataaggcaa aatatatgaa acaacaggtc tcgagatatt ggaaatcagt caatgaagga      180
tactgatccc tgatcactgt cctaattgcag gatgtgggaa acagatgagg tcacctctgt      240
gactgcccca gcttactgcc tgtagagagt ttctangctg cagttcagac agggagaaat      300
tgggt                                           305

```

```

<210> 118
<211> 71
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(71)
<223> n = A,T,C or G

```

```

<400> 118
accaaggtgt ntgaatctct gacgtgggga tctctgattc ccgcacaatc tgagtggaaa      60
aantcctggg t                                           71

```

```

<210> 119
<211> 212
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(212)
<223> n = A,T,C or G

```

```

<400> 119
actccggttg gtgtcagcag cacgtggcat tgaacatngc aatgtggagc ccaaaccaca      60
gaaaatgggg tgaaattggc caactttcta tnaacttatg ttggcaantt tgccaccaac      120
agtaagctgg cccttctaataaaaagaaat tgaaaggttt ctcactaanc ggaattaant      180
aatggantca aganactccc aggcctcagc gt                                           212

```

```

<210> 120
<211> 90
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(90)
<223> n = A,T,C or G

```

```

<400> 120
actcgttgca natcaggggc ccccagagt caccgttgca ggagtccttc tggctttgcc      60
ctccgccggc gcagaacatg ctggggtggt                                           90

```

```

<210> 121
<211> 218
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature

```

<222> (1)...(218)

<223> n = A,T,C or G

<400> 121

tgtancgtga	anacgacaga	naggggtgtc	aaaaatggag	aanccttgaa	gtcattttga	60
gaataagatt	tgctaaaaga	tttggggcta	aaacatgggt	attgggagac	atttctgaag	120
atatncangt	aaattangga	atgaattcat	ggttcttttg	ggaattcctt	tacgatngcc	180
agcatanact	tcatgtgggg	atancagcta	cccttgta			218

<210> 122

<211> 171

<212> DNA

<213> Homo sapien

<400> 122

taggggtgta	tgcaactgta	aggacaaaaa	ttgagactca	actggcttaa	ccaataaagg	60
catttggttag	ctcatggaac	aggaagtcgg	atgggtggggc	atcttcagt	ctgcatgagt	120
caccaccccg	gcggggtcat	ctgtgccaca	ggccctgtt	gacagtgcgg	t	171

<210> 123

<211> 76

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(76)

<223> n = A,T,C or G

<400> 123

tgtagcgtga	agacnacaga	atggtgtgtg	ctgtgctatc	caggaacaca	tttattatca	60
ttatcaanta	ttgtgt					76

<210> 124

<211> 131

<212> DNA

<213> Homo sapien

<400> 124

acctttcccc	aaggccaatg	tcctgtgtgc	taactggccg	gctgcaggac	agctgcaatt	60
caatgtgctg	ggtcatatgg	aggggaggag	actctaaaaat	agccaatttt	attctcttgg	120
ttaagatttg	t					131

<210> 125

<211> 432

<212> DNA

<213> Homo sapien

<400> 125

actttatcta	ctggctatga	aatagatgg	ggaaaattgc	gttaccaact	ataccactgg	60
cttgaaaaag	aggatgtagc	tcttcagagg	acttgtgact	tttgctcaga	tgctgaagaa	120
ctacagtctg	catttggcag	aaatgaagat	gaatttggat	taaatgagga	tgctgaagat	180
ttgcctcacc	aaacaaaagt	gaaacaactg	agagaaaatt	ttcaggaaaa	aagacagtgg	240
ctcttgaagt	atcagtcact	tttgagaatg	tttcttagtt	actgcatact	tcattggatcc	300
catggtgggg	gtcttgcata	tgtaagaatg	gaattgattt	tgcttttgca	agaatctcag	360
caggaaacat	cagaaccact	attttctagc	cctctgtcag	agcaaacctc	agtgcctctc	420
ctctttgctt	gt					432

<210> 126
 <211> 112
 <212> DNA
 <213> Homo sapien

<400> 126
 acacaacttg aatagtaaaa tagaaactga gctgaaattt ctaattcact ttctaaccat 60
 agtaagaatg atatttcccc ccagggatca ccaaatattt ataaaaattt gt 112

<210> 127
 <211> 54
 <212> DNA
 <213> Homo sapien

<400> 127
 accacgaaac cacaacaag atggaagcat caatccactt gccaaagcaca gcag 54

<210> 128
 <211> 323
 <212> DNA
 <213> Homo sapien

<400> 128
 acctcattag taattgtttt gttgtttcat ttttttctaa tgtctccctt ctaccagctc 60
 acctgagata acagaatgaa aatggaagga cagccagatt tctcctttgc tctctgtctc 120
 ttctctctga agtctagggt acccattttg gggacccatt ataggcaata aacacagtgc 180
 ccaaagcatt tggacagttt cttgtttgtg tttagaatgg ttttcctttt tcttagcctt 240
 ttctgcaaaa aggtcactc agtcccttgc ttgtcagtg gactgggctc cccagggcct 300
 aggtgcctt cttttccatg tcc 323

<210> 129
 <211> 192
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(192)
 <223> n = A,T,C or G

<400> 129
 acatacatgt gtgtatattt ttaaataatca cttttgtatc actctgactt tttagcatac 60
 tgaaaacaca ctaacataat ttntgtgaac catgatcaga tacaacccaa atcattcatc 120
 tagcacattc atctgtgata naaagatagg tgagtttcat ttctttcacg ttggccaatg 180
 gataaacaaa gt 192

<210> 130
 <211> 362
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(362)
 <223> n = A,T,C or G

<400> 130
 ccctttttta tgggaatgagt agactgtatg tttgaanatt tanccacaac ctctttgaca 60

tataatgacg	caacaaaaag	gtgctgttta	gtcctatggt	tcagtttatg	cccctgacaa	120
gtttccattg	tgttttgccc	atcttctggc	taatcgtggg	atcctccatg	ttattagtaa	180
ttctgtattc	cattttgtta	acgcctggta	gatgtaacct	gctangaggc	taactttata	240
cttattttaa	agctcttatt	ttgtgggtcat	taaaatggca	atztatgtgc	agcactttat	300
tgacgcagga	agcacgtgtg	ggttgggttg	aaagctcttt	gctaattctta	aaaagtaatg	360
gg						362

<210> 131
 <211> 332
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(332)
 <223> n = A,T,C or G

<400> 131						
ctttttgaaa	gatcgtgtcc	actcctgtgg	acatcttggt	ttaatggagt	ttcccatgca	60
gtangactgg	tatgggttga	gctgtccaga	taaaaacatt	tgaagagctc	caaaatgaga	120
gttctcccag	gttcgccttg	ctgctccaag	tctcagcagc	agcctctttt	aggaggcatc	180
ttctgaacta	gattaaggca	gcttgtaa	ctgatgtgat	ttgggtttatt	atccaactaa	240
cttccatctg	ttatcactgg	agaaagccca	gactccccan	gacnggtacg	gatttgtggc	300
atanaaggat	tgggtgaagc	tggcgttggt	gt			332

<210> 132
 <211> 322
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(322)
 <223> n = A,T,C or G

<400> 132						
acttttgcca	ttttgtatat	ataaacaatc	ttgggacatt	ctcctgaaaa	ctagggtgtcc	60
agtggctaag	agaactcgat	ttcaagcaat	tctgaaagga	aaaccagcat	gacacagaat	120
ctcaaatcc	caaacagggg	ctctgtggga	aaaatgaggg	aggacctttg	tatctcgggt	180
tttagcaagt	taaaatgaan	atgacaggaa	aggcttattt	atcaacaaag	agaagagttg	240
ggatgcttct	aaaaaaaaact	ttggtagaga	aaataggaat	gctnaatcct	aggggaagcct	300
gtaacaatct	acaattggtc	ca				322

<210> 133
 <211> 278
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(278)
 <223> n = A,T,C or G

<400> 133						
acaagccttc	acaagtttaa	ctaaattggg	attaatcttt	ctgtanttat	ctgcataatt	60
cttggttttc	tttccatctg	gctcctgggt	tgacaatttg	tggaaacaac	tctattgcta	120
ctatttataa	aaaatcacaa	atctttccct	ttaagctatg	ttnaattcaa	actattcctg	180
ctattcctgt	tttgtcaaag	aaatttatatt	tttcaaaata	tgtntatttg	tttgatgggt	240

cccacgaaac actaataaaa accacagaga ccagcctg

278

<210> 134

<211> 121

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(121)

<223> n = A,T,C or G

<400> 134

gtttanaaaa cttgttttagc tccatagagg aaagaatgtt aaacttttga ttttaaaaca
 tgattctctg aggttaaact tggttttcaa atgttatttt tacttgatt ttgcttttgg
 t

60

120

121

<210> 135

<211> 350

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(350)

<223> n = A,T,C or G

<400> 135

acttanaacc atgcctagca catcagaatc cctcaaagaa catcagtata atcctatacc
 atancaagtgt gtgactgggtt aagcgtgcga caaagggtcag ctggcacatt acttggtgtgc
 aaacttgata cttttgttct aagtaggaac tagtatacag tncctaggan tggtagtcca
 ggggtgcccc caactctctgc agccgctcct ctgtgccagn ccctgnaagg aactttcgtc
 ccacctcaat caagccctgg gccatgctac ctgcaattgg ctgaacaaac gtttgctgag
 ttcccaagga tgcaaagcct ggtgctcaac tcctggggcg tcaactcagt

60

120

180

240

300

350

<210> 136

<211> 399

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(399)

<223> n = A,T,C or G

<400> 136

tgtaccgtga agacgacaga agttgcatgg cagggacagg gcagggccga ggccagggtt
 gctgtgattg tatccgaata ntccctctga gaaaagataa tgagatgacg tgagcagcct
 gcagacttgt gtctgccttc aanaagccag acaggaaggc cctgcctgcc ttggctctga
 cctggcgccc agccagccag ccacaggtgg gcttcttcct tttgtggtga caacnccaag
 aaaactgcag agggccaggg tcaggtgtna gtgggtangt gaccataaaa caccaggtgc
 tcccaggaac ccgggcaaag gccatcccca cctacagcca gcatgcccac tggcgtgatg
 ggtgcagang gatgaagcag ccagntgttc tgctgtggt

60

120

180

240

300

360

399

<210> 137

<211> 165

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(165)
 <223> n = A,T,C or G

<400> 137
 actggtgtgg tnggggggtga tgctggtggt anaagttgan gtgacttcan gatggtgtgt 60
 ggaggaagtg tgtgaacgta gggatgtaga ngttttggcc gtgctaaatg agcttcggga 120
 ttggctggtc ccactggtgg tcaactgtcat tgggtggggtt cctgt 165

<210> 138
 <211> 338
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(338)
 <223> n = A,T,C or G

<400> 138
 actcactgga atgccacatt cacaacagaa tcagaggtct gtgaaaacat taatgggtcc 60
 ttaacttctc cagtaagaat cagggacttg aaatggaaac gttaacagcc acatgcccaa 120
 tgctgggcag tctcccatgc cttccacagt gaaagggctt gagaaaaatc acatccaatg 180
 tcatgtgttt ccagccacac caaaaggtgc ttgggggtgga gggctggggg catananggt 240
 cangectcag gaagcctcaa gttecattea gctttgccac tgtacattcc ccatntttaa 300
 aaaaactgat gccttttttt tttttttttg taaaattc 338

<210> 139
 <211> 382
 <212> DNA
 <213> Homo sapien

<400> 139
 gggaatcttg gtttttggca tctggtttgc ctatagccga ggccactttg acagaacaaa 60
 gaaagggact tcgagtaaga aggtgattta cagccagcct agtgcccga gtgaaggaga 120
 attcaaacag acctcgtcat tctggtgtg agcctggtcg gctcaccgcc tatcatctgc 180
 atttgctta ctcagtgct accggactct ggccctgat gtctgtagtt tcacaggatg 240
 cettatttgt cttctacacc ccacagggcc ccctacttct tcggatgtgt ttttaataat 300
 gtcagctatg tgccccatcc tecttcatgc cctccctccc tttctacca ctgctgagtg 360
 gcctggaact tgtttaaagt gt 382

<210> 140
 <211> 200
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(200)
 <223> n = A,T,C or G

<400> 140
 accaaaactt ctttctgttg tgttngattt tactataggg gtttngcttn ttctaaanat 60
 acttttcatt taacancttt tgtaagtgt caggtgcac tttgctccat anaattattg 120
 ttttcacatt tcaacttgta tgtgtttgtc tcttanagca ttggtgaaat cacatatttt 180
 atattcagca taaaggagaa 200

<210> 141
 <211> 335
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(335)
 <223> n = A,T,C or G

<400> 141
 actttatttt caaaacactc atatgttgca aaaaacacat agaaaaataa agtttggtgg 60
 ggggtgctgac taaacttcaa gtcacagact tttatgtgac agattggagc agggtttggt 120
 atgcatgtag agaaccctaa ctaatttatt aaacaggata gaaacaggct gtctgggtga 180
 aatgggtctg agaaccatcc aattcacctg tcagatgctg atanactagc tcttcagatg 240
 tttttctacc agttcagaga tnggttaatg actantcca atggggaaaa agcaagatgg 300
 attcacaac caagtaattt taaacaaga cactt 335

<210> 142
 <211> 459
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(459)
 <223> n = A,T,C or G

<400> 142
 accagggttaa tattgccaca tatatccttt ccaattgctg gctaaacaga cgtgtattta 60
 ggggtgttta aagacaaccc agcttaatat caagagaaat tgtgacctt catggagtat 120
 ctgatggaga aaacactgag ttttgacaaa tcttatttta ttcagatagc agtctgatca 180
 cacatgggtc aacaacactc aaataataaa tcaaatatna tcagatgtta aagattgggc 240
 ttcaaacatc atagccaatg atgcccgcgt tgcctataat ctctccgaca taaaaccaca 300
 tcaacacctc agtggccacc aaaccattca gcacagcttc cttaactgtg agctgtttga 360
 agctaccagt ctgagcacta ttgactatnt ttttcangct ctgaatagct ctagggatct 420
 cagcangggg gggaggaacc agtcaacct tggcgtant 459

<210> 143
 <211> 140
 <212> DNA
 <213> Homo sapien

<400> 143
 acatttcctt ccaccaagtc aggactcctg gcttctgtgg gagttcttat cacctgaggg 60
 aaatccaaac agtctctcct agaaaggaat agtgtcacca accccaccca tctccctgag 120
 accatccgac ttcctgtgt 140

<210> 144
 <211> 164
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(164)
 <223> n = A,T,C or G

<400> 144
 acttcagtaa caacatacaa taacaacatt aagtgtatat tgccatcttt gtcattttct 60
 atctatacca ctctcccttc tgaaaacaan aatcactanc caatcactta tacaaatttg 120
 aggcaattaa tccatatttg ttttcaataa ggaaaaaaag atgt 164

<210> 145
 <211> 303
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(303)
 <223> n = A,T,C or G

<400> 145
 acgtagacca tccaactttg tatttgtaat ggcaaacatc cagnagcaat tcctaaacaa 60
 actggagggt atttataccc aattatccca ttcattaaca tgccctcctc ctcaggctat 120
 gcaggacagc tatcataagt cggcccaggc atccagatac taccatttgt ataaacttca 180
 gtaggggagt ccatccaagt gacaggctca atcaaaggag gaaatggaac ataagcccag 240
 tagtaaaatn ttgcttagct gaaacagcca caaaagactt accgccgtgg tgattaccat 300
 caa 303

<210> 146
 <211> 327
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(327)
 <223> n = A,T,C or G

<400> 146
 actgcagctc aattagaagt ggtctctgac tttcatcanc ttctccctgg gctccatgac 60
 actggcctgg agtgactcat tgctctgggt gggtgagaga gctcctttgc caacaggcct 120
 ccaagtcagg gctgggattt gtttccttcc cacattctag caacaatatg ctggccactt 180
 cctgaacagg gaggggtgga ggagccagca tggaacaagc tgccactttc taaagtagcc 240
 agacttgccc ctgggcctgt cacacctact gatgaccttc tgtgcctgca ggatggaatg 300
 taggggtgag ctgtgtgact ctatggt 327

<210> 147
 <211> 173
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(173)
 <223> n = A,T,C or G

<400> 147
 acattgtttt tttgagataa agcattgana gagctctcct taacgtgaca caatggaagg 60
 actggaacac ataccacat ctttgttctg agggataatt ttctgataaa gtcttgctgt 120
 atattcaagc acatatgtta tatattattc agttccatgt ttatagccta gtt 173

<210> 148

<211> 477
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (477)
 <223> n = A,T,C or G

<400> 148
 acaaccactt tatctcatcg aatttttaac ccaaactcac tcaactgtgcc tttctatcct 60
 atgggatata ttatttgatg ctccatttca tcacacatat atgaataata cactcatact 120
 gccctactac ctgctgcaat aatcacattc ccttcctgtc ctgaccctga agccattggg 180
 gtggctcctag tggccatcag tccangcctg caccttgagc ccttgagctc cattgtcac 240
 nccanccac ctcaccgacc ccaccctctt acacagctac ctccctgtc tctaacccca 300
 tagattatnt ccaaattcag tcaattaagt tactattaac actctacccg acatgtccag 360
 caccactggg aagccttctc cagccaacac acacacacac acacacatat 420
 ccaggcacag gctacctcat ctccacaatc acccctttaa ttaccatgct atggtgg 477

<210> 149
 <211> 207
 <212> DNA
 <213> Homo sapien

<400> 149
 acagttgtat tataatatca agaaataaac ttgcaatgag agcattttaag agggaagaac 60
 taacgtatnt tagagagcca aggaagggtt ctgtggggag tgggatgtaa ggtggggcct 120
 gatgataaat aagagtcagc caggtaagtg ggtggtgtgg tatgggcaca gtgaagaaca 180
 ttccaggcag agggaacagc agtgaac 207

<210> 150
 <211> 111
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (111)
 <223> n = A,T,C or G

<400> 150
 accttgatnt cattgtgct ctgatggaaa cccaactatc taatttagct aaaacatggg 60
 cacttaaatg tggtcagtgt ttggacttgt taactantgg catctttggg t 111

<210> 151
 <211> 196
 <212> DNA
 <213> Homo sapien

<400> 151
 agcgcgccag gtcattatga acattccaga tacctatcat tactcgatgc tgttgataac 60
 agcaagatgg ctttgaactc agggtcacca ccagctattg gaccttacta tgaaaaccat 120
 ggataccaac cggaaaaccc ctatcccgca cagcccactg tggccccac tgtctacgag 180
 gtgcatccgg etcagt 196

<210> 152
 <211> 132
 <212> DNA

<213> Homo sapien

<400> 152

acagcacttt cacatgtaag aaggagagaaa ttcctaaatg taggagaaag ataacagAAC	60
cttccctttt tcatctagtgtgtggtgaaacct gatgctttat gttgacagga atagaaccag	120
gaggagagttt gt	132

<210> 153

<211> 285

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)... (285)

<223> n = A,T,C or G

<400> 153

acaanacca nganaggcca ctggccgtgg tgtcatggcc tccaaacatg aaagtgtcag	60
cttctgtctct tatgtcctca tctgacaact ctttaccatt tttatcctcg ctcagcagga	120
gcacatcaat aaagtccaaa gtcttggact tggccttggc ttggaggaag tcatcaaacac	180
cctggctagt gagggtgcgg cgcgctcct ggatgacggc atctgtgaag tctgtcacca	240
gtctgcaggc cctgtggaag cgcgctccac acggagtnag gaatt	285

<210> 154

<211> 333

<212> DNA

<213> Homo sapien

<400> 154

accacagtcc tgttgggcca gggtttcatg accctttctg tgaaaagcca tattatcacc	60
accccaaatt tttccttaaa tatctttaac tgaaggggtc agcctcttga ctgcaaagac	120
cctaagccgg ttacacagct aactccact ggccctgatt tgtgaaattg ctgctgcctg	180
attggcacag gagtccaagg ttttcagctc cctcctccg ttggaacgaga ctctgatttg	240
agtttcacaa attctcgggc cacctcgtca ttgctcctct gaaataaaat ccggagaatg	300
gtcaggcctg tctcatccat atggatcttc cgg	333

<210> 155

<211> 308

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)... (308)

<223> n = A,T,C or G

<400> 155

actggaaata ataaaacca catcacagtgt ttgtgtcaaa gatcatcagg gcatggatgg	60
gaaagtgtct tgggaactgt aaagtgccta acacatgatc gatgattttt gttataatat	120
ttgaatcacg gtgcatacaa actctcctgc ctgctcctcc tgggccccag cccagcccc	180
atcacagctc actgctctgt tcatccaggc ccagcatgta gtggctgatt cttcttggct	240
gcttttagcc tccanaagtt tctctgaagc caaccaaac tctangtgta aggcattgctg	300
gccctggt	308

<210> 156

<211> 295

<212> DNA

<213> Homo sapien

<400> 156

accttgctcg	gtgcttgga	catattagga	actcaaaata	tgagatgata	acagtgccta	60
ttattgatta	ctgagagaac	tgtagacat	ttagttgaag	atcttctaca	caggaactga	120
gaataggaga	ttatgtttgg	ccctcatatt	ctctcctatc	ctccttgcc	cattctatgt	180
ctaatatatt	ctcaatcaaa	taaggttagc	ataatcagga	aatcgaccaa	ataccaatat	240
aaaaccagat	gtctatcctt	aagattttca	aatagaaaac	aaattaacag	actat	295

<210> 157

<211> 126

<212> DNA

<213> Homo sapien

<400> 157

acaagtttaa	atagtgctgt	cactgtgcat	gtgctgaaat	gtgaaatcca	ccacatttct	60
gaagagcaaa	acaaattctg	tcatgtaatc	tctatcttgg	gtcgtgggta	tatctgtccc	120
cttagt						126

<210> 158

<211> 442

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(442)

<223> n = A,T,C or G

<400> 158

accactgggt	cttggaaca	cccatcctta	atacgatgat	ttttctgtcg	tgtgaaaatg	60
aanccagcag	gctgccccta	gtcagtcctt	ccttccagag	aaaaagagat	ttgagaaagt	120
gcctgggtaa	ttcaccatta	atttctctcc	ccaaactctc	tgagtcttcc	cttaatat	180
ctggtggttc	tgaccaaaagc	aggtcatggt	ttgttgagca	tttgggatcc	cagtgaagta	240
natgtttgta	gccttgcata	cttagccctt	cccacgcaca	aacggagtgg	cagagtgggtg	300
ccaaccctgt	tttcccagtc	cacgtagaca	gattcacagt	gcggaattct	ggaagctgga	360
nacagacggg	ctctttgcag	agccgggact	ctgagangga	catgagggcc	tctgcctctg	420
tgttcattct	ctgatgtcct	gt				442

<210> 159

<211> 498

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(498)

<223> n = A,T,C or G

<400> 159

acttcagggt	aacgtgtgtg	tttccgttga	gcctgaactg	atgggtgacg	ttgtaggttc	60
tccaacaaga	actgaggttg	cagagcgggt	agggagaggt	gctgttccag	ttgcacctgg	120
gctgctgtgg	actgttgttg	attcctcact	acggcccaag	gttgtggaac	tggcanaaag	180
gtgtgtgtgt	gganttgagc	tcgggcggct	gtggtagggt	gtgggctctt	caacaggggc	240
tgctgtgggtg	ccgggangtg	aangtgttgt	gtcacttgag	cttggccagc	tctggaaagt	300
antanattct	tcctgaaggc	cagcgttgt	ggagctggca	ngggtcantg	ttgtgtgtaa	360
cgaaccagtg	ctgctgtggg	tgggtgtana	tcctccacaa	agcctgaagt	tatgggtgten	420
tcaggtana	atgtggtttc	agtgccctg	ggcngctgtg	gaaggttgta	nattgtcacc	480

aagggaataa gctgtggt

498

<210> 160
 <211> 380
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(380)
 <223> n = A,T,C or G

<400> 160
 acctgcatcc agcttccttg ccaaactcac aaggagacat caacctctag acagggaaac 60
 agcttcagga tacttccagg agacagagcc accagcagca aaacaaatat tcccatgcct 120
 ggagcatggc atagaggaag ctganaaatg tggggtctga ggaagccatt tgagtctggc 180
 cactagacat ctcatcagcc acttgtgtga agagatgccc catgaccoca gatgcctctc 240
 ccacccttac ctccatctca cacacttgag ctttccactc tgtataattc taacatcctg 300
 gagaaaaatg gcagtttgac cgaacctgtt cacaacggta gaggtctgatt tctaacgaaa 360
 cttgtagaat gaagcctgga 380

<210> 161
 <211> 114
 <212> DNA
 <213> Homo sapien

<400> 161
 actccacatc cctctgagc aggcggttgt cgttcaaggt gtatttggcc ttgcctgtca 60
 cactgtccac tggcccctta tccacttggt gcttaatccc tcgaaagagc atgt 114

<210> 162
 <211> 177
 <212> DNA
 <213> Homo sapien

<400> 162
 actttctgaa tcgaatcaaa tgatacttag tgtagtthta atatcctcat atatatcaaa 60
 gttttactac tctgataatt ttgtaaacca ggtaaccaga acatccagtc atacagcttt 120
 tgggtgatata taacttggca ataaccagc ctggtgatac ataaaactac tcaactgt 177

<210> 163
 <211> 137
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(137)
 <223> n = A,T,C or G

<400> 163
 catttatata gacaggcgtg aagacattca cgacaaaaac gcgaaattct atcccgtgac 60
 canagaaggc agctacggct actcctacat cctggcgtgg gtggccttcg cctgcacctt 120
 catcagcggc atgatgt 137

<210> 164
 <211> 469
 <212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(469)

<223> n = A,T,C or G

<400> 164

cttatcacia	tgaatgttct	cctgggcagc	gttgtgatct	ttgccacctt	cgtgacttta	60
tgcaatgcat	catgctat	cataccta	gagggagttc	caggagattc	aaccaggaaa	120
tgcatggatc	tcaaaggaaa	caaacaccca	ataaactcgg	agtggcagac	tgacaactgt	180
gagacatgca	cttgctacga	aacagaaatt	tcatgttgca	cccttgtttc	tacacctgtg	240
ggttatgaca	aagacaactg	ccaaagaatc	ttcaagaagg	aggactgcaa	gtatatcgtg	300
gtggagaaga	aggacccaaa	aaagacctgt	tctgtcagtg	aatggataat	ctaattgtgt	360
tctagtaggc	acagggtccc	caggccaggc	ctcattctcc	tctggcctct	aatagtcaat	420
gattgtgtag	ccatgcctat	cagtaaaaag	atntttgagc	aaacacttt		469

<210> 165

<211> 195

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(195)

<223> n = A,T,C or G

<400> 165

acagtttttt	atanatatcg	acattgccgg	cacttggtgt	cagtttcata	aagctgggtg	60
atccgctgtc	atccactatt	ccttggttag	agtaaaaatt	attcttatag	cccatgtccc	120
tgcaggccgc	ccgccgtag	ttctcgttcc	agtcgtcttg	gcacacaggg	tgccaggact	180
tcctctgaga	tgagt					195

<210> 166

<211> 383

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(383)

<223> n = A,T,C or G

<400> 166

acatcttagt	agtgtggcac	atcagggggc	catcagggtc	acagtcactc	atagcctcgc	60
cgaggctcga	gtccacacca	ccggtgtagg	tgtgtcfaat	cttgggcttg	gcgcccacct	120
ttggagaagg	gatatgctgc	acacacatgt	ccacaaagcc	tgtgaactcg	ccaaagaatt	180
tttgacagcc	agcctgagca	aggggcggat	gttcagcttc	agctcctcct	tcgtcagggtg	240
gatgccaaac	tcgtctangg	tcctgtggaa	gctggtgtcc	acntcaccta	caacctgggc	300
gangatctta	ttaaaggagct	ccnagataaa	ctccacgaaa	cttctctggg	agctgctagt	360
nggggccttt	ttggtgaact	ttc				383

<210> 167

<211> 247

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(247)

<223> n = A,T,C or G

<400> 167

acagagccag accttggcca taaatgaanc agagattaag actaaacccc aagtcganat	60
tgagagcagaa actggagcaa gaagtggggc tggggctgaa gtagagacca aggccactgc	120
tatanccata cacagagcca actctcaggc caaggcnatg gttggggcag anccagagac	180
tcaatctgan tccaaagtgg tggctggaac actggtcatg acanaggcag tgactctgac	240
tgangtc	247

<210> 168

<211> 273

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(273)

<223> n = A,T,C or G

<400> 168

acttctaagt tttctagaag tggaaggatt gtantcatcc tgaaaatggg tttacttcaa	60
aatccctcan ccttgttctt cactactgtc tatactgana gtgtcatgtt tccacaaagg	120
gctgacacct gagcctgnat tttcactcat ccctgagaag ccctttccag taggggtggc	180
aattcccaac ttccttgcca caagcttccc aggctttctc ccctggaaaa ctccagcttg	240
agtcccatgat acactcatgg gctgcctctg gca	273

<210> 169

<211> 431

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(431)

<223> n = A,T,C or G

<400> 169

acagccttgg ctccccaaa ctccacagtc tcagtgcaga aagatcatct tccagcagtc	60
agctcagacc aggggtcaaag gatgtgacat caacagtttc tggtttcaga acaggttcta	120
ctactgtcaa atgaccccc atacttcctc aaaggctgtg gtaagttttg cacaggtgag	180
ggcagcagaa aggggggtant tactgatgga caccatcttc tctgtatact ccacactgac	240
cttgccatgg gcaaaggccc ctaccacaaa aacaatagga tcaactgctgg gcaccagctc	300
acgcacatca ctgacaaccg ggatggaaaa agaantgcc aacttcatac atccaactgg	360
aaagtgatct gatactggat tcttaattac cttcaaaagc ttctgggggc catcagctgc	420
tcgaacactg a	431

<210> 170

<211> 266

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(266)

<223> n = A,T,C or G

<400> 170
 acctgtgggc tgggctgtta tgectgtgcc ggctgctgaa agggagtcca gaggtggagc 60
 tcaaggagct ctgcaggcat ttgccaanc ctctccanag canagggagc aacctacact 120
 ccccgctaga aagacaccag attggagtcc tgggaggggg agttgggggtg ggcatttgat 180
 gtatacttgt cacctgaatg aangagccag agaggaanga gacgaanatg anattggcct 240
 tcaaagctag gggctctggca ggtgga 266

<210> 171
 <211> 1248
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (1248)
 <223> n = A,T,C or G

<400> 171
 ggcagccaaa tcataaacgg cgaggactgc agcccgact cgcagccctg gcaggcggca 60
 ctggtcatgg aaaaacgaatt gttctgctcg ggctgcctgg tgcattccgca gtgggtgctg 120
 tcagccgcac actgtttcca gaagtgagtg cagagctcct acaccatcgg gctgggcctg 180
 cacagtcttg aggcgacca agagccaggg agccagatgg tggaggccag cctctccgta 240
 cggcacccag agtacaacag acccttgctc gctaacgacc tcatgctcat caagtggac 300
 gaatccgtgt ccgagtctga caccatccgg agcatcagca ttgcttcgca gtgccctacc 360
 gcggggaact cttgcctcgt ttctggctgg ggtctgctgg cgaacggcag aatgcctacc 420
 gtgctgcagt gcgtgaacgt gtcggtgggtg tctgaggagg tctgcagtaa gctctatgac 480
 ccgctgtacc accccagcat gttctgcgcc ggcgaggggc aagaccagaa ggactcctgc 540
 aacggtgact ctggggggcc cctgatctgc aacgggtact tgcagggcct tgtgtctttc 600
 ggaaaagccc cgtgtggcca agttggcgtg ccagggtgtct acaccaacct ctgcaaattc 660
 actgagtggg tagagaaaac cgtccaggcc agttaactct ggggactggg aacctatgaa 720
 attgaccccc aaatacatcc tgcggaagga attcaggaat atctgttccc agccccctct 780
 ccctcaggcc caggagtcca ggccccagc ccctcctccc tcaaaccaag ggtacagatc 840
 ccagccccct cctccctcag acccaggagt ccagaccccc cagccccctc tccctcagac 900
 ccaggagtcc agccccctct ccctcagacc caggagtcca gacccccccag cccctcctcc 960
 ctcagaccca ggggtccagg cccccaaccc ctctcctcct agactcagag gtccaagccc 1020
 ccaaccntc attccccaga ccagagggtc caggtccctc cccctcntcc ctcagaccca 1080
 gcggtccaat tgcacctaga ctntccctgt acacagtgcc cccttggtggc acgttgaccc 1140
 aaccttacca gttggttttt catttttngt ccctttcccc tagatccaga aataaagttt 1200
 aagagaagng caaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1248

<210> 172
 <211> 159
 <212> PRT
 <213> Homo sapien

<220>
 <221> VARIANT
 <222> (1)... (159)
 <223> Xaa = Any Amino Acid

<400> 172
 Met Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro
 1 5 10 15
 Leu Leu Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser
 20 25 30
 Glu Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr
 35 40 45
 Ala Gly Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly

50	55	60
Arg Met Pro Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu		
65	70	75
Glu Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe		80
	85	90
Cys Ala Gly Gly Gly Gln Xaa Gln Xaa Asp Ser Cys Asn Gly Asp Ser		95
	100	105
Gly Gly Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe		110
	115	120
Gly Lys Ala Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn		125
	130	135
Leu Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser		140
145	150	155

<210> 173

<211> 1265

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(1265)

<223> n = A,T,C or G

<400> 173

ggcagcccg	actgcagcc	ctggcaggcg	gcactgggtca	tggaaaacga	attgtttctgc	60
tcgggcgctcc	tggtgcatcc	gcagtgggtg	ctgtcagccg	cacactgttt	ccagaactcc	120
tacaccatcg	ggctgggcct	gcacagtctt	gaggccgacc	aagagccagg	gagccagatg	180
gtggaggcca	gcctctccgt	acggcaccca	gagtacaaca	gacccttgtc	cgctaacgac	240
ctcatgctca	tcaagtggga	cgaatccgtg	tccgagtctg	acaccatccg	gagcatcagc	300
attgcttcgc	agtgccttac	cgcggggaac	tcttgccctg	tttctggctg	gggtctgctg	360
gcgaacggtg	agctcaagg	tgtgtgtctg	ccctcttcaa	ggaggtcctc	tgcccagtcg	420
cgggggctga	cccagagctc	tgctcccag	gcagaatgcc	taccgtgctg	cagtgcgtga	480
acgtgtcgg	ggtgtctgag	gaggtctgca	gtaagctcta	tgaccgcgtg	taccacccca	540
gcatgttctg	cgccggcgga	gggcaagacc	agaaggactc	ctgcaacggt	gactctgggg	600
ggccctgat	ctgcaacggg	tacttgagc	gccttgtgtc	tttcggaaaa	gccccgtgtg	660
gccaagtgg	cgtgccaggt	gtctacacca	acctctgcaa	attcactgag	tggatagaga	720
aaaccgtcca	ggccagttaa	ctctggggac	tgggaaccca	tgaaattgac	ccccaaatac	780
atctgcgga	aggaattcag	gaatatctgt	tcccagcccc	tcctccctca	ggcccaggag	840
tccaggcccc	cagcccctcc	tccctcaaac	caagggtaca	gatccccagc	ccctcctccc	900
tcagaccag	gagtccagac	ccccagcccc	ctcctccctc	agaccagga	gtccagcccc	960
tcctccntca	gaccagagg	tccagacccc	ccagcccctc	ctccctcaga	cccagggggt	1020
gaggccccca	acccctcctc	cttcagagtc	agaggtccaa	gcccccaacc	cctcgttccc	1080
cagaccacaga	ggttnaggtc	ccagcccctc	ttcctcaga	cccagnngtc	caatgccacc	1140
tagattttcc	ctgnacacag	tgcccccttg	tggnangttg	acccaacctt	accagttggt	1200
ttttcatttt	tngtcccttt	cccctagatc	cagaaataaa	gtttaagaga	ngngcaaaaa	1260
aaaaa						1265

<210> 174

<211> 1459

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(1459)

<223> n = A,T,C or G

<400> 174

ggtcagccgc	acactgtttc	cagaagttag	tgcagagctc	ctacaccatc	gggctgggcc	60
tgacacagtct	tgaggccgac	caagagccag	ggagccagat	ggtaggagcc	agcctctccg	120
tacggcacc	agagtacaac	agacccttgc	tcgctaacga	cctcatgctc	atcaagttgg	180
acgaatccgt	gtccgagtct	gacaccatcc	ggagcatcag	cattgcttcg	cagtgcctta	240
ccgcggggaa	ctcttgccctc	gtttctggct	gggtctgct	ggcgaacggg	gagctcacgg	300
gtgtgtgtct	gccctcttca	aggaggtcct	ctgcccagtc	gcgggggctg	acccagagct	360
ctgcgtccca	ggcagaatgc	ctaccgtgct	gcagtgcgtg	aacgtgtcgg	tggtgtctga	420
ngaggtctgc	antaagctct	atgaccgct	gtaccacccc	ancatgttct	gcgccggcgg	480
agggcaagac	cagaaggact	cctgcaacgt	gagagagggg	aaaggggagg	gcaggcgact	540
caggggaaggg	tggagaaggg	ggagacagag	acacacaggg	ccgcatggcg	agatgcagag	600
atggagagac	acacagggag	acagtgacaa	ctagagagag	aaactgagag	aaacagagaa	660
ataaacacag	gaataaagag	aagcaaagga	agagagaaac	agaaacagac	atggggaggc	720
agaaacacac	acacatagaa	atgcagttga	ccttccaaca	gcatggggcc	tgagggcggt	780
gacctccacc	caatagaaaa	tcctcttata	acttttgact	ccccaaaaac	ctgactagaa	840
atagcttact	gttgacgggg	agccttacca	ataacataaa	tagtcgattt	atgcatacgt	900
tttatgcatt	catgatatac	ctttgttga	attttttgat	atttctaagc	tacacagttc	960
gtctgtgaat	ttttttaaat	tggtgcaact	ctctaaaaat	ttttctgatg	tgtttattga	1020
aaaaatccaa	gtataagtgg	acttgtgcat	tcaaaccagg	gttgttcaag	ggtcaactgt	1080
gtaccagag	ggaaacagtg	acacagattc	atagaggtga	aacacgaaga	gaaacaggaa	1140
aatcaagac	tctacaaaga	ggctgggcag	ggtaggtcat	gcctgtaatc	ccagcacttt	1200
gggaggcgag	gcaggcagat	cacttgaggt	aaggagttca	agaccagcct	ggccaaaatg	1260
gtgaaatcct	gtctgtacta	aaaatacaaa	agttagctgg	atatgggtggc	aggcgctgt	1320
aatccagct	acttgggagg	ctgaggcagg	agaattgctt	gaatatggga	ggcagaggtt	1380
gaagttagtt	gagatcacac	cactatactc	cagctggggc	aacagagtaa	gactctgtct	1440
caaaaaaaaa	aaaaaaaaa					1459

<210> 175

<211> 1167

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(1167)

<223> n = A,T,C or G

<400> 175

gcgcagccct	ggcaggcgcc	actggctcatg	gaaaacgaat	tggtctgctc	gggcgtcctg	60
gtgcatccgc	agtgggtgct	gtcagccgca	cactgtttcc	agaactccta	caccatcggg	120
ctgggcctgc	acagtcttga	ggccgaccaa	gagccaggga	gccagatggg	ggaggccagc	180
ctctccgtac	ggcaccaga	gtacaacaga	ctcttgctcg	ctaacgacct	catgctcatc	240
aagttggacg	aatccgtgtc	cgagtctgac	accatccgga	gcatcagcat	tgcttcgcag	300
tgccctaccg	cggggaactc	ttgcctcgtn	tctggctggg	gtctgctggc	gaacggcaga	360
atgcctaccg	tgctgcactg	cgtgaacgtg	tcggtggtgt	ctgaggangt	ctgcagtaag	420
ctctatgacc	cgctgtacca	ccccagcatg	ttctgcgcgg	gcggagggca	agaccagaag	480
gactcctgca	acggtgactc	tgggggggccc	ctgatctgca	acgggtactt	gcagggcctt	540
gtgtctttcg	gaaaagcccc	gtgtggccaa	cttggcgtgc	cagggtgtcta	caccaacctc	600
tgcaaatcca	ctgagtggat	agagaaaacc	gtccagncca	gttaactctg	gggactggga	660
acccatgaaa	ttgaccccca	aatacatcct	gcggaangaa	ttcaggaata	tctgttccca	720
gccctcctcc	ctcaggccc	aggagtccag	gccccagcc	cctcctccct	caaaccaagg	780
gtacagatcc	ccagccccctc	ctccctcaga	cccaggagtc	cagaccccc	agccccctnt	840
ccntcagacc	caggagtcca	gccccctctc	cntcagacgc	aggagtccag	acccccccagc	900
ccntcntccg	tcagacccag	gggtgcaggc	ccccaaaccc	tcntccntca	gagtcagagg	960
tccaagcccc	caacccctcg	ttcccagac	ccagaggtnc	aggtcccagc	ccctcctccc	1020
tcagacccag	cgggtccaatg	ccacctagan	tntccctgta	cacagtggcc	ccttggtggca	1080
ngttgaccca	accttaccag	ttggtttttc	attttttgtc	cctttccccc	agatccagaa	1140
ataaagtnta	agagaagcgc	aaaaaaa				1167

<210> 176
 <211> 205
 <212> PRT
 <213> Homo sapien

<220>
 <221> VARIANT
 <222> (1) ... (205)
 <223> Xaa = Any Amino Acid

<400> 176
 Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp
 1 5 10 15
 Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu
 20 25 30
 Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val
 35 40 45
 Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Leu Leu Leu
 50 55 60
 Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser
 65 70 75 80
 Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly
 85 90 95
 Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg Met
 100 105 110
 Pro Thr Val Leu His Cys Val Asn Val Ser Val Val Ser Glu Xaa Val
 115 120 125
 Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys Ala
 130 135 140
 Gly Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly Gly
 145 150 155 160
 Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly Lys
 165 170 175
 Ala Pro Cys Gly Gln Leu Gly Val Pro Gly Val Tyr Thr Asn Leu Cys
 180 185 190
 Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Xaa Ser
 195 200 205

<210> 177
 <211> 1119
 <212> DNA
 <213> Homo sapien

<400> 177
 ggcgactcgc agccctggca ggcggcactg gtcattggaaa acgaattggt ctgctcgggc 60
 gtccctggtgc atccgcagtg ggtgctgtca gccgcacact gttccagaa ctccctacacc 120
 atcgggctgg gcctgcacag tcttgaggcc gaccaagagc cagggagcca gatggtggag 180
 gccagcctct ccgtacggca cccagagtac aacagaccct tgctcgctaa cgacctcatg 240
 ctcatcaagt tggacgaatc cgtgtccgag tctgacacca tccggagcat cagcattgct 300
 togcagtgcc ctaccgcggg gaactcttgc ctgcttctg gctgggggtct gctggcgaaac 360
 gatgctgtga ttgccatcca gtcccagact gtgggaggct gggagtgatga gaagctttcc 420
 caaccctggc aggggtgtac catttcggca acttccagt caaggacgtc ctgctgcatc 480
 ctccactgggt gctcactact gctcactgca tcaccgcgaa cactgtgatc aactagccag 540
 caccatagtt ctccgaagtc agactatcat gattactgtg ttgactgtgc tgtctattgt 600
 actaaccatg ccgatgttta ggtgaaatta gcgtcacttg gcctcaacca tcttggtatc 660
 cagttatcct cactgaattg agatttcctg cttcagtgtc agccattccc acataatttc 720
 tgacctacag aggtgaggga tcatatagct cttcaaggat gctgggtactc ccctcacaaa 780

```

ttcattttctc ctgtttagt gaaaggtgcg ccctctggag cctcccaggg tgggtgtgca      840
ggtcacaatg atgaatgtat gatcgtgttc ccattaccca aagcctttta atccctcatg      900
ctcagtacac cagggcaggt ctagcatttc ttcatttagt gtatgctgtc cattcatgca      960
accacctcag gactcctgga ttctctgect agttgagctc ctgcatgctg cctccttggg     1020
gaggtgaggg agagggccca tggttcaatg ggatctgtgc agttgtaaca cattaggtgc     1080
ttaataaaca gaagctgtga tggtaaaaaa aaaaaaaaaa     1119

```

```

<210> 178
<211> 164
<212> PRT
<213> Homo sapien

<220>
<221> VARIANT
<222> (1)...(164)
<223> Xaa = Any Amino Acid

```

```

<400> 178
Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp
 1          5          10          15
Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu
 20          25          30
Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val
 35          40          45
Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu
 50          55          60
Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser
 65          70          75          80
Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly
 85          90          95
Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Asp Ala Val
100          105          110
Ile Ala Ile Gln Ser Xaa Thr Val Gly Gly Trp Glu Cys Glu Lys Leu
115          120          125
Ser Gln Pro Trp Gln Gly Cys Thr Ile Ser Ala Thr Ser Ser Ala Arg
130          135          140
Thr Ser Cys Cys Ile Leu Thr Gly Cys Ser Leu Leu Leu Thr Ala Ser
145          150          155          160
Pro Gly Thr Leu

```

```

<210> 179
<211> 250
<212> DNA
<213> Homo sapien

```

```

<400> 179
ctggagtgcc ttggtgtttc aagcccctgc aggaagcaga atgcaccttc tgaggcacct      60
ccagctgccc ccggccgggg gatgcgaggc tcggagcacc cttgcccggc tgtgattgct     120
gccaggcact gttcatctca gcttttctgt ccctttgtct ccggcaagcg cttctgctga     180
aagttcatat ctggagcctg atgtcttaac gaataaaggt cccatgctcc acccgaaaaa     240
aaaaaaaaaa                                     250

```

```

<210> 180
<211> 202
<212> DNA
<213> Homo sapien

```



```

<400> 180
actagtcag tgtgtggaa ttccattgtg ttgggcccac cacaatggct acctttaaca    60
tcacccagac cccgcccctg cccgtgcccc acgctgctgc taacgacagt atgatgctta    120
ctctgctact cggaaactat ttttatgtaa ttaatgtatg ctttcttgtt tataaatgcc    180
tgatttaaaa aaaaaaaaaa aa                                           202

```

<210> 181

<211> 558

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (558)

<223> n = A,T,C or G

```

<400> 181
tccytttght naggtttkkg agacamccck agacctwaan ctgtgtcaca gacttcyngg    60
aatgtttagg cagtgtagt aatttcytcg taatgattct gttattactt tcctnattct    120
ttattcctct ttcttctgaa gattaatgaa gttgaaaatt gaggtggata aatacaaaaa    180
ggtagtgtga tagtataagt atctaagtgc agatgaaagt gtgttatata tatccattca    240
aaattatgca agttagtaat tactcagggt taactaaatt actttaatat gctgttgaaac    300
ctactctgtt ccttggctag aaaaaattat aaacaggact ttgttagttt gggaaagccaa    360
attgataata ttctatgttc taaaagtgtg gctatacata aattattaag aaatatggaw    420
ttttattccc aggaatatgg kgttcatttt atgaatatta cscrggatag awgtwtgagt    480
aaaaycagtt ttggtwaata ygtwaatatg tcmtaaataa acaakgcttt gacttatttc    540
caaaaaaaaa aaaaaaaaaa                                           558

```

<210> 182

<211> 479

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (479)

<223> n = A,T,C or G

```

<400> 182
acagggwttk grggatgcta agsccccrga rwtggtttga tccaaccctg gcttwttttc    60
agaggggaaa atggggccta gaagttacag mscatytagy tgggtgcgntg gcacccttg    120
cstcacacag astcccagat agctgggact acaggcacac agtcactgaa gcagggcctg    180
ttwgcaattc acgttgccac ctccaactta aacattcttc atatgtgatg tccttagtca    240
ctaaggttaa actttccac ccagaaaagg caacttagat aaaatcttag agtactttca    300
tactmttcta agtctctctt cagcctcact kkgagtccctm cytggggggt gataggaant    360
ntctcttggc tttctcaata aartctctat ycatctcatg tttaatttgg tacgcatara    420
awtgstgara aaattaaaat gttctggtty macttttaaa aaaaaaaaaa aaaaaaaaaa    479

```

<210> 183

<211> 384

<212> DNA

<213> Homo sapien

```

<400> 183
aggcgggagc agaagctaaa gccaaagccc aagaagagtg gcagtgccag cactggtgcc    60
agtaccagta ccaataacag tgccagtgcc agtgccagca ccagtgggtg cttcagtgtc    120
gggtgccagc tgaccgccac tctcacattt gggctcttcg ctggccttgg tggagtgggt    180
gccagcacca gtggcagctc tgggtgcctgt ggtttctcct acaagtgaga ttttagatat    240

```

tgттаатсст gccagtcttt ctcttcaagc caggggtgcat cctcagaaac ctactcaaca	300
cagcactcta ggcagccact atcaatcaat tgaagttgac actctgcatt aratctattt	360
gccatttcaa aaaaaaaaaa aaaa	384

<210> 184
 <211> 496
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(496)
 <223> n = A,T,C or G

<400> 184		
accgaattgg gaccgctggc ttataagcga tcatgtyynt ccrgtatkcac ctcaacgagc	60	
agggagatcg agtctatacg ctgaagaaat ttgacccgat gggacaacag acctgctcag	120	
cccatcctgc tcggttctcc ccagatgaca aatactctsg acaccgaatc accatcaaga	180	
aacgcttcaa ggtgctcatg acccagcaac cgcgcctgt cctctgaggg tcccttaaac	240	
tgatgtcttt tctgccacct gttacccttc ggagactccg taaccaaact cttcggactg	300	
tgagccctga tgcctttttg ccagccatac tctttggcat ccagtctctc gtggcgattg	360	
attatgcttg tgtgaggcaa tcatggtggc atcacccata aagggaacac atttgacttt	420	
tttttctcat attttaaat actacmagaw tattwmagaw waaatgawtt gaaaaactst	480	
taaaaaaaaa aaaaaa	496	

<210> 185
 <211> 384
 <212> DNA
 <213> Homo sapien

<400> 185		
gctggtagcc tatggcgkgg cccacggagg ggctcctgag gccacggrac agtgacttcc	60	
caagtatcyt gcgcsgcgtc ttctaccgtc cctacctgca gatcttcggg cagattcccc	120	
aggaggacat ggacgtggcc ctcatggagc acagcaactg ytcgtcggag ccgggcttct	180	
gggcacaccc tcttggggcc caggcgggca cctgcgtctc ccagtatgcc aactggctgg	240	
tgggtgctgct cctcgtcatc ttctgctcgt tgccaacat cctgctggtc aacttgctca	300	
ttgccaatgtt cagttacaca ttcggaacaa tacagggcaa cagcgatctc tactgggaag	360	
gcgcagcgtt accgcctcat ccgg	384	

<210> 186
 <211> 577
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(577)
 <223> n = A,T,C or G

<400> 186		
gagttagctc ctccacaacc ttgatgaggt cgtctgcagt ggctctctgc ttcataccgc	60	
tnccatcgtc atactgtagg ttggccacca cytcctggca tcttggggcg gcntaatatt	120	
ccaggaaact ctcaatcaag tcaccgtcga tgaaacctgt gggctgggtc tgtcttccgc	180	
tcggtgtgaa aggatctccc agaaggagtg ctcgatcttc cccacacttt tgatgacttt	240	
attgagtcga ttctgcatgt ccagcaggag gttgtaccag ctctctgaca gtgaggtcac	300	
cagccctatc atgcccgttg mcgtgccgaa garcaccgag ccttggtgtg gggkkgaagt	360	
ctcaccaga ttctgcatta ccagagagcc gtggcaaaaag acattgacaa actcgcgccag	420	
gtggaaaaag amcamctcct ggargtgctn gccgctctc gtcmgttggt ggcagcgctw	480	

tccttttgac acacaaacaa gttaaaggca ttttcagccc ccagaaantt gtcacatccc 540
aagatntcgc acagcactna tccagttggg attaaat 577

<210> 187
<211> 534
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(534)
<223> n = A,T,C or G

<400> 187
aacatcttcc tgtataatgc tgtgtaatat cgatccgatn ttgtctgstg agaaticatw 60
actkggaaaa gmaacattaa agcctggaca ctggtattaa aattcacaat atgcaacact 120
ttaaacagtg tgtcaatctg ctcccyynac tttgtcatca ccagtctggg aakaagggta 180
tgccctatcc acacctgtta aaagggcgct aagcattttt gattcaacat cttttttttt 240
gacacaagtc cgaaaaaagc aaaagtaaac agttatyaat ttgttagcca attcactttc 300
ttcatgggac agagccatyt gatttaaaaa gcaaattgca taatattgag cttggggagc 360
tgatatttga gcggaagagt agcctttcta cttcaccaga cacaactccc tttcatattg 420
ggatgttnac naaagtwatg tctctwacag atgggatgct tttgtggcaa tttgtttctg 480
aggatctccc agtttattta ccacttgcac aagaaggcgt tttcttcttc aggc 534

<210> 188
<211> 761
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(761)
<223> n = A,T,C or G

<400> 188
agaaaccagt atctctnaaa acaacctctc ataccttgtg gacctaatth ttgtgtgcgtg 60
tgtgtgtgcy cgcataattat atagacaggc acatcttttt tactttttgta aaagcttatg 120
cctctttggg atctatatct gtgaaagttt taatgatctg ccataatgtc ttggggacct 180
ttgtcttctg tgtaaatggg actagagaaa acacctatnt tatgagtcaa tctagttngt 240
tttattcgac atgaaggaaa tttccagatn acaacactna caaactctcc ctkgackarg 300
ggggacaaaag aaaagcaaaa ctgamcataa raaacaatwa cctggtgaga arttgcataa 360
acagaaatwr ggtagtatat tgaarnacag catcattaaa rmgttwtktt wttctccctt 420
gcaaaaaaca tgtacngact tcccgttgag taatgccaaag ttgttttttt tatnataaaa 480
cttgcccttc attacatggt tnaaagtggg gtgggtgggc aaaatattga aatgatggaa 540
ctgactgata aagctgtaca aataagcagt gtgcctaaca agcaacacag taatgttgac 600
atgcttaatt cacaaatgct aatttcatta taaatgtttg ctaaaataca ctttgaacta 660
tttttctgtn ttcccagagc tgagatntta gattttatgt agtatnaagt gaaaaantac 720
gaaaataata acattgaaga aaaaanaaaa aaanaaaaaa a 761

<210> 189
<211> 482
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(482)
<223> n = A,T,C or G

```

<400> 189
tttttttttt tttgccgatn ctactatttt attgcaggan gtgggggtgt atgcaccgca      60
caccgggggt atnagaagca agaaggaagg agggagggca cagccccttg ctgagcaaca      120
aagccgcttg ctgccttctc tgtctgtctc ctggtgcagg cacatgggga gaccttcccc      180
aaggcagggg ccaccagtcc aggggtggga atacaggggg tgggangtgt gcataagaag      240
tgataggcac aggccacccg gtacagaccc ctcggtcctt gacaggtnga tttcgaccag      300
gtcattgtgc cctgcccagg cacagcgtan atctggaaaa gacagaatgc tttccttttc      360
aaatttggct ngtcatngaa ngggcanttt tccaanttng gctnngtctt ggtacncttg      420
gttcggccca gctccncgtc caaaaantat tcaccennct ccnaattgct tgcnggnccc      480
cc

```

```

<210> 190
<211> 471
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(471)
<223> n = A,T,C or G

```

```

<400> 190
tttttttttt ttttaaaaca gtttttcaca acaaaattta ttagaagaat agtgggttttg      60
aaaactctcg catccagtga gaactacatt acaccacatt acagctngga atgtntctca      120
aatgtctggt caaatgatac aatggaacca ttcaatctta cacatgcacg aaagaacaag      180
cgcttttgac atacaatgca caaaaaaaaa aggggggggg gaccacatgg attaaaattt      240
taagtactca tcacatacat taagacacag ttctagtcca gtcnaaaatc agaactgcnt      300
tgaaaaattt catgtatgca atccaaccaa agaacttnat tggatgatcat gantnctcta      360
ctacatcnac cttgatcatt gccaggaacn aaaagttnaa ancacncngt acaaaaaanaa      420
tctgtaattn anttcaacct ccgtacngaa aaatnttntt tatacactcc c              471

```

```

<210> 191
<211> 402
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(402)
<223> n = A,T,C or G

```

```

<400> 191
gagggattga aggtctgttc tastgtcggm ctgttcagcc accaactcta acaagttgct      60
gtcttccact cactgtctgt aagcttttta acccagacwg tatcttcata aatagaacaa      120
attcttcacc agtcacatct tctaggacct ttttgattc agttagtata agctcttcca      180
cttcctttgt taagacttca tctggtaaag tcttaagttt tgtagaaagg aattyaattg      240
ctcgttctct aacaatgtcc tctccttgaa gtatttggct gaacaaccca cctaaagtcc      300
ctttgtgcat ccattttaaa tatacttaat agggcattgk tncactaggt taaattctgc      360
aagagtcatc tgtctgcaaa agttgcgtta gtatatctgc ca              402

```

```

<210> 192
<211> 601
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature

```

<222> (1)...(601)

<223> n = A,T,C or G

<400> 192.

```

gagctcggat ccaataatct ttgtctgagg gcagcacaca tatncagtgc catggnaact      60
ggtctacccc acatgggagc agcatgccgt agntatataa ggtcattccc tgagtcagac      120
atgcytyttt gaytaccgtg tgccaagtgc tgggtattct yaacacacyt ccatcccyt      180
cttttgtgga aaaactggca cttktctgga actagcarga catcacttac aaattcaccc      240
acgagacact tgaaagggtgt aacaaagcga ytcttgcat gctttttgtc cctccggcac      300
cagttgtcaa tactaaccgg ctggtttgcc tccatcacat ttgtgatctg tagctctgga      360
tacatctcct gacagtactg aagaacttct tcttttgttt caaaagcarg tcttggtgcc      420
tgttggatca ggttcccatt tcccagtcyg aatgttcaca tggcatattt wacttccac      480
aaaacattgc gatttgaggc tcagcaacag caaatcctgt tccggcattg gctgcaagag      540
cctcgatgta gccggccagc gccaaaggcag gcgccgtgag ccccaccagc agcagaagca      600
g

```

<210> 193

<211> 608

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(608)

<223> n = A,T,C or G

<400> 193

```

atacagccca natcccacca cgaagatgag cttgttgact gagaacctga tgcggtcact      60
ggtcccgtcg tagccccagc gactctccac ctgctggaag cggttgatgc tgcactcytt      120
cccaacgcag gcagmagcgg gscgggtcaa tgaactccay tcgtggcttg gggtkgacgg      180
tkaagtgcag gaagaggctg accacctgcg ggtccaccag gatgcccagc tgtgccccgac      240
ctgcagcgaa actcctcgat ggatcatgagc gggaagcgaa tgaggcccag ggccttgccc      300
agaaccttcc gcctgttctc tggcgctacc tgcagctgct gccgctgaca ctcggcctcg      360
gaccagcgga caaacggcrt tgaacagccg cactcacagg atgccagtg tgctcgctc      420
caggammgsc accagcgtgt ccagggtcaat gtcgggtgaag cctccgcggg gtrattggcg      480
ctgcattgtt tttgtcgatg ttctccagc acaggctggc cagctgcggg tcatcgaaga      540
gtcgcgctcg cgtgagcagc atgaaggcgt tgcggctcg cagttcttct tcaggaaactc      600
cacgcaat

```

<210> 194

<211> 392

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(392)

<223> n = A,T,C or G

<400> 194

```

gaacggctgg acctgcctc gcattgtgct tgctggcagg gaataccttg gcaagcagyt      60
ccagtcggag cagccccaga ccgctgccgc ccgaagctaa gcctgcctct ggccttcccc      120
tccgcctcaa tgcagaacca gtagtgggag cactgtgttt agagttaaga gtgaacactg      180
tttgatttta cttgggaatt tctctgttta tatagctttt cccaatgcta atttccaaac      240
aacaacaaca aaataacatg tttgctgtt aagtgtgata aaagtaggtg attctgtatt      300
taaagaaaat attactgtta catatactgc ttgcaatttc tgtattttatt gktnctstgg      360
aaataaatat agttattaaa ggttgtcant cc

```

<210> 195
 <211> 502
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(502)
 <223> n = A,T,C or G

<400> 195
 ccsttkgagg ggtkaggkyc cagttyccga gtggaagaaa caggccagga gaagtgcgtg 60
 ccgagctgag gcagatgttc ccacagtgc cccagagcc stgggstata gtytctgacc 120
 cctcncaagg aaagaccacs ttctggggac atgggctgga gggcaggacc tagaggcacc 180
 aaggaaggc cccattccgg ggstgttccc cgaggaggaa gggaaggggc tctgtgtgcc 240
 ccccasgagg aagagggcct gagtccctggg atcagacacc ccttcacgtg tatccccaca 300
 caaatgcaag ctcaccaagg tcccctctca gtccccttcc stacaccctg amcggccact 360
 gscscacacc caccagagc acgccacccg ccatggggar tgtgtctcaag gartcgcnng 420
 gcargctgga catctngtcc cagaaggggg cagaatctcc aatagangga ctgarcmstt 480
 gctnanaaaa aaaaanaaaa aa 502

<210> 196
 <211> 665
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(665)
 <223> n = A,T,C or G

<400> 196
 ggttacttgg ttctattgcc accacttagt ggatgtcatt tagaaccatt ttgtctgctc 60
 cctctggaag ccttgccgag agcggacttt gtaattgttg gagaataact gctgaatttt 120
 wagctgtttk gagtgtgatts gcaccactgc acccacaact tcaatatgaa aacyawttga 180
 actwatattat tatcttgtga aaagtataac aatgaaaatt ttgttcatac tgtattkatc 240
 aagtatgatg aaaagcaawa gatataatatt cttttattat gttaaattat gattgccatt 300
 attaatcggc aaaatgtgga gtgtatgttc ttttcacagt aatatatgcc ttttgtaact 360
 tcaattgggt attttattgt aaatgartta caaaattcct aatttaagar aatgggtatgt 420
 watatttatt tcattaattt ctttcctkgt ttacgtwaat tttgaaaaga wtgcatgatt 480
 tcttgacaga aatcgatcct gatgctgtgg aagtagtttg acccacatcc ctatgagttt 540
 ttcttagaat gtataaaggt ttagcccat cnaacttcaa agaaaaaat gaccacatac 600
 tttgcaatca ggctgaaatg tggcatgctn ttctaattcc aactttataa actagcaaan 660
 aagtg 665

<210> 197
 <211> 492
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(492)
 <223> n = A,T,C or G

<400> 197
 tttntttttt ttttttttgc aggaaggatt ccattttattg tggatgcatt ttcacaatat 60
 atgtttattg gagcgatcca ttatcagtga aaagtatcaa gtgtttataa natttttagg 120

```

aaggcagatt cacagaacat gctngtcngc ttgcagtttt acctcgtna gatnacagag 180
aattatagtc naaccagtaa acnaggaatt tacttttcaa aagattaaat ccaaactgaa 240
caaaattcta ccctgaaact tactccatcc aaatattgga ataanagtca gcagtgtac 300
attctcttct gaactttaga ttttctagaa aaatatgtaa tagtgatcag gaagagctct 360
tgttcaaaag tacaacnaag caatgttccc ttaccatagg ccttaattca aactttgatc 420
catttcactc ccatacggg agtcaatgct acctgggaca cttgtatttt gtcatnctg 480
ancntggctt aa 492

```

```

<210> 198
<211> 478
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(478)
<223> n = A,T,C or G

```

```

<400> 198
ttnttttgn atttcantct gtannaanta ttttcattat gtttattana aaaatatnaa 60
tgtntccacn acaaatcatn ttacntnagt aagaggccan ctacattgta caacatacac 120
tgagtatatt ttgaaaagga caagtttaaa gtanacncat attgccganc atancacatt 180
tatacatggc ttgattgata ttttagcacag canaaactga gtgagttacc agaaanaaat 240
natatatgtc aatcngattht aagatacaaa acagatccta tgggtacatan catcntgtag 300
gagttgtggc tttatgttta ctgaaagtca atgcagttcc tgtacaaaga gatggccgta 360
agcattctag tacctctact ccattggttaa gaatcgta cttatgttta catatgtnc 420
gggtaagaat tgtgttaagt naanttatgg agaggtccan gagaaaaatt tgatncaa 478

```

```

<210> 199
<211> 482
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(482)
<223> n = A,T,C or G

```

```

<400> 199
agtgacttgt cctccaacaa aaccccttga tcaagtttgt ggcactgaca atcagacct 60
tgctagttcc tgcattctat tcgtactaa atgcagactg gaggggacca aaaaggggca 120
tcaactccag ctggattatt ttggagcctg caaatctatt cctacttgta cggactttga 180
agtgattcag tttcctctac ggatgagaga ctggctcaag aatatectca tgcagcttta 240
tgaagccnac tctgaacacg ctggttatct nagatgagaa ncagagaaat aaagtcnaga 300
aaatttacct ggangaaaag aggccttngg ctggggacca tccattgaa ccttctctta 360
anggacttta agaanaaact accacatgtn tgtngtatcc tgggtgccngg ccgtttantg 420
aacntngacn ncacccctnt ggaatanant cttgacngcn tcctgaactt gctcctctgc 480
ga 482

```

```

<210> 200
<211> 270
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(270)
<223> n = A,T,C or G

```

<400> 200
 cggccgcaag tgcaactcca gctggggccg tgcggacgaa gattctgcca gcagttggtc 60
 cgactgcgac gacggcgccg gcgacagtcg caggtgcagc gcgggcgcct ggggtcttgc 120
 aaggctgagc tgacgccgca gaggtcgtgt cacgtccac gaccttgacg ccgtcgggga 180
 cagccggaac agagcccggt gaangcggga ggcctcggg agcccctcg gaggggcggc 240
 ccgagagata cgcaggtgca ggtggccgcc 270

<210> 201
 <211> 419
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(419)
 <223> n = A,T,C or G

<400> 201
 tttttttttt ttttgaatc tactgcgagc acagcaggtc agcaacaagt ttattttgca 60
 gctagcaagg taacagggtg gggcatggtt acatgttcag gtcaacttcc tttgtcgtgg 120
 ttgattggtt tgtctttatg ggggcggggg ggggtagggg aaancgaagc anaantaaca 180
 tggagtgggt gcaccctccc tgtagaacct gggtacnaaa gcttggggca gttcacctgg 240
 tctgtgaccg tcattttctt gacatcaatg ttattagaag tcaggatata ttttagagag 300
 tccactgtnt ctggagggag attagggttt cttgccaana tccaancaa atccacntga 360
 aaaagttaga tgatncangt acngaatacc ganggcatan ttctcatant cggtgggcca 419

<210> 202
 <211> 509
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(509)
 <223> n = A,T,C or G

<400> 202
 tttntttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 60
 tggcacttaa tccattttta tttcaaaatg tctacaaant ttnaatncnc cattatacng 120
 gtnattttnc aaaatctaaa nttattcaa atntnagcca aantccttac ncaaatnnaa 180
 tacnncaaa aatcaaaaat atacntntct ttcagcaaac ttngttacat aaattaaaaa 240
 aatatatacg gctgggtgtt tcaaagtaca attatcttaa cactgcaaac atnttttnaa 300
 ggaactaaaa taaaaaaaaa cactnccgca aagggttaaag ggaacaacaa attcntttta 360
 caacancnnc nattataaaa atcatatctc aaatcttagg ggaatatata cttcacacng 420
 ggatcttaac ttttactnca ctttgtttat ttttttanaa ccattgtntt gggcccaaca 480
 caatggnaat nccnccnncn tgactagt 509

<210> 203
 <211> 583
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(583)
 <223> n = A,T,C or G


```

<400> 203
tttttttttt ttttttttga cccccctctt ataaaaaaca agttaccatt ttatttttact    60
tacacatatt ttttttataa ttggtattag atattcaaaa ggcagctttt aaaatcaaac    120
taaatggaaa ctgccttaga tacataattc ttaggaatta gcttaaaatc tgcctaaagt    180
gaaaatcttc tctagctctt ttgactgtaa atttttgact cttgtaaaac atccaaattc    240
atttttcttg tctttaaaat tatctaattc ttccattttt tccctattcc aagtcaattt    300
gcttctctag cctcatttcc tagctcttat ctactattag taagtggctt ttttcctaaa    360
agggaaaaca ggaagagana atggcacaca aaacaaacat tttatattca tttttctacc    420
tacgttaata aaatagcatt ttgtgaagcc agctcaaaag aaggcttaga tccttttatg    480
tccattttag tcaactaaag atatcnaaag tgccagaatg caaaagggtt gtgaacattt    540
attcaaaagc taatataaga tatttcacat actcatcttt ctg                    583

```

```

<210> 204
<211> 589
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(589)
<223> n = A,T,C or G

```

```

<400> 204
ttttttttnt tttttttttt ttttttntct ttcttttttt ttganaatga ggatcgagtt    60
tttcactctc tagatagggc atgaagaaaa ctcatctttc cagcttttaa ataacaatca    120
aatctcttat gctatatcat atttttaagtt aaactaatga gtcactggct tatcttctcc    180
tgaaggaaat ctgttcattc ttctcattca tatagttata tcaagtacta ccttgcatat    240
tgagagggtt ttcttctcta ttacacata tttttccatg tgaatttgta tcaaaccttt    300
attttcatgc aaactagaaa ataatgtntt cttttgcata agagaagaga acaatatnag    360
cattacaaaa ctgctcaaat tgtttgtaa gnttatccat tataattagt tnggcaggag    420
ctaatacaaa tcacatttac ngacnagcaa taataaaact gaagtaccag ttaaatatcc    480
aaaaataatta aaggaacatt ttagcctgg gtataattag ctaattcact ttacaagcat    540
ttattnagaa tgaattcaca tgttattatt ccntagccca acacaatgg                    589

```

```

<210> 205
<211> 545
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(545)
<223> n = A,T,C or G

```

```

<400> 205
ttttnttttt ttttttcagt aataatcaga acaatattta tttttatatt taaaattcat    60
agaaaagtgc cttacattta ataaaagttt gttttctcaa gtgatcagag gaattagata    120
tngtcttgaa caccaatatt aatttgagga aaataacca aaatacatta agtaaattat    180
ttaagatcat agagcttgta agtgaaaaga taaaatttga cctcagaaac tctgagcatt    240
aaaaatccac tattagcaaa taaattacta tggacttctt gctttaattt tgtgatgaat    300
atggggtgtc actggtaaac caacacattc tgaaggatac attacttagt gatagattct    360
tatgtacttt gctanatnac gtggatatga gttgacaagt ttctctttct tcaatctttt    420
aaggggcnag ngaaatgagg aagaaaagaa aaggattacg catactgttc tttctatngg    480
aaggattaga tatgtttcct tgccaatat taaaaaaata ataatgttta ctactagtga    540
aacc                                         545

```

```

<210> 206
<211> 487

```

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(487)

<223> n = A,T,C or G

<400> 206

tttttttttt	tttttttagtc	aagtttctna	tttttattat	aattaaagtc	ttgggtcattt	60
catttattag	ctctgcaact	tacatattta	aattaaagaa	acgttnttag	acaactgtna	120
caatttataa	atgtaagggtg	ccattattga	gtanatatat	tcctccaaga	gtggatgtgt	180
cccttctccc	accaactaat	gaancagcaa	cattagttta	attttattag	tagatnatac	240
actgctgcaa	acgctaattc	tcttctccat	ccccatgtng	atattgtgta	tatgtgtgag	300
ttggtnagaa	tgcatacanca	atctnacaat	caacagcaag	atgaagctag	gcntgggctt	360
tcggtgaaaa	tagactgtgt	ctgtctgaat	caaatgatct	gacctatcct	cggtggcaag	420
aactcttcga	accgcttcct	caaaggcngc	tgccacattt	gtggcncctn	ttgcacttgt	480
ttcaaaa						487

<210> 207

<211> 332

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(332)

<223> n = A,T,C or G

<400> 207

tgaattggct	aaaagactgc	atttttanaa	ctagcaactc	ttatttcttt	cctttaaaaa	60
tacatagcat	taaatcccaa	atcctattta	aagacctgac	agcttgagaa	ggtcactact	120
gcatttatag	gaccttctgg	tggttctgct	gttacntttg	aantctgaca	atccttgana	180
atctttgcat	gcagaggagg	taaaagggtat	tggattttca	cagaggaana	acacagcgca	240
gaaatgaagg	ggccaggctt	actgagcttg	tccactggag	ggctcatggg	tgggacatgg	300
aaaagaaggc	agcctaggcc	ctggggagcc	ca			332

<210> 208

<211> 524

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(524)

<223> n = A,T,C or G

<400> 208

agggcggtgt	gcggagggcg	ttactgtttt	gtctcagtaa	caataaatac	aaaaagactg	60
gttgtgttcc	ggccccatcc	aaccacgaag	ttgatttctc	ttgtgtgcag	agtgactgat	120
tttaaaggac	atggagcttg	tcacaatgtc	acaatgtcac	agtggtgaagg	gcacactcac	180
tcccgcgtga	ttcacattta	gcaaccaaca	atagctcatg	agtccatact	tgtaaatact	240
tttggcagaa	tacttnttga	aacttgcaga	tgataactaa	gatccaagat	atttcccaaa	300
gtaaatagaa	gtgggtcata	atattaatta	cctgttcaca	tcagcttcca	tttacaagtc	360
atgagcccag	acactgacat	caaactaagc	ccacttagac	tcctcaccac	cagtctgtcc	420
tgatcatcaga	caggaggctg	tcaccttgac	caaattctca	ccagtcaatc	atctatccaa	480
aaaccattac	ctgatccact	tccggtaatg	caccaccttg	gtga		524

<210> 209
 <211> 159
 <212> DNA
 <213> Homo sapien

<400> 209
 gggcgaggaa atccagagtt gccatggaga aaattccagt gtcagcatte ttgctccttg 60
 tggccctctc ctacactctg gccagagata ccacagtcaa acctggagcc aaaaaggaca 120
 caaaggactc tcgacccaaa ctgcccaga ccctctcca 159

<210> 210
 <211> 256
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(256)
 <223> n = A,T,C or G

<400> 210
 actccctggc agacaaaggc agaggagaga gctctgtag ttctgtgtg ttgaactgcc 60
 actgaatttc ttccacttg gactattaca tgccanttga gggactaatg gaaaaacgta 120
 tggggagatt ttanccaatt tangtntgta aatggggaga ctggggcagg cgggagagat 180
 ttgcaggggtg naaatgggan ggctggtttg ttanatgaac agggacatag gaggtaggca 240
 ccaggatgct aatca 256

<210> 211
 <211> 264
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(264)
 <223> n = A,T,C or G

<400> 211
 acattgtttt tttagataa agcattgaga gagctctcct taacgtgaca caatggaagg 60
 actggaacac ataccacat ctttgttctg agggataatt ttctgataaa gtcttgctgt 120
 atattcaagc acatatgtta tatattatc agttccatgt ttatagccta gttaaggaga 180
 ggggagatac attcngaaag aggactgaaa gaaatactca agtnggaaaa cagaaaaaga 240
 aaaaaaggag caaatgagaa gcct 264

<210> 212
 <211> 328
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(328)
 <223> n = A,T,C or G

<400> 212
 acccaaaaat ccaatgctga atatttggtc tcattattcc canattcttt gattgtcaaa 60
 ggatttaatg ttgtctcagc ttgggcactt cagttaggac ctaaggatgc cagccggcag 120
 gtttatatat gcagcaacaa tattcaagcg cgacaacagg ttattgaact tgcccgccag 180

ttnaatttca	ttccattga	cttgggatcc	ttatcatcag	ccagagagat	tgaaaattta	240
cccctacnac	tctttactct	ctgganaggg	ccagtgggtgg	tagctataag	cttggccaca	300
tttttttttc	ctttattcct	ttgtcaga				328

<210> 213
 <211> 250
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(250)
 <223> n = A,T,C or G

<400> 213						
acttatgagc	agagcgacat	atccnagtgt	agactgaata	aaactgaatt	ctctccagtt	60
taaagcattg	ctcactgaag	ggatagaagt	gactgccagg	agggaaagta	agccaagggt	120
cattatgccca	aagganatat	acattttcaat	tctccaaact	tcttcctcat	tccaagagtt	180
ttcaatattt	gcatgaacct	gctgataanc	catgttaana	aacaaatata	tctctnacct	240
tctcatcggt						250

<210> 214
 <211> 444
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(444)
 <223> n = A,T,C or G

<400> 214						
accagaatc	caatgctgaa	tatttggtt	cattattccc	agattctttg	attgtcaaag	60
gatttaatgt	tgtctcagct	tgggcacttc	agttaggacc	taaggatgcc	agccggcagg	120
tttatatatg	cagcaacaat	attcaagcgc	gacaacagggt	tattgaactt	gcccggcagg	180
tgaatttcat	tccattgac	ttgggatcct	tatcatcagc	canagagatt	gaaaatttac	240
ccctacgact	ctttactctc	tggagagggc	cagtgggtgg	agctataagc	ttggccacat	300
ttttttttcc	ttttattcct	tgtcagagat	gcgattcatc	catatgctan	aaaccaacag	360
agtgactttt	acaaaattcc	tataganatt	gtgaataaaa	ccttacctat	agttgccatt	420
actttgctct	ccctaataata	cctc				444

<210> 215
 <211> 366
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(366)
 <223> n = A,T,C or G

<400> 215						
acttatgagc	agagcgacat	atccaagtgt	anactgaata	aaactgaatt	ctctccagtt	60
taaagcattg	ctcactgaag	ggatagaagt	gactgccagg	agggaaagta	agccaagggt	120
cattatgccca	aagganatat	acattttcaat	tctccaaact	tcttcctcat	tccaagagtt	180
ttcaatattt	gcatgaacct	gctgataagc	catgttgaga	aacaaatata	tctctgacct	240
tctcatcggt	aagcagaggc	tgtaggcaac	atggaccata	gcgaanaaaa	aacttagtaa	300
tccaagctgt	tttctacact	gtaaccagggt	ttccaaccaa	ggtggaaatc	tcctatactt	360

ggtgcc

366

<210> 216
 <211> 260
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(260)
 <223> n = A,T,C or G

<400> 216
 ctgtataaac agaactccac tgcangaggg agggccgggc caggagaatc tccgcttgtc 60
 caagacaggg gcctaaggag ggtctccaca ctgctnntaa gggctntnc attttttat 120
 taataaaaag tnnaaaaggc ctcttctcaa cttttttccc ttnggctgga aaatttaaaa 180
 atcaaaaatt tcctnaagtt ntcaagctat catatatact ntatcctgaa aaagcaacat 240
 aattcttctt tcctctcttt 260

<210> 217
 <211> 262
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(262)
 <223> n = A,T,C or G

<400> 217
 acctacgtgg gtaagtttan aaatgttata atttcaggaa naggaacgca tataattgta 60
 tcttgccat aattttctat tttaataagg aaatagcaaa ttgggggtggg gggaatgtag 120
 ggcattctac agtttgagca aaatgcaatt aaatgtggaa ggacagcact gaaaaatttt 180
 atgaataatc tgtatgatta tatgtctcta gagtagattt ataattagcc acttacccta 240
 atatccttca tgcttgtaaa gt 262

<210> 218
 <211> 205
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(205)
 <223> n = A,T,C or G

<400> 218
 accaagggtgg tgcattaccg gaantggatc aangacacca tcgtggccaa cccctgagca 60
 cccctatcaa ctcccttttg tagtaaaactt ggaaccttgg aaatgaccag gccaaagactc 120
 aggctcccc agttctactg acctttgtcc ttangntna ngtcagggt tgctaggaaa 180
 anaaatcagc agacacagggt gtaaa 205

<210> 219
 <211> 114
 <212> DNA
 <213> Homo sapien

<400> 219

tactgttttg tctcagtaac aataaatata aaaagactgg ttgtgttccg gccccatcca 60
accacgaagt tgatttctct tgtgtgcaga gtgactgatt ttaaaggaca tgga 114

<210> 220
<211> 93
<212> DNA
<213> Homo sapien

<400> 220
actagccagc acaaaaaggca gggtagcctg aattgctttc tgctctttac atttctttta 60
aaataagcat ttagtgctca gtccctactg agt 93

<210> 221
<211> 167
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(167)
<223> n = A,T,C or G

<400> 221
actangtgca ggtgcgcaca aatatttgct gatattccct tcattcttga ttccatgagg 60
tcttttgccc agcctgtggc tctactgtag taagtctctg ctgatgagga gccagnatgc 120
ccccactac ctccctgac gtcccccana aatcacccaa cctctgt 167

<210> 222
<211> 351
<212> DNA
<213> Homo sapien

<400> 222
agggcgtggt gcggagggcg gtactgacct cattagtagg aggatgcatt ctggcaccoc 60
gttcttcacc tgtcccccaa tccttaaaag gccatactgc ataaagtcaa caacagataa 120
atgtttgctg aattaaagga tggatgaaaa aaattaataa tgaatttttg cataatccaa 180
ttttctcttt tatatttcta gaagaagttt ctttgagcct attagatccc gggaatcttt 240
taggtgagca tgattagaga gcttgtagggt tgcttttaca tatatctggc atatttgagt 300
ctcgtatcaa aacaatagat tggtaaagggt ggtattattg tattgataag t 351

<210> 223
<211> 383
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(383)
<223> n = A,T,C or G

<400> 223
aaaacaaaca aacaaaaaaa acaattcttc attcagaaaa attatcttag ggactgatat 60
tggttaattat ggtcaattta atwrtrttkt ggggcatttc cttacattgt cttgacaaga 120
ttaaaatgtc tgtgccaaaa ttttgatttt tatttgagga cttcttatca aaagtaatgc 180
tgccaaagga agtctaagga attagtagtg ttcccmcac ttgtttggag tgtgctattc 240
taaaagattt tgatttctctg gaatgacaat tatattttta ctttggtggg ggaaanagtt 300
ataggaccac agtcttcact tctgatactt gtaaattaat cttttattgc acttgttttg 360
accattaagc tatatgttta aaa 383

<210> 224
 <211> 320
 <212> DNA
 <213> Homo sapien

<400> 224
 cccctgaagg cttcttggtta gaaaatagta cagttacaac caataggaac aacaaaaaga 60
 aaaagtttgt gacattgtag tagggagtgt gtaccctta ctcccatca aaaaaaaat 120
 ggatacatgg ttaaaggata raagggaat atttatcat atgttctaaa agagaaggaa 180
 gagaaaatac tactttctcr aaatggaagc ccttaaaggt gctttgatac tgaaggacac 240
 aaatgtggcc gtccatctc ctttaragtt gcatgacttg gacacggtaa ctgttgca 300
 tttaractcm gcattgtgac 320

<210> 225
 <211> 1214
 <212> DNA
 <213> Homo sapien

<400> 225
 gaggactgca gcccgcactc gcagccctgg caggcgccac tggatcatgga aaacgaattg 60
 ttctgctcgg gcgtcctggg gcaccccgag tgggtgctgt cagccgcaca ctgtttccag 120
 aactcctaca ccacggggc gggcctgcac agtcttgagg ccgaccaaga gccagggagc 180
 cagatggtgg aggcagcct ctccgtacgg caccagagt acaacagacc cttgctcgct 240
 aacgacctca tgctcatcaa gttggacgaa tccgtgtccg agtctgacac catccggagc 300
 atcagcattg cttcgcagtg ccctaccgag gggaactctt gcctcgtttc tggctggggg 360
 ctgctggcga acggcagaat gcctaccgtg ctgcagtgcg tgaacgtgtc ggtggtgtct 420
 gaggaggtct gcagtaagct ctatgaccgg ctgtaccacc ccagcatgtt ctgcgccggc 480
 ggagggcaag accagaagga ctctgcaac ggtgactctg gggggccct gatctgcaac 540
 gggacttgag agggccttgt gtcttcgga aaagcccgt gtggccaagt tggcgtgcc 600
 ggtgtctaca ccaacctctg caaattcact gaggatag agaaaacgt ccaggccagt 660
 taactctggg gactgggaac ccataaatt gaccccaaaa tacatcctgc ggaaggaa 720
 caggaatc tggtcccagc ccctcctccc tcaggcccag gaggccaggc cccagcccc 780
 tcctcctca aaccaagggt acagatcccc agcccctcct ccctcagacc caggagtcca 840
 gacccccag cccctcctcc ctacagacca ggagtccagc ccctcctccc tcagaccag 900
 gaggccagac ccccagccc ctctccctc agaccagggt gtcaggccc ccaaccctc 960
 ctccctcaga ctagaggtc caagccccc accctcctt cccagacc agaggtccag 1020
 gtcccagccc ctctcctc agaccagcg gtccaatgcc acctagactc tccctgtaca 1080
 cagtgcctcc ttgtggcag ttgacccaac cttaccagtt ggtttttcat tttttgtccc 1140
 tttccctag atccagaaat aaagtctaag agaagcgcaa aaaaaaaaaa aaaaaaaaaa 1200
 aaaaaaaaaa aaaa 1214

<210> 226
 <211> 119
 <212> DNA
 <213> Homo sapien

<400> 226
 acccagtatg tgcagggaga cggaacccca tgtgacagcc cactccacca gggttcccaa 60
 agaacctggc ccagtcataa tcattcatcc tgacagtggc aataatcacg ataaccagt 119

<210> 227
 <211> 818
 <212> DNA
 <213> Homo sapien

<400> 227
 acaattcata gggacgacca atgaggacag ggaatgaacc cggctctccc ccagccctga 60

tttttgetac	atatgggggtc	ccttttcatt	ctttgcaaaa	acactggggtt	ttctgagaac	120
acggacgggtt	cttagcacia	tttgtgaaat	ctgtgtaraa	cggggctttg	caggggagat	180
aattttcctc	ctctggagga	aaggtgggtga	ttgacaggca	gggagacagt	gacaaggcta	240
gagaaagcca	cgctcggcct	tctctgaacc	aggatggaac	ggcagacccc	tgaaaacgaa	300
gcttgtcccc	ttccaatcag	ccacttctga	gaacccccat	ctaacttcct	actggaaaag	360
agggcctcct	caggagcagt	ccaagagttt	tcaaagataa	cgtagacaact	accatctaga	420
ggaaaggggtg	caccctcagc	agagaagccg	agagcttaac	tctggctcgtt	tccagagaca	480
acctgtctggc	tgtcttgagg	tgcgcccagc	ctttgagagg	ccactacccc	atgaacttct	540
gccatccact	ggacatgaag	ctgaggacac	tgggcttcaa	cactgagttg	tcatgagagg	600
gacaggctct	gccctcaagc	cggctgaggg	cagcaaccac	tctcctcccc	tttctcacgc	660
aaagccattc	ccacaaatcc	agaccatacc	atgaagcaac	gagacccaaa	cagtttggct	720
caagaggata	tgaggactgt	ctcagcctgg	ctttgggctg	acaccatgca	cacacacaag	780
gtccacttct	aggttttcag	cctagatggg	agtcgtgt			818

<210> 228

<211> 744

<212> DNA

<213> Homo sapien

<400> 228

actggagaca	ctgttgaact	tgatcaagac	ccagaccacc	ccaggtctcc	ttcgtgggat	60
gtcatgacgt	ttgacatacc	tttggaaacga	gcctcctcct	tggaaagatgg	aagaccgtgt	120
tcgtggccga	cctggcctct	cctggcctgt	ttcttaagat	gcggagtcac	atttcaatgg	180
taggaaaagt	ggcttcgtaa	aatagaagag	cagtcactgt	ggaactacca	aatggcgaga	240
tgctcgggtc	acattgggggt	gctttgggat	aaaagattta	tgagccaact	attctctggc	300
accagattct	aggccagttt	gttccactga	agcttttccc	acagcagtc	acctctgcag	360
gctggcagct	gaatggcttg	ccggtggctc	tgtggcaaga	tcacactgag	atcgatgggt	420
gagaaggcta	ggatgcttgt	ctagtgttct	tagctgtcac	gttggctcct	tccaggttgg	480
ccagacgggtg	ttggccactc	ccttctaaaa	cacaggcgcc	ctcctgggtga	cagtgacccg	540
ccgtggtatg	ccttggccca	ttccagcagt	cccagttatg	catttcaagt	ttggggtttg	600
ttcttttctg	taatgttctc	ctgtgttgct	agctgtcttc	atttctctgg	ctaagcagca	660
ttgggagatg	tggaccagag	atccactcct	taagaaccag	tggcgaaaga	cactttcttt	720
cttcactctg	aagtagctgg	tggt				744

<210> 229

<211> 300

<212> DNA

<213> Homo sapien

<400> 229

cgagtctggg	ttttgtctat	aaagtttgat	ccctcctttt	ctcatccaaa	tcagtgaac	60
cattacacat	cgaaataaaa	gaaaggtggc	agacttgccc	aacgccaggc	tgacatgtgc	120
tgcagggttg	ttgtttttta	attattattg	ttagaaacgt	caccacagc	ccctgttaat	180
ttgtatgtga	cagccaaactc	tgagaaggtc	ctatttttcc	acctgcagag	gatccagtct	240
cactaggctc	ctccttgccc	tcacactgga	gtctccgcca	gtgtgggtgc	ccactgacat	300

<210> 230

<211> 301

<212> DNA

<213> Homo sapien

<400> 230

cagcagaaca	aatacaaata	tgaagagtgc	aaagatctca	taaaatctat	gctgaggaat	60
gagcgacagt	tcaaggagga	gaagcttgca	gagcagctca	agcaagctga	ggagctcagg	120
caatataaag	tcctggttca	cactcaggaa	cgagagctga	cccagtttaag	ggagaagtgg	180
cgggaaggga	gagatgcctc	cctctcattg	aatgagcatc	tccaggccct	cctcactccg	240
gatgaaccgg	acaagtccca	ggggcaggac	ctccaagaaa	cagacctcgg	ccgcgaccac	300
g						301

<210> 231
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 231
 gcaagcacgc tggcaaatct ctgtcaggtc agctccagag aagccattag tcatttttagc 60
 caggaactcc aagtccacat ccttggcaac tggggacttg cgcaggttag ccttgaggat 120
 ggcaacacgg gacttctcat caggaagtgg gatgtagatg agctgatcaa gacggccagg 180
 tctgaggatg gcaggatcaa tgatgtcagg ccggttggtg ccgccaatga tgaacacatt 240
 tttttttgtg gacatgccat ccatttctgt caggatctgg ttgatgactc ggtcagcagc 300
 c 301

<210> 232
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 232
 agtaggtatt tcgtgagaag ttcaacacca aaactggaac atagtctctc ttcaagtgtt 60
 ggcgacagcg gggcttcctg attctggaat ataactttgt gtaaattaac agccacctat 120
 agaagagtcc atctgctgtg aaggagagac agagaactct gggttccgtc gtcctgtcca 180
 cgtgctgtac caagtgtctg tgccagcctg ttacctgttc tctactgaaa tctggctaatt 240
 gctcttgtgt atcacttctg attctgacaa tcaatcaatc aatggcctag agcactgact 300
 g 301

<210> 233
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 233
 atgactgact tcccagtaag gctctctaag gggtaaagtag gaggatccac aggatttgag 60
 atgctaaggc cccagagatc gtttgatcca accctcttat tttcagaggg gaaaatgggg 120
 cctagaagtt acagagcatc tagctgggtgc gctggcacc cctggcctcac acagactccc 180
 gagtagctgg gactacaggc acacagtcac tgaagcaggc cctgttagca attctatgcg 240
 tacaaattaa catgagatga gtagagactt tattgagaâa gcaagagaaa atcctatcaa 300
 c 301

<210> 234
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 234
 aggtcctaca catcgagact catccatgat tgatatgaat ttaaaaatta caagcaaaga 60
 cattttattc atcatgatgc tttcttttgt ttcttctttt cgttttcttc tttttctttt 120
 tcaatttcag caacatactt ctcaatttct tcaggattta aaatcttgag ggattgatct 180
 cgctcatga cagcaagttc aatgtttttg ccacctgact gaaccacttc caggagtgcc 240
 ttgatcacca gcttaatggg cagatcatct gcttcaatgg cttcgtcagt atagttcttc 300
 t 301

<210> 235
 <211> 283
 <212> DNA
 <213> Homo sapien

<400> 235

tggggcgtgtg catcaggcgg gtttgagaaa tattcaattc tcagcagaag ccagaatttg	60
aattccctca tcttttaggg aatcatttac caggtttga gaggattcag acagctcagg	120
tgctttcact aatgtctctg aacttctgtc cctctttgtt catggatagt ccaataaata	180
atgttatctt tgaactgatg ctcataggag agaataaag aactctgagt gatatcaaca	240
ttagggattc aaagaaatat tagatttaag ctcacactgg tca	283

<210> 236

<211> 301

<212> DNA

<213> Homo sapien

<400> 236

aggtcctcca ccaactgcct gaagcacggt taaaattggg aagaagtata gtgcagcata	60
aatactttta aatcgatcag atttccctaa cccacatgca atcttcttca ccagaagagg	120
tcggagcagc atcattaata ccaagcagaa tgcgtaatag ataaatacaa tggatatag	180
tgggtagacg gcttcatgag tacagtgtac tgtggtatcg taatctggac ttgggttgta	240
aagcatcgtg taccagtcag aaagcatcaa tactcgacat gaacgaatat aaagaacacc	300
a	301

<210> 237

<211> 301

<212> DNA

<213> Homo sapien

<400> 237

cagtggtagt ggtggtggac gtggcgttgg tcgtggtgcc ttttttggtg cccgtcacia	60
actcaatttt tgttcgctcc tttttggcct tttccaattt gtccatctca attttctggg	120
ccttggtcaa tgcctcatag taggagtcct cagaccagcc atggggatca aacatatcct	180
ttgggtagtt ggtgccaagc tcgtcaatgg cacagaatgg atcagcttct cgtaaatcta	240
gggttcgaa attcttctt cctttggata atgtagttca tatccattcc ctcttttata	300
t	301

<210> 238

<211> 301

<212> DNA

<213> Homo sapien

<400> 238

gggcagggtt tttttttttt ttttttgatg gtgcagaccc ttgctttatt tgtctgactt	60
gttcacagtt cagccccctg ctcaaaaaac caacgggcca gctaaggaga ggaggaggca	120
ccttgagact tccggagtcg aggtcttcca gggttcccca gcccatcaat cattttctgc	180
acccccctgc tgggaagcag ctccctgggg ggtgggaatg ggtgactaga agggatttca	240
gtgtgggacc cagggtctgt tcttcacagt aggagtgga agggatgact aatttcttta	300
t	301

<210> 239

<211> 239

<212> DNA

<213> Homo sapien

<400> 239

ataagcagct aggggaattct ttatttagta atgtcctaac ataaaagtgc acataactgc	60
ttctgtcaaa ccatgatact gagctttgtg acaaccaga aataactaag agaaggcaaa	120
cataatacct tagagatcaa gaaacattta cacagttcaa ctgtttaaaa atagctcaac	180
attcagccag tgagtagagt gtgaatgccg gcatacacag tatacaggtc cttcaggga	239

<210> 240

<211> 300
 <212> DNA
 <213> Homo sapien

<400> 240
 ggtcctaatag aagcagcagc ttccacattt taacgcagggt ttacgggtgat actgtccttt 60
 gggatctgcc ctccagtggg accttttaag gaagaagtgg gcccaagcta agttccacat 120
 gctgggtgag ccagatgact tctgttcctt ggtcactttc ttcaatgggg cgaatggggg 180
 ctgccagggt tttaaaatca tgcttcactt tgaagcacac ggtcacttca cctcctcac 240
 gctgtgggtg tactttgatg aaaataccca cttgtttggc ctttctgaag ctataatgtc 300

<210> 241
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 241
 gaggtctggt gctgaggtct ctgggctagg aagaggaggt ctgtggagct ggaagccaga 60
 cctcttttga ggaaactcca gcagctatgt tgggtgtctt gagggaatgc aacaaggctg 120
 ctctccatg tattggaaaa ctgcaactg gactcaactg gaaggaagtg ctgctgccag 180
 tgtgaagaac cagcctgagg tgacagaaac ggaagcaaac aggaacagcc agtcttttct 240
 tctctctct gtcatacggg ctctctcaag catcctttgt tgtcaggggc ctaaaaggga 300
 g 301

<210> 242
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 242
 ccgaggtcct gggatgcaac caatcactct gtttcacgtg acttttatca ccatacaatt 60
 tgtggcattt cctcattttc tacattgtag aatcaagagt gtaaataaat gtatatcgat 120
 gtcttcaaga atatatcatt cctttttcac tagaaccat tcaaaatata agtcaagaat 180
 cttaatatca acaaatatat caagcaaact ggaaggcaga ataactacca taatttagta 240
 taagtacca aagttttata aatcaaaagc cctaattgata accattttta gaattcaatc 300
 a 301

<210> 243
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 243
 aggtaagtcc cagtttgaag ctcaaaagat ctggtatgag cataggctca tcgacgacat 60
 ggtggcccaa gctatgaaat cagagggagg ctcatctgg gcctgtaaaa actatgatgg 120
 tgacgtgcag tcggactctg tggccaagg gtatggctct ctcgcatga tgaccagcgt 180
 gctggtttgt ccagatggca agacagtaga agcagaggct gccacggga ctgtaacccg 240
 tcactaccgc atgttccaga aaggacagga gacgtccacc aatcccattg ctccatttt 300
 t 301

<210> 244
 <211> 300
 <212> DNA
 <213> Homo sapien

<400> 244
 gctggtttgc aagaatgaaa tgaatgattc tacagctagg acttaacctt gaaatggaaa 60
 gtcatgcaat cccatttgca ggatctgtct gtgcacatgc ctctgtagag agcagcattc 120

ccagggacct	tggaacacgt	tgacactgta	aggtgcttgc	tccccaagac	acatccctaaa	180
aggtgttgta	atgggtgaaaa	cgtcttcctt	ctttattgcc	ccttcttatt	tatgtgaaca	240
actgtttgtc	ttttgtgtat	cttttttaaa	ctgtaaagtt	caattgtgaa	aatgaatate	300

<210> 245
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 245						
gtctgagtat	ttaaaatggt	attgaaatta	tccccaacca	atgttagaaa	agaaagaggt	60
tatatactta	gataaaaaat	gaggtgaatt	actatccatt	gaaatcatgc	tcttagaatt	120
aaggccagga	gatattgtca	ttaatgtara	cttcaggaca	ctagagtata	gcagccctat	180
gttttcaaag	agcagagatg	caattaaata	ttgttttagca	tcaaaaaggc	caactcaatac	240
agctaataaa	atgaaagacc	taattttctaa	agcaattctt	tataatttac	aaagtttttaa	300
g						301

<210> 246
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 246						
ggtctgtcct	acaatgcctg	cttcttgaaa	gaagtcggca	ctttctagaa	tagctaaata	60
acctgggctt	attttaaaga	actatttgta	gttcagattg	gttttcctat	ggctaaaata	120
agtgcttctt	gtgaaaatta	aataaaacag	ttaattcaaa	gccttgatat	atgttaccac	180
taacaatcat	actaaatata	ttttgaagta	caaagtttga	catgctctaa	agtgacaacc	240
caaatgtgtc	ttacaaaaca	cgttcctaac	aaggtatgct	ttacactacc	aatgcagaaa	300
c						301

<210> 247
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 247						
aggtcctttg	gcagggctca	tggatcagag	ctcaaactgg	agggaaaggc	atttcgggta	60
gcctaagagg	gcgactggcg	gcagcacaac	caaggaaggc	aaggttgttt	ccccacgct	120
gtgtcctgtg	ttcagggtgcg	acacacaatc	ctcatgggaa	caggatcacc	catgcgctgc	180
ccttgatgat	caaggttggg	gcttaagtgg	attaagggag	gcaagttctg	ggttccttgc	240
cttttcaaac	catgaagtca	ggctctgtat	ccctcctttt	cctaactgat	attctaacta	300
a						301

<210> 248
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 248						
aggtccttgg	agatgccatt	tcagccgaag	gactcttctw	ttcggaagta	caccctcact	60
attaggaaga	ttcttagggg	taatttttct	gaggaaggag	aactagccaa	cttaagaatt	120
acaggaagaa	agtggtttgg	aagacagcca	aagaaataaa	agcagattaa	attgtatcag	180
gtacattcca	gcctgttggc	aactccataa	aaacatttca	gatttttaac	ccgaatttag	240
ctaagttagac	tggatttttg	ttttttatgt	tgtgtgtcgc	agagctaaaa	actcagttcc	300
c						301

<210> 249
 <211> 301

<212> DNA

<213> Homo sapien

<400> 249

gtccagagga agcacctggg gctgaactag gcttgccctg ctgtgaactt gcacttggag	60
ccctgacgct gctgtttctc ccgaaaaacc cgaccgacct ccgcgatctc cgtcccggcc	120
ccagggagac acagcagtga ctcagagctg gtcgcacact gtgcctccct cctcaccgcc	180
catcgtaatg aattattttg aaaattaatt ccaccatcct ttcagattct ggatggaaag	240
actgaatctt tgactcagaa ttgtttgctg aaaagaatga tgtgactttc ttagtcattt	300
a	301

<210> 250

<211> 301

<212> DNA

<213> Homo sapien

<400> 250

ggtctgtgac aaggacttgc aggctgtggg aggcaagtga cccttaacac tacactttctc	60
cttatcttta ttggcttgat aaacataatt atttctaaca ctagcttatt tccagttgcc	120
cataagcaca tcagtacttt tctctggctg gaatagtaaa cttaaagtatg gtacatctac	180
ctaaaagact actatgtgga ataatacata ctaatgaagt attacatgat ttaaagacta	240
caataaaacc aaacatgctt ataacattaa gaaaaacaat aaagatacat gattgaaacc	300
a	301

<210> 251

<211> 301

<212> DNA

<213> Homo sapien

<400> 251

gccgaggtcc tacattttgc ccagtttccc cctgcatect ctccagggcc cctgcctcat	60
agacaacctc atagagcata ggagaactgg ttgccctggg ggcaggggga ctgtctggat	120
ggcaggggtc ctcaaaaatg ccactgtcac tgccaggaaa tgcttctgag cagtacacct	180
cattgggatac aatgaaaagc ttcaagaaat cttcaggctc actctcttga aggcccgga	240
cctctggagg ggggcagtgg aatcccagct ccaggacgga tcctgtcgaa aagatatect	300
c	301

<210> 252

<211> 301

<212> DNA

<213> Homo sapien

<400> 252

gcaaccaatc actctgtttc acgtgacttt tatcaccata caatttgtgg catttcctca	60
ttttctacat tgtagaatca agagtgtaaa taaatgtata tcgatgtctt caagaatata	120
tcatttcctt ttcactagga acccattcaa aatataagtc aagaatctta atatcaacaa	180
atatatcaag caaactggaa ggcagaataa ctaccataat ttagtataag taccctaaagt	240
tttataaatc aaaagcccta atgataacca tttttagaat tcaatcatca ctgtagaatc	300
a	301

<210> 253

<211> 301

<212> DNA

<213> Homo sapien

<400> 253

ttccctaaga agatgttatt ttgttgggtt ttgttcccc tccatctcga ttctcgtacc	60
caactaaaaa aaaaaaataa agaaaaaatg tgctgcgttc tgaaaaataa ctcttagct	120

tggtctgatt gttttcagac cttaaaatat aaacttgttt cacaagcttt aatccatgtg	180
gatttttttt cttagagaac cacaaaacat aaaaggagca agtcggactg aatacctgtt	240
tccatagtgc ccacagggta ttcctcacat tttctccata ggaaaatgct ttttccaag	300
g	301

<210> 254
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 254	
cgctgcgcct ttccttggg ggaggggcaa ggccagaggg ggtccaagtg cagcacgagg	60
aacttgacca attcccttga agcgggtggg ttaaaccctg taaatgggaa caaaatcccc	120
ccaaatctct tcatcttacc ctggtggact cctgactgta gaattttttg gttgaaacaa	180
gaaaaaaata aagcttttga cttttcaagg ttgcttaaca ggtactgaaa gactggcctc	240
acttaaaactg agccaggaaa agctgcagat ttattaatgg gtgtgttagt gtgcagtgcc	300
t	301

<210> 255
 <211> 302
 <212> DNA
 <213> Homo sapien

<400> 255	
agcttttttt tttttttttt tttttttttt ttcattaaaa aatagtgtct tttattataa	60
attactgaaa tgtttctttt ctgaatataa atataaatat gtgcaaagtt tgacttggat	120
tgggattttg ttgagttctt caagcatctc ctaataccct caagggcctg agtagggggg	180
aggaaaaagg actggagggt gaatctttat aaaaaacaag agtgattgag gcagattgta	240
aacattatta aaaaacaaga aacaaacaaa aaaatagaga aaaaaaccac cccaacacac	300
aa	302

<210> 256
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 256	
gttccagaaa acattgaagg tggcttccca aagtctaact agggataccc cctctagcct	60
aggaccctcc tccccacacc tcaatccacc aaaccatcca taatgcacc agataggccc	120
acccccaaaa gcctggacac cttgagcaca cagttatgac caggacagac tcatctctat	180
aggcaaatag ctgctggcaa actggcatta cctggtttgt ggggatggg gggcaagtgt	240
gtggcctctc ggctgggtta gcaagaacat tcagggtagg cctaagttn tcgtgttagt	300
t	301

<210> 257
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 257	
gttggtggagg aactctggct tgctcattaa gtcctactga ttttactat ccctgaatt	60
tccccactta tttttgtctt tcaactatgc aggccttaga agaggtctac ctgcctccag	120
tcttacctag tccagtctac ccctggagt tagaatggcc atcctgaagt gaaaagtaat	180

gtcacattac tcccttcagt gattttctgt agaagtgcc atccctgaat gccaccaaga	240
tcttaatctt cacatcttta atcttatctc tttagactct ctttacaccg gagaaggctc	300
c	301

<210> 258
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (301)
 <223> n = A,T,C or G

<400> 258	
cagcagtagt agatgccgta tgccagcagc cccagcactc ccaggatcag caccagcacc	60
aggggcccag ccaccaggcg cagaagcaag ataaacagta ggctcaagac cagagccacc	120
cccagggcaa caagaatcca ataccaggac tgggcaaaat cttcaaagat cttaacactg	180
atgtctcggg cattgaggct gtcaataana cgctgatccc ctgctgtatg gtggtgtcat	240
tggtgatccc tgggagcgcc ggtggagtaa cgttggtcca tggaaagcag cgcccacaac	300
t	301

<210> 259
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (301)
 <223> n = A,T,C or G

<400> 259	
tcatatatgc aaacaaatgc agactangcc tcaggcagag actaaaggac atctcttggg	60
gtgtcctgaa gtgatttgga cccctgaggg cagcacaccta agtaggaatc ccagtgggaa	120
gcaaagccat aaggaagccc aggattcctt gtgatcagga agtggggccag gaaggctctgt	180
tccagctcac atctcatctg catgcagcac ggaccggatg cgcccactgg gtcttggctt	240
ccctcccatc ttctcaagca gtgtccttgt tgagccattt gcatccttgg ctccagggtg	300
c	301

<210> 260
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 260	
ttttttttct ccctaaggaa aaagaaggaa caagtctcat aaaaccaa at aagcaatggt	60
aagggtgtctt aacttgaaaa agattaggag tcaactgggtt acaagttata attgaatgaa	120
agaactgtaa cagccacagt tggccatttc atgccaatgg cagcaaacia caggattaac	180
tagggcaaaa taaataagtg tgtggaagcc ctgataagtg ctttaataaac agactgattc	240
actgagacat cagtacctgc ccgggcggcc gctcgagccg aattctgcag atatccatca	300
c	301

<210> 261
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 261

aaatattcga gcaaactctg taactaatgt gtctccataa aaggctttga actcagtga	60
tctgcttcca tccacgattc tagcaatgac ctctcggaca tcaaagctcc tcttaagggt	120
agcaccaact attccataca attcatcagc aggaaataaa ggctcttcag aagggtcaat	180
ggtgacatcc aatttcttct gataatttag attcctcaca accttcctag ttaagtgaag	240
ggcatgatga tcatccaaag ccagtggtc attactcca gactttctgc aatgaagatc	300
a	301

<210> 262

<211> 301

<212> DNA

<213> Homo sapien

<400> 262

gaggagagcc tgttacagca tttgtaagca cagaatactc caggagtatt tgtaattgtc	60
tgtgagcttc ttgccgcaag tctctcagaa atttaaaaag atgcaaacc ctgagtcacc	120
cctagacttc ctaaaccaga tcctctgggg ctggaacctg gcactctgca tttgtaatga	180
gggctttctg gtgcacacct aattttgtgc atctttgccc taaatcctgg attagtccc	240
catcattacc cccacattat aatgggatag attcagagca gatactctcc agcaaagaat	300
c	301

<210> 263

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (301)

<223> n = A,T,C or G

<400> 263

tttagcttgt ggtaaatgac tcacaaaact gattttaaaa tcaagttaat gtgaattttg	60
aaaattacta cttaactcta attcacaata acaatggcat taaggtttga cttgagttgg	120
ttcttagtat tatttatggg aaataggctc ttaccacttg caaataactg gccacatcat	180
taatgactga cttcccagta aggtctctta aggggtaagt angaggatcc acaggatttg	240
agatgctaag gcccagaga tcgtttgatc caaccctctt attttcagag gggaaaatgg	300
g	301

<210> 264

<211> 301

<212> DNA

<213> Homo sapien

<400> 264

aaagacgtta aaccactcta ctaccacttg tggaactctc aaagggtaaa tgacaaascc	60
aatgaatgac tctaaaaaca atatttacat ttaatggttt gtagacaata aaaaaacaag	120
gtggatagat ctagaattgt aacattttta gaaaaccata scatttgaca gatgagaaag	180
ctcaattata gatgcaaagt tataactaaa ctactatagt agtaaagaaa tacatttcac	240
acccttcata taaattcact atcttggctt gaggcactcc ataaaatgta tcacgtgcac	300
a	301

<210> 265

<211> 301

<212> DNA

<213> Homo sapien

<400> 265

tgcccaagtt atgtgtaagt gtatccgcac ccagaggtaa aactacactg tcatctttgt	60
cttcttgatga cgcagtattt cttctctggg gagaagccgg gaagtcttct cctggctcta	120
catattcttg gaagtctcta atcaactttt gttccatttg tttcatttct tcaggaggga	180
ttttcagttt gtcaacatgt tctctaacaa cacttgccca tttctgtaaa gaatccaaag	240
cagtccaagg ctttgacatg tcaacaacca gcataactag agtatccttc agagatacgg	300
c	301

<210> 266
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 266	
taccgtctgc ctttctccc atccaggcca tctgcgaatc tacatgggtc ctcctattcg	60
acaccagatc actctttcct ctaccacag gcttgctatg agcaagagac acaacctcct	120
ctcttctgtg ttccagcttc ttttctgtt cttcccaccc ctttaagttct attcctgggg	180
atagagacac caatacccat aacctctctc ctaagcctcc ttataaccca ggggtgcacag	240
cacagactcc tgacaactgg taaggccaat gaactgggag ctcacagctg gctgtgcctg	300
a	301

<210> 267
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 267	
aaagagcaca ggccagctca gcctgccctg gccatctaga ctcagcctgg ctccatgggg	60
gttctcagtg ctgagtccat ccaggaaaag ctcacctaga cttcttgagg ctgaatcttc	120
atcctcacag gcagcttctg agagcctgat attcctagcc ttgatgggtc ggagtaaagc	180
ctcattctga ttctctcct tcttttcttt caagttggct ttcctcacat ccctctgttc	240
aattcgcttc agcttgtctg ctttagccct catttcaga agcttcttct ctttggcctc	300
t	301

<210> 268
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 268	
aatgtctcac tcaactactt cccagcctac cgtggcctaa ttctgggagt tttcttctta	60
gatcttgga gagctggttc ttctaaggag aaggaggaag gacagatgta actttggatc	120
tcgaagagga agtctaattg aagtaattag tcaacgggtc ttgttttagac tcttggaata	180
tgctgggtgg ctcagtgagc ctttttgagg aaagcaagta ttattcttaa ggagtaacca	240
cttcccattg ttctactttc taccatcatc aattgtatat tatgtattct ttggagaact	300
a	301

<210> 269
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 269	
taacaatata cactagctat ctttttaact gtccatcatt agcaccaatg aagattcaat	60
aaaattacct ttattcacac atctcaaaac aattctgcaa attcttagtg aagtttaact	120
atagtcacag accttaata ttacattgt tttctatgtc tactgaaaat aagttcacta	180
cttttctgga tattctttac aaaatcttat taaaattcct ggtattatca cccccaatta	240
tacagtagca caaccacctt atgtagtttt tacatgatag ctctgtagaa gtttcacatc	300
t	301

<210> 270
<211> 301
<212> DNA
<213> Homo sapien

<400> 270
cattgaagag cttttgcgaa acatcagaac acaagtgcctt ataaaattaa ttaagcctta 60
cacaagaata catattcctt ttatttctaa ggagttaaac atagatgtag ctgatgtgga 120
gagcttgctg gtgcagtgc aattggataa cactattcat ggccgaattg atcaagtcaa 180
ccaactcctt gaactggatc atcagaagaa ggggtggtgca cgatatactg cactagataa 240
tggaaccaacc aactaaattc tctcaccagg ctgtatcagt aaactggcctt aacagaaaac 300
a 301

<210> 271
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1) ... (301)
<223> n = A,T,C or G

<400> 271
aaaaggttct cataagatta acaatttaaa taaatatttg atagaacatt ctttctcatt 60
tttatagctc atctttaggg ttgatattca gtcatgctt cccttgctgt tcttgatcca 120
gaattgcaat cacttcatca gcctgtattc gctccaattc tctataaagt ggggtccaagg 180
tgaaccacag agccacagca cacctctttc ccttggtgac tgccttcacc ccatganggt 240
tctctcctcc agatganaac tgatcatgcg cccacatttt gggttttata gaagcagtca 300
c 301

<210> 272
<211> 301
<212> DNA
<213> Homo sapien

<400> 272
taaattgcta agccacagat aacaccaatc aaatggaaca aatcactgtc ttcaaagtgc 60
ttatcagaaa accaaatgag cctggaatct tcataatacc taaacatgcc gtatttagga 120
tccaataatt cctcatgat gagcaagaaa aattctttgc gcacctctcc tgcattccaca 180
gcatcttctc caacaaatat aaccttgagt ggcttcttgt aatctatgtt ctttgttttc 240
ctaaggactt ccattgcate tcctacaata ttttctctac gcaccactag aattaagcag 300
g 301

<210> 273
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1) ... (301)
<223> n = A,T,C or G

<400> 273
acatgtgtgt atgtgtatct ttgggaaaaa aanaagacat cttgtttayt atttttttgg 60
agagangctg ggacatggat aatcacwtaa tttgctayta tyactttaat ctgactyga 120

```

gaaccgtcta aaaataaaat ttaccatgtc dtatattcct tatagtatgc ttatttcacc 180
ttytttctgt ccagagagag tatcagtgc ananatttma ggggtgaamac atgmattgggt 240
gggacttnty tttaengagm accctgcccg sgcgccctcg makengantt ccgcsananic 300
t 301

```

```

<210> 274
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

```

```

<400> 274
cttatatact ctttctcaga ggcaaaagag gagatgggta atgtagacaa ttctttgagg 60
aacagtaaatt gattattaga gagaangaat ggaccaagga gacagaaatt aacttgtaaa 120
tgattctctt tggaatctga atgagatcaa gaggccagct ttagcttggt gaaaagtcca 180
tctaggtatg gttgcattct cgtcttcttt tctgcagtag ataatgaggt aaccgaaggc 240
aattgtgctt cttttgataa gaagctttct tggatcatatc aggaaattcc aganaaagtc 300
c 301

```

```

<210> 275
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

```

```

<400> 275
tcggtgtcag cagcacgtgg cattgaacat tgcaatgtgg agcccaaacc acagaaaatg 60
gggtgaaatt ggccaacttt ctattaactt atgttggaac ttttgccacc aacagtaagc 120
tgcccttctt aataaaagaa aattgaaagg tttctcacta aacggaatta agtagtgagg 180
tcaagagact ccagggcctc agcgtacctg cccggggcgg cgctcgaagc cgaattctgc 240
agatatccat cacactggcg gncgctcgan catgcatcta gaaggnccaa ttcgccctat 300
a 301

```

```

<210> 276
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 276
tgtacacata ctcaataaat aaatgactgc attgtggtat tattactata ctgattatat 60
ttatcatgtg acttctaatt agaaaatgta tccaaaagca aaacagcaga tatacaaaat 120
taaagagaca gaagatagac attaacagat aaggcaactt atacattgag aatccaaatc 180
caatacatth aaacatttgg gaaatgaggg ggacaaatgg aagccagatc aaatttgtgt 240
aaaactattc agtatgtttc cttgtcttca tgtctgagaa ggctctcctt caatggggat 300
g 301

```

```

<210> 277
<211> 301
<212> DNA
<213> Homo sapien

```

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 277
 tttgttgatg tcagtatttt attacttgcg ttatgagtgc tcacctggga aattctaaag 60
 atacagagga cttggaggaa gcagagcaac tgaatttaat ttaaaagaag gaaaacattg 120
 gaatcatggc actcctgata ctttcccaaa tcaacactct caatgccccca ccctcgteet 180
 caccatagtg gggagactaa agtggccacg gatttgceet angtgtgcag tgcgttctga 240
 gttcncgtgc gattacatct gaccagtctc ctttttccga agtcntccg ttcaatcttg 300
 c 301

<210> 278
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 278
 taccactaca ctccagcctg ggcaacagag caagacctgt ctcaaagcat aaaatggaat 60
 aacatatcaa atgaaacagg gaaaatgaag ctgacaattt atggaagcca gggcttgtca 120
 cagtctctac tgttattatg cattacctgg gaatttatat aagcccttaa taataatgcc 180
 aatgaacatc tcatgtgtgc tcacaatgtt ctggcactat tataagtgtc tcacaggttt 240
 tatgtgttct tcgtaacttt atggantagg tactcggccg cgaacacgct aagccgaatt 300
 c 301

<210> 279
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 279
 aaagcaggaa tgacaaagct tgcttttctg gtatgttcta ggtgtattgt gacttttact 60
 gttatattaa ttgccaatat aagtaaatat agattatata tgtatagtgt ttcacaaagc 120
 ttagaccttt accttccagc caccacacag tgcttgatat ttcagagtca gtcattgggt 180
 atacatgtgt agttccaaag cacataagct agaanaanaa atatttctag ggagcactac 240
 catctgtttt cacatgaaat gccacacaca tagaactcca acatcaattt cattgcacag 300
 a 301

<210> 280
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 280
 ggtactggag ttttctccc ctgtgaaaac gtaactactg ttgggagtga attgaggatg 60
 tagaaaggtg gtggaaccaa attgtggtca atggaaatag gagaatatgg ttctcactct 120

tgagaaaaaa	acctaagatt	agcccaggtg	gttgccctgta	acttcagttt	ttctgcctgg	180
gtttgatata	gtttagggtt	ggggtttagat	taagatctaa	attacatcag	gacaaagaga	240
cagactatta	actccacagt	taattaagga	ggtatgttcc	atgtttattt	gttaaagcag	300
t						301

<210> 281
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 281						
aggtacaaga	aggggaatgg	gaaagagctg	ctgctgtggc	attgttcaac	ttggatattc	60
gccgagcaat	ccaaatcctg	aatgaagggg	catcttctga	aaaaggagat	ctgaatctca	120
atgtggtagc	aatggcttta	tcgggttata	cggatgagaa	gaactccctt	tggagagaaa	180
tgtgtagcac	actgcgatta	cagctaaata	acccgtatit	gtgtgtcatg	tttgcatttc	240
tgacaagtga	aacaggatct	tacgatggag	ttttgtatga	aaacaaagtt	gcagtacctc	300
g						301

<210> 282
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 282						
caggtactac	agaattaa	tactgacaag	caagtagttt	cttggcgtgc	acgaattgca	60
tccagaaccc	aaaaattaag	aaattcaaaa	agacattttg	tgggcacctg	ctagcacaga	120
agcgagagag	caaagcccag	gcagaaccat	gctaacctta	cagctcagcc	tgcacagaag	180
cgcagaagca	aagcccaggc	agaaccatgc	taaccttaca	gtcagcctg	cacagaagcg	240
cagaagcaaa	gcccgagcag	aacatgctaa	ccttacagct	cagcctgcac	agaagcacag	300
a						301

<210> 283
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 283						
atctgtatac	ggcagacaaa	ctttatarag	tgtagagagg	tgagcgaaag	gatgcaaaag	60
cactttgagg	gctttataat	aatatgctgc	ttgaaaaaaa	aatgtgtag	ttgatactca	120
gtgcatctcc	agacatagta	aggggttgct	ctgaccaatc	aggtgatcat	tttttctatc	180
acttcccagg	ttttatgcaa	aaattttgtt	aaattctata	atggtgatat	gcattcttta	240
ggaaacatat	acatttttta	aaatctattt	tatgtaagaa	ctgacagacg	aatttgcttt	300
g						301

<210> 284
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 284						
caggtacaaa	acgctattaa	gtggcttaga	atttgaacat	ttgtggtctt	tatttacttt	60
gcttcgtgtg	tgggcaaagc	aacatcttcc	ctaaatatat	attaccaaga	aaagcaagaa	120
gcagattagg	tttttgacaa	aacaaacagg	ccaaaagggg	gctgacctgg	agcagagcat	180
gggtagaggc	aaggcatgag	agggcaagtt	tgttgtggac	agatctgtgc	ctactttatt	240
actggagtaa	aagaaaacaa	agttcattga	tgtcgaagga	tatatacagt	gtagaaaatt	300
a						301

<210> 285

<211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 285
 acatcaccat gatcggtacc cccacccatt atacgttgta tgtttacata aatactcttc 60
 aatgatcatt agtgttttaa aaaaaatact gaaaactcct tctgcatccc aatctctaac 120
 caggaaagca aatgctatct acagacctgc aagccctccc tcaaacnaaa ctatttctgg 180
 attaaatag tctgacttct tttgaggtca cagcactagg caaatgctat ttacgatctg 240
 caaaagctgt ttgaagagtc aaagcccca tgtgaacacg atttctggac cctgtaacag 300
 t 301

<210> 286
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 286
 taccactgca ttccagcctg ggtgacagag tgagactccg tctccaaaa aaactttgct 60
 tgtatattat ttttgctta cagtggatca ttctagtagg aaaggacagt aagatttttt 120
 atcaaaatgt gtcatgccag taagagatgt tatattcttt tctcatttct tccccacca 180
 aaaataagct accatatagc ttataagtct caaatttttg ccttttacta aaatgtgatt 240
 gtttctgttc attgtgtatg cttcatcacc tatattagga aaattccatt ttttccttg 300
 t 301

<210> 287
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 287
 tacagatctg ggaactaaat attaaaaatg agtgtggctg gatatatgga gaatgttggg 60
 cccagaagga acgtagagat cagatattac aacagctttg ttttgagggg tagaaatatg 120
 aaatgatttg gttatgaacg cacagttagg gcagcagggc cagaatcctg accctctgcc 180
 ccgtgggtat ctctcctcca gcttggctgc ctcatgttat cacagtattc cattttgttt 240
 gttgcatgtc ttgtgaagcc atcaagattt tctcgtctgt tttcctctca ttggtaatgc 300
 t 301

<210> 288
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 288
 gtacacctaa ctgcaaggac agctgaggaa tgtaatgggc agccgctttt aaagaagtag 60
 agtcaatagg aagacaaatt ccagttccag ctcatctctg gtatctgcaa agctgcaaaa 120
 gatctttaaa gacaatttca agagaatatt tccttaaagt tggcaatttg gagatcatac 180
 aaaagcatct gcttttctga tttaatttag ctcatctggc cactggaaga atccaaacag 240
 tctgccttaa ttttggatga atgcatgatg gaaattcaat aatttagaaa gttaaaaaaa 300
 a 301

<210> 289
 <211> 301

<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (301)
<223> n = A,T,C or G

<400> 289
ggtacactgt ttccatgta tgttctaca cattgctacc tcagtgtcc tggaaactta 60
gcttttgatg tctccaagta gtccaccttc atttaactct ttgaaactgt atcatctttg 120
ccaagtaaga gtggtggcct atttcagctg ctttgacaaa atgactggct cctgacttaa 180
cgttctataa atgaatgtgc tgaagcaaag tgcccatggg ggcggcgaan aagagaaaga 240
tgtgttttgt tttggactct ctgtggtccc ttccaatgct gtgggtttcc aaccagnnga 300
a 301

<210> 290
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (301)
<223> n = A,T,C or G

<400> 290
acactgagct cttcttgata aatatacaga atgcttggca tatacaagat tctatactac 60
tgactgatct gttcatttct ctcacagctc ttaccccaa aagcttttcc accctaagtg 120
ttctgacctc cttttctaata cacagtaggg atagaggcag anccacctac aatgaacatg 180
gagttctatc aagaggcaga aacagcacag aatcccagtt ttaccattcg cttagcagtgc 240
tgccttgaac aaaaacattt ctccatgtct catthttcttc atgcctcaag taacagttag 300
a 301

<210> 291
<211> 301
<212> DNA
<213> Homo sapien

<400> 291
caggtaccaaa tttcttctat cctagaaaca tttcatttta tgttgttgaa acataacaac 60
tatatcagct agattttttt tctatgcttt acctgctatg gaaaatttga cacattctgc 120
tttactcttt tgtttatagg tgaatcacia aatgtatttt tatgtattct gtagttcaat 180
agccatggct gtttacttca ttttaatttat ttagcataaa gacattatga aaaggcctaa 240
acatgagctt cacttccccca ctaactaatt agcatctggt atttcttaac cgtaatgcct 300
a 301

<210> 292
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (301)
<223> n = A,T,C or G

<400> 292

```

accttttagt agtaatgtct aataataaat aagaaatcaa ttttataagg tccatatagc      60
tgtattaaat aatttttaag tttaaaagat aaaataccat catttttaaat gttggtattc      120
aaaaccaaag natataaccg aaaggaaaaa cagatgagac ataaaatgat ttgcnagatg      180
ggaaatatag tasttyatga atgttnatta aattccagtt ataatagtgg ctacacactc      240
tcactacaca cacagacccc acagtcctat atgccacaaa cacatttcca taacttgaaa      300
a                                                                                   301

```

```

<210> 293
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 293
ggtaccaagt gctggtgcc a gctgttacc tgttctcact gaaaagtctg gctaagtctc      60
ttgtgtagtc acttctgatt ctgacaatca atcaatcaat ggccatagagc actgactggt      120
aacacaaacg tcactagcaa agtagcaaca gctttaagtc taaatacaaaa gctgttctgt      180
gtgagaattt tttaaaaggc tacttgata ataacccttg tcatttttaa tgtacctcgg      240
ccgcgaccac gctaagccga attctgcaga tatccatcac actggcggcc gctcgagcat      300
g                                                                                   301

```

```

<210> 294
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

```

```

<400> 294
tgaccataaa caatatacac tagctatctt tttaaactgtc catcattagc accaatgaag      60
attcaataaa attaccttta ttcacacatc tcaaaacaat tctgcaaatt cttagtgaag      120
tttaactata gtcacaganc ttaaataatc acattgtttt ctatgtctac tgaaaaataag      180
ttcactactt ttctgggata ttctttacaa aatcttatta aaattcctgg tattatcacc      240
cccaattata cagtagcaca accaccttat gtagttttta catgatagct ctgtagaggt      300
t                                                                                   301

```

```

<210> 295
<211> 305
<212> DNA
<213> Homo sapien

```

```

<400> 295
gtactctttc tctcccctcc tctgaattta attctttcaa cttgcaattt gcaaggatta      60
cacatttcac tgtgatgtat attgtgttgc aaaaaaaaaa gtgtctttgt ttaaaattac      120
ttggtttgtg aatccatctt gctttttccc cattggaact agtcattaac ccatctctga      180
actggtagaa aaacrtctga agagctagtc tatcagcatc tgacagggtga attggatggt      240
tctcagaacc atttcacca gacagcctgt ttctatctctg ttttaataaat tagtttgggt      300
tctct                                                                                   305

```

```

<210> 296
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 296
agggtactatg ggaagctgct aaaataatat ttgatagtaa aagtatgtaa tgtgctatct      60

```



```

cacctagtag taaactaaaa ataaactgaa actttatgga atctgaagtt attttccttg 120
attaaataga attaataaac caatatgagg aaacatgaaa ccatgcaatc tactatcaac 180
tttgaaaaag tgattgaacg aaccacttag ctttcagatg atgaacactg ataagtcatt 240
tgtcattact ataaatttta aaatctgtta ataagatggc ctatagggag gaaaaagggg 300
c 301

```

```

<210> 297
<211> 300
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (300)
<223> n = A,T,C or G

```

```

<400> 297
actgagtttt aactggacgc caagcaggca aggctggaag gttttgctct ctttgtgcta 60
aaggttttga aaaccttgaa ggagaatcat ttgacaaga agtacttaag agtctagaga 120
acaaagangt gaaccagctg aaagctctcg ggggaanctt acatgtgttg ttaggcctgt 180
tccatcattg ggagtgcact ggccatccct caaaatttgt ctgggctggc ctgagtgggc 240
accgcacctc ggccgcgacc acgctaagcc gaattctgca gatatccatc acactggcgg 300

```

```

<210> 298
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (301)
<223> n = A,T,C or G

```

```

<400> 298
tatgggggttt gtcaacccaaa agctgatgct gagaaaggcc tccctggggc ccctcccgcg 60
ggcatctgag agacctggtg ttccagtgtt tctggaaatg ggtcccagtg ccgccggctg 120
tgaagctctc agatcaatca cgggaagggc ctggcggtgg tggccacctg gaaccaccct 180
gtcctgtctg tttacatttc actaycaggt tttctctggg cattacnatt tgttccccta 240
caacagtgac ctgtgcattc tgctgtggcc tgctgtgtct gcagggtggc ctcagcgagg 300
t 301

```

```

<210> 299
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 299
gttttgagac ggagtttcac tcttgttgcc cagactggac tgcaatggca gggctctctgc 60
tcaactgcacc ctctgcctcc cagggttcgag caattctcct gcctcagcct ccagggtagc 120
tgggattgca ggctcacgcc accataccca gctaattttt ttgtattttt agtagagacg 180
gagtttcgcc atgttggcc aactcctgac ctcaagcgac ctgcctgcct 240
cggcctccca aagtgtctgga attataggca tgagtcaaca cgcccagcct aaagatatatt 300
t 301

```

```

<210> 300
<211> 301
<212> DNA
<213> Homo sapien

```

<400> 300
 attcagtttt atttgctgcc ccagtatctg taaccaggag tgccacaaaa tcttgccaga 60
 tatgtccac acccactggg aaaggctccc acctggctac ttcctctatc agctgggtca 120
 gctgcattcc acaaggttct cagcctaata agtttacta cctgccagtc tcaaaactta 180
 gtaaagcaag accatgacat tccccacgg aaatcagagt ttgccccacc gtcttggttac 240
 tataaagcct gcctctaaca gtccttgctt cttcacacca atcccagagc catcccccat 300
 g 301

<210> 301
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 301
 tttaaatttt gagaggataa aaaggacaaa taatctagaa atgtgtcttc ttcagtctgc 60
 agaggacccc aggtctccaa gcaaccacat ggtcaagggc atgaataatt aaaagtgggt 120
 gggaaactcac aaagaccctc agagctgaga caccacaaac agtgggagct cacaagacc 180
 ctgagagctg agacacccac aacagtggga gctcacaaag accctcagag ctgagacacc 240
 cacaacagca cctcgttcag ctgccacatg tgtgaataag gatgcaatgt ccagaagtgt 300
 t 301

<210> 302
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 302
 aggtacacat ttagcttggt gtaaatgact cacaaaactg attttaaaat caagttaatg 60
 tgaattttga aaattactac ttaatcctaa ttcacaataa caatggcatt aaggtttgac 120
 ttgagttggt tcttagtatt atttatggta aataggctct taccacttgc aaataactgg 180
 ccacatcatt aatgactgac ttcccagtaa ggctctctaa ggggtaagta ggaggatcca 240
 caggatttga gatgctaagg ccccagagat cgtttgatcc aaccctctta ttttcagagg 300
 g 301

<210> 303
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 303
 aggtaccaac tgtggaataa ggtagaggat cattttttct ttccatatca actaagttgt 60
 atattgtttt ttgacagttt aacacatctt cttctgtcag agattcttct acaatagcac 120
 tggctaattg aactaccgct tgcagttaa aaatgggtgg ttgtgaaatg atcataggcc 180
 agtaacgggt atgtttttct aactgatctt ttgctcgctc caaagggacc tcaagacttc 240
 catcgatttt atatctgggg tctagaaaag gagttaatct gttttccctc ataaattcac 300
 c 301

<210> 304
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 304
 acatggatgt tattttgcag actgtcaacc tgaatttgta tttgcttgac attgcctaatt 60
 tattagtctc agtttcagct taccactttt ttgtctgcaa catgcaraas agacagtgcc 120
 ctttttagtg tatcatatca ggaatcatct cacattgggt tgtgccatta ctggtgcagt 180
 gactttcagc cacttgggta aggtggaggt ggccatatgt ctccactgca aaattactga 240

ttttcctttt gtaattaata agtgtgtgtg tgaagattct ttgagatgag gtatatatct 300
c 301

<210> 305
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

<400> 305
gangtacagc gtggtcaagg taacaagaag aaaaaaatgt gagtggcatc ctgggatgag 60
cagggggaca gacctggaca gacacgttgt catttgctgc tgtgggtagg aaaatgggag 120
taaaggagga gaaacagata caaaatctcc aactcagtat taaggatttc tcatgcctag 180
aatattggta gaaacaagaa tacattcata tggcaaataa ctaaccatgg tggaacaaaa 240
ttctgggatt taagtggat accaangaaa ttgtattaaa agagctgttc atggaataag 300
a 301

<210> 306
<211> 8
<212> PRT
<213> Homo sapien

<400> 306
Val Leu Gly Trp Val Ala Glu Leu
1 5

<210> 307
<211> 637
<212> DNA
<213> Homo sapien

<400> 307
acagggratg aagggaagg gagaggatga ggaagccccc ctggggattt ggtttggtcc 60
ttgtgatcag gtggtctatg gggcttatcc ctacaaagaa gaatccagaa atagggggcac 120
attgaggaat gatacttgag cccaaagagc attcaatcat tgttttattt gccttmtttt 180
cacaccattg gtgagggagg gattaccacc ctggggttat gaagatgggt gaacacccca 240
cacatagcac cggagatatg agatcaacag tttcttagcc atagagattc acagcccaga 300
gcaggaggac gcttgcacac catgcaggat gacatggggg atgcgctcgg gattggtgtg 360
aagaagcaag gactgttaga ggcaggcttt atagtaacaa gacggtgggg caaactctga 420
tttccgtggg ggaatgtcat ggtcttgctt tactaagttt tgagactggc aggtagtga 480
actcattagg ctgagaacct tgtggaatgc acttgaccca sctgatagag gaagtagcca 540
gggtgggagcc tttcccagtg ggtgtgggac atatctggca agattttgtg gcactcctgg 600
ttacagatac tggggcagca aataaaactg aatcttg 637

<210> 308
<211> 647
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(647)
<223> n = A,T,C or G

<400> 308

acgattttca	ttatcatgta	aatcgggtca	ctcaaggggc	caaccacagc	tgggagccac	60
tgctcagggg	aaggttcata	tgggactttc	tactgcccaa	ggttctatac	aggatataaa	120
ggngcctcac	agtagatgc	tggtagcaaa	gaagaagaaa	caaactga	tctctttctg	180
ccacccctct	gaccctttgg	aactcctctg	accctttaga	acaagcctac	ctaatactctg	240
ctagagaaaa	gaccaacaac	ggcctcaaag	gatctcttac	catgaaggtc	tcagctaatt	300
cttggctaag	atgtgggttc	cacattaggt	tctgaatatg	gggggaaggg	tcaatttgct	360
cattttgtgt	gtggataaag	tcaggatgcc	caggggccag	agcagggggc	tgcttgcttt	420
gggaacaatg	gctgagcata	taaccatagg	ttatggggaa	caaaacaaca	tcaaagtcac	480
tgtatcaatt	gccatgaaga	cttgagggac	ctgaatctac	cgattcatct	taaggcagca	540
ggaccagttt	gagtggcaac	aatgcagcag	cagaatcaat	ggaaacaaca	gaatgattgc	600
aatgtccttt	ttttctcct	gcttctgact	tgataaaagg	ggaccgt		647

<210> 309

<211> 460

<212> DNA

<213> Homo sapien

<400> 309

actttatagt	ttaggctgga	cattggaaaa	aaaaaaagc	cagaacaaca	tgtgatagat	60
aatatgattg	gctgcacact	tccagactga	tgaatgatga	acgtgatgga	ctattgtatg	120
gagcacatct	tcagcaagag	ggggaatac	tcatcatttt	tggccagcag	ttgtttgatc	180
accaaaccatc	atgccagaat	actcagcaaa	ccttcttagc	tcttgagaag	tcaaagtcag	240
ggggaattta	ttcctggcaa	ttttaattgg	actccttatg	tgagagcagc	ggctaccag	300
ctggggtggt	ggagcgaacc	cgtcactagt	ggacatgcag	tggcagagct	cctggtaacc	360
acctagagga	atacacaggc	acatgtgtga	tgccaagcgt	gacacctgta	gcactcaaatt	420
ttgtcttggt	tttgtctttc	ggtgtgtaag	attcttaagt			460

<210> 310

<211> 539

<212> DNA

<213> Homo sapien

<400> 310

acgggactta	tcaaataaag	ataggaaaag	aagaaaactc	aaatattata	ggcagaaatg	60
ctaaagggtt	taaaatatgt	caggattgga	agaaggcatg	gataaagaac	aaagttcagt	120
taggaaagag	aaacacagaa	ggaagagaca	caataaaagt	cattatgtat	tctgtgagaa	180
gtcagacagt	aagatttggt	ggaaaatgggt	tggtttggtg	tatgggtatgt	attttagcaa	240
taatctttat	ggcagagaaa	gctaaaatcc	tttagcttgc	gtgaatgatc	acttgctgaa	300
ttcctcaagg	taggcatgat	gaaggagggt	ttagaggaga	cacagacaca	atgaactgac	360
ctagatagaa	agccttagta	tactcagcta	ggaatagtga	ttctgagggc	acactgtgac	420
atgattatgt	cattacatgt	atggtagtga	tggggatgat	aggaaggaag	aacttatggc	480
atattttcac	ccccacaaaa	gtcagttaaa	tattgggaca	ctaaccatcc	aggtcaaga	539

<210> 311

<211> 526

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)... (526)

<223> n = A,T,C or G

<400> 311

caaatttgag	ccaatgacat	agaattttac	aaatcaagaa	gcttattctg	gggccatttc	60
ttttgacgtt	ttctctaaac	tactaaagag	gcattaatga	tccataaatt	atattatcta	120
catttacagc	atttaaaatg	tgttcagcat	gaaatattag	ctacagggga	agctaaataa	180

attaaacatg gaataaagat ttgtccttaa atataatcta caagaagact ttgatatttg	240
tttttcacaa gtgaagcatt cttataaagt gtcataacct ttttggggaa actatgggaa	300
aaaatgggga aactctgaag gggttttaagt atcttaacctg aagctacaga ctccataacc	360
tctctttaca gggagctcct gcagccccta cagaaatgag tggctgagat tcttgattgc	420
acagcaagag cttctcatct aaaccctttc ctttttagt atctgtgtat caagtataaa	480
agttctataa actgtagtnt acttatttta atccccaag cacagt	526

<210> 312

<211> 500

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (500)

<223> n = A,T,C or G

<400> 312

cctctctctc cccacccct gactctagag aactgggttt tctcccagta ctccagcaat	60
tcatttctga aagcagttga gccactttat tccaaagtac actgcagatg ttcaaactct	120
ccatttctct ttccttcca cctgccagtt ttgctgactc tcaacttgct atgagtgtaa	180
gcattaagga cattatgctt cttcgattct gaagacaggc cctgctcatg gatgactctg	240
gcttcttagg aaaatatatt tcttccaaa tcagtaggaa atctaaactt atcccctctt	300
tgcagatgct tagcagcttc agacatttgg ttaagaaccc atgggaaaaa aaaaaatcct	360
tgctaattgt gtttctttg taaaccanga ttcttatttg nctggtatag aatatcagct	420
ctgaacgtgt ggtaaagatt tttgtgttg aatataggag aaatcagttt gctgaaaagt	480
tagtcttaat tatctattgg	500

<210> 313

<211> 718

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (718)

<223> n = A,T,C or G

<400> 313

ggagatttgt gtggtttgca gccgaggag accaggaaga tctgcatggt gggaggacc	60
tgatgataca gagtgagaa ataagaaagg ctgctgactt taccatctga ggccacacat	120
ctgctgaaat ggagataatt aacatcacta gaaacagcaa gatgacaata taatgtctaa	180
gtagtgacat gtttttgca atttccagcc cttttaata tccacacaca caggaagcac	240
aaaagggaagc acagagatcc ctgggagaaa tgcccggccg ccatcttggg tcatcgatga	300
gcctcgccct gtgcctgntc ccgcttgta gggaaggaca ttagaaaatg aattgatgtg	360
ttccttaaaag gatggcagga aaacagatcc tgttgtggat atttatttga acgggattac	420
agatttgaaa tgaagtcaca aagtgagcat taccaatgag aggaaaacag acgagaaaat	480
cttgatgggt cacaagacat gcaacaaaca aaatggaata ctgtgatgac acgagcagcc	540
aactggggag gagataccac ggggcagagg tcaggattct ggccctgctg cctaactgtg	600
cgttatacca atcatttcta tttctaccct caaacaagct gtngaatatc tgacttacgg	660
ttctnttggc ccacattttc atnatccacc cntcntttt aannttantc caaantgt	718

<210> 314

<211> 358

<212> DNA

<213> Homo sapien

<400> 314

```

gtttatttac attacagaaa aaacatcaag acaatgtata ctatttcaaa tatatccata    60
cataatcaaa tatagctgta gtacatgttt tcattgggtg agattaccac aaatgcaagg    120
caacatgtgt agatctcttg tcttattctt ttgtctataa tactgtattg tgtagtccaa    180
gctctcggta gtccagccac tgtgaaacat gctcccttta gattaacctc gtggacgctc    240
ttgttgattt gctgaactgt agtgccctgt attttgcttc tgtctgtgaa ttctgttgct    300
tctggggcat ttccttgtga tgcagaggac caccacacag atgacagcaa tctgaatt    358

```

<210> 315

<211> 341

<212> DNA

<213> Homo sapien

<400> 315

```

taccacctcc ccgctggcac tgatgagccg catcaccatg gtcaccagca ccatgaaggc    60
ataggtgatg atgaggacat ggaatggggc cccaaggatg gtctgtccaa agaagcgagt    120
gacccccatt ctgaagatgt ctggaacctc taccagcagg atgatgatag ccccaatgac    180
agtcaccagc tccccgacca gccggatata gtccttaggg gtcatgtagg cttcctgaag    240
tagcttctgc tgtaagaggg tgttgtcccg ggggctcgtg cggttattgg tcttgggctt    300
gagggggcgg tagatgcagc acatggtgaa gcagatgatg t                    341

```

<210> 316

<211> 151

<212> DNA

<213> Homo sapien

<400> 316

```

agactgggca agactcttac gcccacact gcaatttggt cttgttgccg tatccattta    60
tgtgggcctt tctcgagttt ctgattataa acaccactgg agcgatgtgt tgactggact    120
cattcaggga gctctggttg caatattagt t                    151

```

<210> 317

<211> 151

<212> DNA

<213> Homo sapien

<400> 317

```

agaactagtg gatcctaatt aaataacctga aacatatatt ggcatttatc aatggctcaa    60
atcttcattt atctctggcc ttaaccctgg ctcttgaggc tgcggccagc agatcccagg    120
ccagggtctt gttcttgcca cacctgcttg a                    151

```

<210> 318

<211> 151

<212> DNA

<213> Homo sapien

<400> 318

```

actggtggga ggcgctgttt agttggetgt tttcagaggg gtctttcgga gggacctcct    60
gctgcaggct ggagtgtctt tttcctggc gggagaccgc acattccact gctgaggctg    120
tgggggcggt ttatcaggca gtgataaaca t                    151

```

<210> 319

<211> 151

<212> DNA

<213> Homo sapien

<400> 319

```

aactagtgga tccagagcta taggtacagt gtgatctcag ctttgcaaac acattttcta    60
catagatagt actaggtatt aatagatatg taaagaaaga aatcacacca ttaataatgg    120

```

taagattggg tttatgtgat tttagtgggt a 151

<210> 320
 <211> 150
 <212> DNA
 <213> Homo sapien

<400> 320
 aactagtgga tccactagtc cagtgtgggt gaattccatt gtgttggggt tctagatcgc 60
 gacgggctgc cctttttttt tttttttttt ggggggaatt tttttttttt aatagttatt 120
 gagtgttcta cagcttacag taaataccat 150

<210> 321
 <211> 151
 <212> DNA
 <213> Homo sapien

<400> 321
 agcaactttg tttttcatcc aggttatattt aggccttagga tttcctctca cactgcagtt 60
 tagggtggca ttgtaaccag ctatggcata ggtgttaacc aaaggctgag taaacatggg 120
 tgcctctgag aaatcaaagt cttcatacac t 151

<210> 322
 <211> 151
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(151)
 <223> n = A,T,C or G

<400> 322
 atccagcatc ttctcctggt tcttgccctc ctttttcttc ttcttasatt ctgcttgagg 60
 tttgggcttg gtcagtttgc cacagggtt ggagatggtg acagtcttct ggcattcggc 120
 attgtgcagg gctcgttca nacttccagt t 151

<210> 323
 <211> 151
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(151)
 <223> n = A,T,C or G

<400> 323
 tgaggacttg tktttttttt ctttatattt aatcctctta ckttgtaa atattgccta 60
 nagactcant tactacccag tttgtggtt twtgggagaa atgtaactgg acagttagct 120
 gttcaatyaa aaagacactt ancccatgtg g 151

<210> 324
 <211> 461
 <212> DNA
 <213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (461)

<223> n = A,T,C or G

<400> 324

acctgtgtgg aatttcagct ttcctcatgc aaaaggattt	tgtatccccg gcctacttga	60
agaagtgggc agctaaagga atccaggttg ttggttgac	tgtaataacc tttgatgaaa	120
agagttacta cgaatcccat cttggttcca gctatatcac	tgacagcatg gtagaagact	180
gcgaacctca cttctagact ttcacggtgg gacgaaacgg	gttcagaaac tgccaggggc	240
ctcatacagg gatatacaaaa taccctttgt gctaccagg	ccctggggaa tcaggtgact	300
cacacaaatg caatagtgtg tcaactgcatt tttacctgaa	ccaaagctaa acccgtgtt	360
gccaccatgc accatggcat gccagagttc aacactgttg	ctcttgaaaa ttgggtctga	420
aaaaacgcac aagagcccct gccctgccct agctgangca	c	461

<210> 325

<211> 400

<212> DNA

<213> Homo sapien

<400> 325

acactgtttc catgttatgt ttctacacat tgctacctca	gtgctcctgg aaacttagct	60
tttgatgtct ccaagtagtc caccttcatt taactctttg	aaactgtatc atctttgcca	120
agtaagagtg gtggcctatt tcagctgctt tgacaaaatg	actggctcct gacttaacgt	180
tctataaatg aatgtgctga agcaaatggtc ccatgggtggc	ggcgaagaag agaaagatgt	240
gttttgtttt ggactctctg tgggtcccttc caatgctgtg	ggtttccaac caggggaagg	300
gtcccttttg cattgccaag tgccataacc atgagcacta	cgctaccatg gttctgcctc	360
ctggccaagc aggtgtgttt gcaagaatga aatgaatgat		400

<210> 326

<211> 1215

<212> DNA

<213> Homo sapien

<400> 326

ggaggactgc agcccgcact cgcagccctg gcaggcggca	ctggatcatgg aaaacgaatt	60
gttctgctcg ggctcctggtg tgcacccgca gtgggtgctg	tcagccgcac actgtttcca	120
gaactcctac accatcgggc tgggcctgca cagtcttgag	gccgaccaag agccagggag	180
ccagatgggtg gaggccagcc tctccgtacg gcacccagag	tacaacagac ccttgctcgc	240
taacgacctc atgtcatca agttggacga atccgtgtcc	gagtctgaca ccatccggag	300
catcagcatt gcttcgcagt gccctaccgc ggggaactct	tgccctggtt ctggctgggg	360
tctgctggcg aacggcagaa tgctaccgt gctgcagtgc	gtgaacgtgt cgggtggtgc	420
tgaggaggtc tgcagtaagc tctatgacct gctgtaccac	cccagcatgt tctgcgccgg	480
cggagggcaa gaccagaagg actcctgcaa cgggtgactct	ggggggcccc tgatctgcaa	540
cgggtacttg cagggccttg tgtctttcgg aaaagccccg	tgtggccaag ttggcgtgcc	600
aggtgtctac accaacctct gcaaatcac tgagtggata	gagaaaaaccg tccaggccag	660
ttaactctgg ggactgggaa cccatgaaat tgaccccaa	atacatctg cggaagggaat	720
tcaggaatat ctgttcccag cccctcctcc ctcaggccca	ggagtccagg ccccagccc	780
ctcctcctcc aaaccaaggg tacagatccc cagccccctc	tccctcagac ccaggagtcc	840
agacccccca gcccctcctc cctcagaccc aggagtccag	cccctcctcc ctcagaccca	900
ggagtccaga cccccagcc cctcctcctc cagacccagg	ggtccaggcc cccaaccct	960
cctcctcctc actcagaggt ccaagccccc aaccctcct	tccccagacc cagaggtcca	1020
ggtccagccc cctcctcctc cagacccagc ggtccaatgc	cacctagact ctccctgtac	1080
acagtgcccc cttgtggcac gttgacccaa ccttaccagt	tggtttttca tttttgtcc	1140
ctttccctca gatccagaaa taaagtctaa gagaagcgca	aaaaaaaaaa aaaaaaaaaa	1200
aaaaaaaaaa aaaaa		1215

<210> 327

<211> 220

<212> PRT

<213> Homo sapien

<400> 327

```

Glu Asp Cys Ser Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met
 1          5          10          15
Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val
          20          25          30
Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly
          35          40          45
Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu
          50          55          60
Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu Ala
          65          70          75          80
Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser Asp
          85          90          95
Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly Asn
          100          105          110
Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg Met Pro
          115          120          125
Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu Glu Val Cys
          130          135          140
Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys Ala Gly
          145          150          155          160
Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly Gly Pro
          165          170          175
Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly Lys Ala
          180          185          190
Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn Leu Cys Lys
          195          200          205
Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
          210          215          220

```

<210> 328

<211> 234

<212> DNA

<213> Homo sapien

<400> 328

```

cgctcgtctc tggtagctgc agccaaatca taaacggcga ggactgcagc ccgcactcgc      60
agccctggca ggcggcactg gtcattgaaa acgaattggt ctgctcgggc gtcttggtgc      120
atccgcagtg ggtgctgtca gccacacact gttccagaa ctctacacc atcgggctgg      180
gcctgcacag tcttgaggcc gaccaagagc caggagacca gatggtggag gccca          234

```

<210> 329

<211> 77

<212> PRT

<213> Homo sapien

<400> 329

```

Leu Val Ser Gly Ser Cys Ser Gln Ile Ile Asn Gly Glu Asp Cys Ser
 1          5          10          15
Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met Glu Asn Glu Leu
          20          25          30
Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val Leu Ser Ala Thr
          35          40          45
His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly Leu His Ser Leu
          50          55          60

```

Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu Ala
65 70 75

<210> 330
<211> 70
<212> DNA
<213> Homo sapien

<400> 330
cccaacacaa tggcccgatc ccateccctga ctccgccttc aggatcgctc gtctctggta 60
gctgcagcca 70

<210> 331
<211> 22
<212> PRT
<213> Homo sapien

<400> 331
Gln His Asn Gly Pro Ile Pro Ser Leu Thr Pro Pro Ser Gly Ser Leu
1 5 10 15
Val Ser Gly Ser Cys Ser
20

<210> 332
<211> 2507
<212> DNA
<213> Homo sapien

<400> 332
tggtgccgct gcagccggca gagatgggtg agctcatggt cccgctgttg ctctccttc 60
tgcccttctt tctgtatatg gctgcgcccc aaatcaggaa aatgctgtcc agtgggggtgt 120
gtacatcaac tgttcagctt cctgggaaag tagttgtggt cacaggagct aatacaggta 180
tcgggaagga gacagccaaa gagctggctc agagaggagc tcgagtatat ttagcttgcc 240
gggatgtgga aaagggggaa ttggtggcca aagagatcca gaccacgaca gggaaccagc 300
aggtgttggt gcggaaactg gacctgtctg atactaagtc tattcgagct tttgctaagg 360
gcttcttagc tgaggaaaag cacctccacg ttttgatcaa caatgcagga gtgatgatgt 420
gtccgtactc gaagacagca gatggctttg agatgcacat aggagtcaac cacttgggtc 480
acttctctct aacctatctg ctgctagaga aactaaagga atcagcccca tcaaggatag 540
taaatgtgtc ttccctcgca catcacctgg gaaggatcca cttccataac ctgcaggggc 600
agaaattcta caatgcaggc ctggcctact gtcacagcaa gctagccaac atcctcttca 660
cccaggaact ggcccgagga ctaaaaggct ctggcgttac gacgtattct gtacaccctg 720
gcacagtcca atctgaactg gttcggcact catctttcat gagatggatg tgggtggcttt 780
tctccttttt catcaagact cctcagcagg gagcccagac cagcctgcac tgtgccttaa 840
cagaaggtct tgagattcta agtgggaatc atttcagtga ctgtcatgtg gcatgggtct 900
ctgcccaagc tcgtaatgag actatagcaa ggcggtgtg ggacgtcagt tgtgacctgc 960
tggtgcctcc aatagactaa caggcagtgc cagttggacc caagagaaga ctgcagcaga 1020
ctacacagta cttcttgtca aaatgattct cttcaagggt tttcaaaacc tttagcacia 1080
agagagcaaa acctccagc cttgcctgct tgggtgtccag ttaaaactca gtgtactgcc 1140
agattcgtct aaatgtctgt catgtccaga tttactttgc ttctgttact gccagagtta 1200
ctagagatat cataatagga taagaagacc ctcatatgac ctgcacagct cattttcctt 1260
ctgaaagaaa ctactaccta ggagaatcta agctatagca gggatgattt atgcaaattt 1320
gaactagctt ctttgttcac aattcagttc ctcccaacca accagtcttc acttcaagag 1380
ggccacactg caacctcagc ttaacatgaa taacaaagac tggctcagga gcagggtctg 1440
cccaggcatg gtggatcacc ggaggtcagt agttcaagac cagcctggcc aacatggtga 1500
aaccacacct ctactaaaaa ttgtgtatat ctttgtgtgt cttcctgttt atgtgtgcca 1560
agggagtatt ttcaaaagt tcaaacagc cacaataatc agagatggag caaacagtg 1620
ccatccagtc tttatgcaaa tgaaatgctg caaagggag cagattctgt atatgttggt 1680
aactaccac caagagcaca tgggtagcag ggaagaagta aaaaaagaga aggagaatac 1740

tggaagataa	tgcacaaaat	gaagggacta	gttaaggatt	aactagccct	ttaaggatta	1800
actagttaag	gattaatagc	aaaagayatt	aaatatgcta	acatagctat	ggagggaattg	1860
agggcaagca	cccaggactg	atgaggctct	aacaaaaacc	agtgtggcaa	aaaaaaaaaa	1920
aaaaaaaaaa	aaaaatccta	aaaacaaaca	aacaaaaaaa	acaattcttc	attcagaaaa	1980
attatcttag	ggactgatat	tggttaattat	ggtaatttta	ataatatttt	ggggcatttc	2040
cttacattgt	cttgacaaga	ttaaaatgtc	tgtgccaaaa	ttttgtattt	tatttggaga	2100
cttcttatca	aaagtaatgc	tgccaaagga	agtctaagga	attagtagtg	ttcccatcac	2160
ttgtttggag	tgtgctattc	taaaagattt	tgatttcctg	gaatgacaat	tatatatttaa	2220
cttttggtggg	ggaaagagtt	ataggaccac	agtccttca	tctgatactt	gtaaaattaat	2280
cttttattgc	acttgttttg	accattaagc	tatatgttta	gaaatgggtca	ttttacggaa	2340
aaattagaaa	aattctgata	atagtgcaga	ataaatgaat	taatgtttta	cttaatttat	2400
attgaactgt	caatgacaaa	taaaaattct	ttttgattat	tttttgtttt	catttaccag	2460
aataaaaacg	taagaattaa	aagtttgatt	acaaaaaaa	aaaaaaa		2507

<210> 333

<211> 3030

<212> DNA

<213> Homo sapien

<400> 333

gcaggcgact	tgcgagctgg	gagcgattta	aaacgctttg	gattcccccg	gcctgggtgg	60
ggagagcgag	ctgggtgccc	cctagattcc	cgcccccg	acctcatgag	ccgaccctcg	120
gctccatgga	gcccggcaat	tatgccacct	tggaaggagc	caaggatata	gaaggcttgc	180
tgggagcggg	agggggcg	aatctggtcg	cccactcccc	tctgaccagc	caccagcg	240
cgcctacgct	gatgcctgct	gtcaactatg	cccccttggg	tctgccaggc	tcggcgagc	300
cgccaaagca	atgccaccca	tgccctgggg	tgccccaggg	gacgtcccca	gctcccgctg	360
cttatggtta	ctttggaggg	gggtactact	cctgcccaggt	gtcccggagc	tcgctgaaac	420
cctgtgcca	ggcagccacc	ctggccgctg	accccgcgga	gactcccaag	gcgggggaag	480
agtaccccag	ycgcccact	gagtttgctt	tctatccggg	atatccggga	acctaccagc	540
ctatggccag	ttacctggac	gtgtctgtgg	tgcagactct	gggtgctcct	ggagaaccgc	600
gacatgactc	cctgttgctt	gtggacagtt	accagtcttg	ggctctcgct	gggtgctgga	660
acagccagat	gtgttgccag	ggagaacaga	accaccagg	tcccttttgg	aaggcagcat	720
ttgcagactc	cagcgggcag	caccctcctg	acgcctgcgc	ctttcgtcgc	ggccgcaaga	780
aacycattcc	gtacagcaag	gggcagttgc	gggagctgga	gcgggagtat	gcggctaaca	840
agttcatcac	caaggacaag	agggcgcaaga	tctcggcagc	caccagcctc	tcggagcgcc	900
agattaccat	ctggtttcag	aaccgcgggg	tcaaagagaa	gaaggttctc	gccaagggtga	960
agaacagcgc	tacccttaa	gagatctcct	tgcctgggtg	ggaggagcga	aagtgggggt	1020
gtcctgggga	gaccaggaac	ctgccaaagc	caggctgggg	ccaaggactc	tgctgagagg	1080
cccctagaga	caacaccctt	cccaggccac	tggtgctggt	actgttcttc	aggagcgcc	1140
tgggtaccca	gtatgtgcag	ggagacggaa	ccccatgtga	cagccactc	caccaggggt	1200
cccaaagaac	ctggcccagt	cataatcatt	catcctgaca	gtggcaataa	tcacgataac	1260
cagtactagc	tgccatgatc	gttagcctca	tattttctat	ctagagctct	gtagagcaact	1320
ttagaaaccg	ctttcatgaa	ttgagcta	tatgaataaa	tttggaaagg	gatccctttg	1380
cagggaagct	ttctctcaga	cccccttcca	ttacacctct	caccctggta	acagcaggaa	1440
gactgaggag	aggggaacgg	gcagattcgt	tgtgtggctg	tgatgtccgt	ttagcatttt	1500
tctcagctga	cagctgggta	gggtggacaat	tgtagaggct	gtctcttctc	ccctccttgt	1560
ccaccccata	gggtgtaccc	actggtcttg	gaagcaccca	tccttaatac	gatgattttt	1620
ctgtcgtgtg	aaaatgaagc	cagcaggctg	cccctagtca	gtccttctct	ccagagaaaa	1680
agagatttga	gaaagtgcct	gggttaattca	ccattaattt	cctcccccaa	actctctgag	1740
tcttccctta	atatttctgg	tggttctgac	caaagcagg	catggtttgt	tgagcatttg	1800
ggatcccagt	gaagttagatg	ttttagtcct	tgcatactta	gcccttccca	ggcacaacg	1860
gattggcaga	gtgggtgcaa	ccctgttttc	ccagtcacag	tagacagatt	cacagtgcgg	1920
aattctggaa	gctggagaca	gacgggtctt	ttgcagagcc	gggactctga	gagggacatg	1980
agggcctctg	cctctgtgtt	catttctctga	tgtcctgtac	ctgggctcag	tgcccgggtg	2040
gactcatctc	ctggccgcgc	agcaaagcca	gcgggttctg	gctggtcctt	cctgcacctt	2100
aggctggggg	tggggggcct	gccggcgcat	tctccacgat	tgagcgacac	ggcctgaagt	2160
ctggacaacc	cgcagaaccg	aagctccgag	cagcgggtcg	gtggcgagta	gtggggctcg	2220
tggcgagcag	ttggtggtgg	gccgcggccg	ccactacctc	gaggacattt	ccctcccggg	2280

gccagctctc	ctagaaaccc	cgcggcgccc	gccgcagcca	agtgtttatg	gcccgcggtc	2340
gggtgggata	ctagccctgt	ctcctctcct	gggaaggagt	gagggtggga	cgtgacttag	2400
acacctacaa	atctatttac	caaagaggag	cccgggactg	agggaaaagg	ccaaagagtg	2460
tgagtgcata	cggactgggg	gttcagggga	agaggacgag	gaggaggaag	atgaggtcga	2520
tttcttgatt	taaaaaatcg	tccaagcccc	gtgggccagc	ttaaggtcct	cggttacatg	2580
cgcgcctcag	agcaggtcac	tttctgcctt	ccacgtcctc	cttcaaggaa	gccccatgtg	2640
ggtagctttc	aatatcgcat	gttcttactc	ctctgcctct	ataagctcaa	acccaccaac	2700
gatcgggcaa	gtaaaccccc	tccctcgccg	acttcggaac	tggcgagagt	tcagcgcaga	2760
tgggcctgtg	gggagggggc	aagatagatg	agggggagcg	gcatggtgcg	gggtgacccc	2820
ttggagagag	gaaaaaggcc	acaagagggg	ctgccaccgc	cactaacgga	gatggccctg	2880
gtagagacct	ttgggggtct	ggaacctctg	gactcccat	gctctaactc	ccacactctg	2940
ctatcagaaa	cttaaaactg	aggattttct	ctgtttttca	ctcgcaataa	aytcagagca	3000
aacaaaaaaa	aaaaaaaaaa	aaaactcgag				3030

<210> 334

<211> 2417

<212> DNA

<213> Homo sapien

<400> 334

ggcggccgct	ctagagctag	tgggatcccc	cgggctgcac	gaattcggca	cgagtgaagt	60
ggagttttac	ctgtattgtt	ttaatttcaa	caagcctgag	gactagccac	aaatgtaccc	120
agttttacaaa	tgaggaaaca	ggtgcaaaaa	ggttggtacc	tgtcaaagg	cgtatgtggc	180
agagccaaga	tttgagccca	gttatgtctg	atgaacttag	cctatgctct	ttaaacttct	240
gaatgctgac	cattgaggat	atctaaactt	agatcaattg	cattttccct	ccaagactat	300
ttacttatca	atacaataat	accaccttta	ccaatctatt	gttttgatac	gagactcaaa	360
tatgccagat	atatgtaaaa	gcaacctaca	agctctctaa	tcattgctcac	ctaaaagatt	420
cccgggatct	aatagggtca	aagaaaactt	ttctagaaat	ataaaaagaga	aaattggatt	480
atgcaaaaat	tcattattaa	tttttttcat	ccatccttta	attcagcaaa	catttatctg	540
ttgttgactt	tatgcagtat	ggccttttaa	ggattggggg	acaggtgaag	aacgggggtg	600
cagaatgcat	cctcctacta	atgaggtcag	tacacatttg	catttttaaaa	tgccctgtcc	660
agctgggcat	ggtggatcat	gcctgtaatc	tcaacattgg	aaggccaagg	caggaggatt	720
gcttcagccc	aggagttaa	gaccagcctg	ggcaacatag	aaagacccca	tctctcaatc	780
aatcaatcaa	tgccctgtct	ttgaaaataa	aactctttta	gaaagggtta	atgggcaggg	840
tgtggtagct	catgcttata	atacagcact	ttgggaggct	gaggcaggag	gatcacttta	900
gcccagaagt	tcaagaccag	cctgggcaac	aagtgcacac	tcattctcaat	tttttaataa	960
aatgaataca	tacataagga	aagataaaaa	gaaaagttta	atgaaaagaa	acagtataaa	1020
acaaatctct	tgacctaata	agtatttttg	ttcaagccaa	atattgtgaa	tcacctctct	1080
gtgttgagga	tacagaatat	ctaagcccag	gaaactgagc	agaaaagttca	tgtactaact	1140
aatcaacccg	aggcaaggca	aaaatgagac	taactaatca	atccgaggca	agggggcaat	1200
tagacggaac	ctgactctgg	tctattaagc	gacaactttc	cctctgttgt	atttttcttt	1260
tattcaatgt	aaaaggataa	aaactctcta	aaactaaaaa	caatgtttgt	caggagttac	1320
aaacctgac	caactaatta	tggggaatca	taaaatatga	ctgtatgaga	tcttgatggt	1380
ttacaaagt	taccactgt	taatcacttt	aaacattaat	gaacttaaaa	atgaatttac	1440
ggagattgga	atgtttcttt	cctgttgtat	tagttggctc	aggctgccat	aacaaaatac	1500
cacagactgg	gaggcttaag	taacagaaat	tcatttctca	cagttctggg	ggctggaagt	1560
ccacgatcaa	ggtgcaggaa	aggcaggctt	cattctgagg	cccctctctt	ggctcacatg	1620
tggccaccct	cccactgcgt	gctcacatga	cctctttgtg	ctcctggaaa	gagggtgtgg	1680
gggacagagg	gaaagagaag	gagagggaac	tctctggtgt	ctcgtctttc	aaggacccta	1740
acctgggcca	ctttggccca	ggcactgtgg	ggtggggggg	tgtggctgct	ctgctctgag	1800
tggccaagat	aaagcaacag	aaaaatgtcc	aaagctgtgc	agcaaaagaca	agccaccgaa	1860
cagggatctg	ctcatcagt	tggggacctc	caagctggcc	accctggagg	caagcccca	1920
cagagcccat	gtcaaggtgg	agcagcagaa	gaagggaatt	gtccctgtcc	ttggcacatt	1980
cctcaccgac	ctggtgatgc	tggacactgc	gatgaatgg	aatgtggatg	agaatatgat	2040
ggactcccag	aaaaggagac	ccagctgctc	aggtggctgc	aaatcattac	agccttcac	2100
ctggggagga	actggggggc	tggttctggg	tcagagagca	gcccagtgag	ggtgagagct	2160
acagcctgtc	ctgccagctg	gatccccagt	cccgggtcaac	cagtaatcaa	ggctgagcag	2220
atcaggcttc	cggagctgg	tcttgggaag	ccagccctgg	ggtgagttgg	ctcctgctgt	2280

ggtactgaga	caatattgtc	ataaattcaa	tgcgcccttg	tatccctttt	tcttttttat	2340
ctgtctacat	ctataatcac	tatgcatact	agtcctttgt	agtgtttcta	ttcmacttaa	2400
tagagatatg	ttatact					2417

<210> 335
 <211> 2984
 <212> DNA
 <213> Homo sapien

<400> 335						
atccctcctt	cccactctc	ctttccagaa	ggcacttggg	gtcttatctg	ttggactctg	60
aaaacacttc	agggcgccct	ccaaggcttc	cccaaacccc	taagcagccg	cagaagcgct	120
cccgagctgc	cttctccac	actcaggtga	tcgagttgga	gaggaagttc	agccatcaga	180
agtacctgtc	ggccctgaa	cgggcccacc	tggccaagaa	cctcaagctc	acggagaccc	240
aagtgaagat	atggttccag	aacagacgct	ataagactaa	gcgaaagcag	ctctcctcgg	300
agctgggaga	cttggaagaag	cactcctctt	tgccggccct	gaaagaggag	gccttctccc	360
gggcctccct	ggtctcogtg	tataacagct	atccttacta	cccatacctg	tactgcgtgg	420
gcagctggag	cccagctttt	tggtaatgcc	agctcaggtg	acaaccatta	tgatcaaaaa	480
ctgccttccc	caggggtgtct	ctatgaaaag	cacaaggggc	caaggtcagg	gagcaagagg	540
tgtgcacacc	aaagctattg	gagatttgcg	tggaaatctc	asattcttca	ctggtgagac	600
aatgaacaa	cagagacagt	gaaagtttta	atacctaagt	cattccccc	gtgcatactg	660
taggtcattt	tttttgcttc	tggctacctg	tttgaagggg	agagagggaa	aatcaagtgg	720
tattttccag	cactttgtat	gattttggat	gagctgtaca	cccaaggatt	ctgttctgca	780
actccatcct	cctgtgtcac	tgaatatcaa	ctctgaaaga	gcaaacctaa	caggagaaag	840
gacaaccagg	atgaggatgt	caccaactga	attaaactta	agtcagaaag	cctcctgttg	900
gccttgaat	atggccaagg	ctctctctgt	ccctgtaaaa	gagaggggca	aatagagagt	960
ctccaagaga	acgccctcat	gctcagcaca	tatttgcatg	ggagggggag	atgggtggga	1020
ggagatgaaa	atatcagctt	ttcttattcc	tttttattcc	ttttaaaatg	gtatgccaac	1080
ttaagtattt	acaggggtgg	ccaaatagaa	caagatgcac	tcgctgtgat	tttaagacaa	1140
gctgtataaa	cagaactcca	ctgcaagagg	gggggcccgg	ccaggagaat	ctccgcttgt	1200
ccaagacagg	ggcctaagga	gggtctccac	actgtgcta	ggggctgttg	cattttttta	1260
ttagttagaa	atggaaaagg	ctcttctcaa	cttttttccc	ttgggtctga	gaatttagaa	1320
tcagaagttt	cctggagttt	tcaggctatc	atatatactg	tatcctgaaa	ggcaacataa	1380
ttcttccctc	cctcctttta	aaattttgtg	ttcctttttg	cagcaattac	tcactaaagg	1440
gcttcatttt	agtcagatt	tttagtctgg	ctgcacctaa	cttatgcctc	gcttatttag	1500
cccgagatct	ggtctttttt	tttttttttt	tttttccgtc	tccccaaagc	tttatctgtc	1560
ttgacttttt	aaaaaagttt	gggggcagat	tctgaattgg	ctaaaagaca	tgcattttta	1620
aaactagcaa	ctcttatttc	tttcctttta	aaatacatag	cattaaatcc	caaactctat	1680
ttaaagacct	gacagcttga	gaaggctact	actgcattta	taggaccttc	tggtggttct	1740
gctgttacgt	ttgaagtctg	acaatccttg	agaatccttg	catgcagagg	aggtaagagg	1800
tattggattt	tcacagagga	agaacacagc	gcagaatgaa	gggccaggct	tactgagctg	1860
tccagtggag	ggctcatggg	tgggacatgg	aaaagaaggc	agcctaggcc	ctggggagcc	1920
cagtccactg	agcaagcaag	ggactgagtg	agccttttgc	aggaaaaggc	taagaaaaag	1980
gaaaaccatt	ctaaaacaca	acaagaaact	gtccaaatgc	tttgggaact	gtgtttattg	2040
cctataatgg	gtccccaaaa	tgggtaacct	agacttcaga	gagaatgagc	agagagcaaa	2100
ggagaaatct	ggctgtcctt	ccattttcat	tctgttatct	caggtgagct	ggtagagggg	2160
agacattaga	aaaaaatgaa	acaacaaaac	aattactaat	gaggtacgct	gaggcctggg	2220
agtctcttga	ctccactact	taattccggt	tagtgagaaa	cctttcaatt	ttcttttatt	2280
agaaggccca	gcttactgtt	ggtggcaaaa	ttgccaatat	aagttaatag	aaagtgggcc	2340
aatttcaccc	cattttctgt	ggtttgggct	ccacattgca	atgttcaatg	ccacgtgctg	2400
ctgacaccga	ccggagtact	agccagcaca	aaaggcaggg	tagcctgaat	tgctttctgc	2460
tctttacatt	tcttttaaaa	taagcattta	gtgtcagtc	cctactgagt	actctttctc	2520
tcccctcctc	tgtttttaat	tctttcaact	tgcattttgc	aaggattaca	catttctactg	2580
tgtgttatat	tgtgttgcaa	aaaaaaaaaa	aagtgtcttt	gtttaaaatt	acttggtttg	2640
tgaatccatc	ttgctttttc	cccattggaa	ctagtcatta	acccatctct	gaactggtag	2700
aaaaacatct	gaagagctag	tctatcagca	tctgacaggt	gaattggatg	gttctcagaa	2760
ccatttcacc	cagacagcct	gtttctatcc	tgtttaataa	attagtttgg	gttctctaca	2820
tgcataacaa	accctgctcc	aatctgtcac	ataaaagtct	gtgacttgaa	gtttagtcag	2880

cacccccacc aaactttatt tttctatgtg ttttttgcac catatgagtg ttttgaaaat 2940
 aaagtaccca tgtctttatt agaaaaaaaa aaaaaaaaaa aaaa 2984

<210> 336
 <211> 147
 <212> PRT
 <213> Homo sapien

<400> 336
 Pro Ser Phe Pro Thr Leu Leu Ser Arg Arg His Leu Gly Ser Tyr Leu
 1 5 10 15
 Leu Asp Ser Glu Asn Thr Ser Gly Ala Leu Pro Arg Leu Pro Gln Thr
 20 25 30
 Pro Lys Gln Pro Gln Lys Arg Ser Arg Ala Ala Phe Ser His Thr Gln
 35 40 45
 Val Ile Glu Leu Glu Arg Lys Phe Ser His Gln Lys Tyr Leu Ser Ala
 50 55 60
 Pro Glu Arg Ala His Leu Ala Lys Asn Leu Lys Leu Thr Glu Thr Gln
 65 70 75 80
 Val Lys Ile Trp Phe Gln Asn Arg Arg Tyr Lys Thr Lys Arg Lys Gln
 85 90 95
 Leu Ser Ser Glu Leu Gly Asp Leu Glu Lys His Ser Ser Leu Pro Ala
 100 105 110
 Leu Lys Glu Glu Ala Phe Ser Arg Ala Ser Leu Val Ser Val Tyr Asn
 115 120 125
 Ser Tyr Pro Tyr Tyr Pro Tyr Leu Tyr Cys Val Gly Ser Trp Ser Pro
 130 135 140
 Ala Phe Trp
 145

<210> 337
 <211> 9
 <212> PRT
 <213> Homo sapien

<400> 337
 Ala Leu Thr Gly Phe Thr Phe Ser Ala
 1 5

<210> 338
 <211> 9
 <212> PRT
 <213> Homo sapien

<400> 338
 Leu Leu Ala Asn Asp Leu Met Leu Ile
 1 5

<210> 339
 <211> 318
 <212> PRT
 <213> Homo sapien

<400> 339
 Met Val Glu Leu Met Phe Pro Leu Leu Leu Leu Leu Pro Phe Leu
 1 5 10 15
 Leu Tyr Met Ala Ala Pro Gln Ile Arg Lys Met Leu Ser Ser Gly Val

```
<210> 340
<211> 483
<212> DNA
<213> Homo sapien
```

<400> 340							
gccgaggtct	gccttcacac	ggaggacacg	agactgcttc	ctcaagggct	cctgcctgcc		60
tggacactgg	tgggaggcgc	tgttttagttg	gctgttttca	gaggggtctt	tccgagggac		120
ctcctgctgc	aggctggaat	gtctttattc	ctggcgggag	accgcacatt	ccactgctga		180
ggttggtggg	gcggtttatc	aggcagtgat	aaacataaga	tgtcattttc	ttgactccgg		240
ccttcaattt	tctctttggc	tgacgacgga	gtccgtggtg	tcccgatgta	actgaccctt		300
gctccaaacg	tgacatcact	gatgctcttc	tccgggggtg	tgatggcccg	ccttggtcacg		360
tgtctaatct	cgccatttga	ctcttgcttc	aaactgtatg	aagacacctg	actgcacggt		420
ttttctgggc	ttccagaatt	taaagtgaat	ggcagcactc	ctaagctccg	actccgatgc		480
ctg							483

```
<210> 341
<211> 344
<212> DNA
<213> Homo sapien
```

<400> 341

ctgctgctga gtcacagatt tcattataaa tagcctccct aaggaaaata cactgaatgc	60
tatttttact aaccattcta tttttataga aatagctgag agtttctaaa ccaactctct	120
gctgccttac aagtattaaa tattttactt ctttccataa agagtagctc aaaatatgca	180
attaatttaa taatttctga tgatgggttt atctgcagta atatgtatat catctattag	240
aatttactta atgaaaaact gaagagaaca aaatttgtaa ccactagcac ttaagtactc	300
ctgattctta acattgtctt taatgaccac aagacaacca acag	344

<210> 342

<211> 592

<212> DNA

<213> Homo sapien

<400> 342

acagcaaaaa agaaactgag aagcccaaty tgctttcttg ttaacatcca cttatccaac	60
caatgtggaa acttcttata cttggttcca ttatgaagtt ggacaattgc tgctatcaca	120
cctggcaggt aaaccaatgc caagagagtg atggaaacca ttggcaagac tttgttgatg	180
accaggattg gaattttata aaaatattgt tgatgggaag ttgctaaagg gtgaattact	240
tccctcagaa gagtgtaaag aaaagtcaga gatgctataa tagcagctat ttaattggc	300
aagtgccact gtggaaagag ttctgtgtg tgctgaagtt ctgaagggca gtcaaattca	360
tcagcatggg ctgtttggtg caaatgcaaa agcacaggtc ttttagcat gctggctctct	420
cccgtgtctt tatgcaaata atcgtcttct tctaaatttc tcctaggctt cattttccaa	480
agttcttctt ggtttgtgat gtcttttctg ctttccatta attctataaa atagtatggc	540
ttcagccacc cactcttcgc cttagcttga ccgtgagttc cggctgccgc tg	592

<210> 343

<211> 382

<212> DNA

<213> Homo sapien

<400> 343

ttcttgacct cctcctcctt caagctcaaa caccacctcc cttattcagg accggcactt	60
cttaatgttt gtggctttct ctccagcctc tcttaggagg ggtaatgggtg gagtggcat	120
cttgtaactc tcctttctcc tttcttcccc tttctctgcc cgcttttccc atcctgctgt	180
agacttcttg attgtcagtc tgtgtcacat ccagtgattg ttttggtttc tgttcccttt	240
ctgactgcc aaggggctca gaacccagc aatcccttcc tttcactacc ttcttttttg	300
ggggtagttg gaagggactg aaattgtggg gggaaggtag gaggcacatc aataaagagg	360
aaaccaccaa gctgaaaaaa aa	382

<210> 344

<211> 536

<212> DNA

<213> Homo sapien

<400> 344

ctgggcctga agctgtaggg taaatcagag gcaggcttct gagtgatgag agtcctgaga	60
caataggcca cataaacttg gctggatgga acctcacaat aagggtgggtca cctcttggtt	120
gttttagggg atgccaagga taaggccagc tcagttatat gaagagaagc agaacaaaca	180
agtctttcag agaaatggat gcaatcagag tgggatcccc gtcacatcaa ggtcacactc	240
caccttcag tgctgaatg gttgccaggt cagaaaaatc cacccttac gagtgcggct	300
tcgacctat atccccgcc cggtccctt tctccataaa attcttctta gtagctatta	360
ccttcttatt atttgatcta gaaattgccc tccttttacc cctaccatga gccctacaaa	420
caactaacct gccactaata gttatgtcat ccctcttatt aatcatcatc ctageccctaa	480
gtctggccta tgagtgacta caaaaaggat tagactgagc cgaataacaa aaaaaa	536

<210> 345

<211> 251

<212> DNA

<213> Homo sapien

<400> 345

```

accttttgag gtctctctca ccacctccac agccaccgtc accgtgggat gtgctggatg      60
tgaatgaagc ccccatcttt gtgcctcctg aaaagagagt ggaagtgtcc gaggactttg      120
gcgtggggcca ggaaatcaca tcctacactg cccaggagcc agacacattt atggaacaga      180
aaataacata tcggatttgg agagacactg ccaactggct ggagattaat ccggacactg      240
gtgccatttc c                                                              251

```

<210> 346

<211> 282

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(282)

<223> n = A,T,C or G

<400> 346

```

cgcgctctctg acactgtgat catgacaggg gttcaaacag aaagtgcctg ggccctcctt      60
ctaagtcttg ttaccaaaaa aaggaaaaag aaaagatctt ctcagttaca aattctggga      120
aggagagacta tacctggctc ttgccctaag tgagaggctt tccctccgc accaaaaaat      180
agaaaggctt tctatttcac tggcccaggt agggggaagg agagtaactt tgagtctgtg      240
ggtctcattt cccaagggtgc cttcaatgct catnaaaacc aa                          282

```

<210> 347

<211> 201

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(201)

<223> n = A,T,C or G

<400> 347

```

acacacataa tattataaaa tgccatctaa ttggaaggag ctttctatca ttgcaagtca      60
taaataatac ttttaaaaaa ntactancag cttttaccta ngctcctaaa tgcttgtaaa      120
tctgagactg actggacca cccagacca gggcaaagat acatggtacc atatcatctt      180
tataaagaat ttttttttgt c                                                  201

```

<210> 348

<211> 251

<212> DNA

<213> Homo sapien

<400> 348

```

ctgttaatca caacatttgt gcatacttg tgccaagtga gaaaatgttc taaaatcaca      60
agagagaaca gtgccagaat gaaactgacc ctaagtccca ggtgcccctg ggcaggcaga      120
aggagacact ccagcatgg aggagggtt atcttttcat cctaggtcag gtctacaatg      180
ggggaagggt ttattataga actccaaca gccacacctca ctctgccac ccacccgatg      240
gccctgcctc c                                                              251

```

<210> 349

<211> 251

<212> DNA

<213> Homo sapien

<400> 349

taaaaaatcaa gccatttaat tgtatctttg aaggtaaaca atatattgga gctggatcac	60
aaccctgag gatgccagag ctatgggtcc agaactgggt gtggtattat caacagagtt	120
cagaaggggtc tgaactctac gtgttaccag agaacataat gcaattcatg cattccactt	180
agcaattttg taaaatacca gaaacagacc ccaagagtct ttcaagatga ggaaaattca	240
actcctggtt t	251

<210> 350

<211> 908

<212> DNA

<213> Homo sapien

<400> 350

ctggacactt tgcgagggct tttgctggct gctgctgctg cccgtcatgc tactcatcgt	60
agcccgcccg gtgaagctcg ctgctttccc tacctcctta agtgactgcc aaacgcccac	120
cggctggaat tgctctggtt atgatgacag agaaaatgat ctcttcctct gtgacaccaa	180
cacctgtaaa tttgatgggg aatgtttaag aattggagac actgtgactt gcgtctgtca	240
gttcaagtgc aacaatgact atgtgcctgt gtgtggctcc aatggggaga gctaccagaa	300
tgagtgttac ctgagacagg ctgcatgcaa acagcagagt gagatacttg tgggtgcaga	360
aggatcatgt gccacagtcc atgaaggctc tggagaaact agtcaaaagg agacatccac	420
ctgtgatatt tgccagtttg gtgcagaatg tgacgaagat gccgaggatg tctggtgtgt	480
gtgtaatat tactgttctc aaaccaactt caatcccctc tgcgttctg atgggaaatc	540
ttatgataat gcatgccaaa tcaaagaagc atcgtgtcag aaacaggaga aaattgaagt	600
catgtctttg ggtcgatgtc aagataacac aactacaact actaagtctg aagatgggca	660
ttatgcaaga acagattatg cagagaatgc taacaaatta gaagaaagtg ccagagaaca	720
ccacatacct tgtccggaac attcaaatgg cttctgcatg catgggaagt gtgagcattc	780
tatcaatatg caggagccat cttgcagggt tgatgctggt tatactggac aacactgtga	840
aaaaaaggac tacagtgttc tatacgttgt tcccggctct gtacgatttc agtatgtctt	900
aatcgacag	908

<210> 351

<211> 472

<212> DNA

<213> Homo sapien

<400> 351

ccagttatatt gcaagtggta agagcctatt taccataaat aatactaaga accaactcaa	60
gtcaaacctt aatgccattg ttattgtgaa ttaggattaa gtagtaattt tcaaaattca	120
cattaacttg attttaaaat cagwtttgyg agtcatttac cacaagctaa atgtgtacac	180
tatgataaaa acaaccattg tattcctggt tttctaaaca gtctaattt ctaacactgt	240
atatatcctt cgacatcaat gaactttggt ttcttttact ccagtaataa agtaggcaca	300
gatctgtcca caacaaactt gccctctcat gccttgctc tcaccatgct ctgctccagg	360
tcagccccct tttggcctgt ttgttttgtc aaaaacctaa tctgcttctt gcttttcttg	420
gtaatatata tttagggaag atgttgcttt gccacacac gaagcaaagt aa	472

<210> 352

<211> 251

<212> DNA

<213> Homo sapien

<400> 352

ctcaaagcta atctctcggg aatcaaacca gaaaagggca aggatcttag gcatgggtgga	60
tgtggataag gccaggtcaa tggctgcaag catgcagaga aagaggatca tcggagcgtg	120
caggctgcgt tccgtcctta cgatgaagac cagcatgcag tttccaaaca ttgccactac	180
atacatggaa aggaggggga agccaaccca gaaatgggct ttctctaata ctgggatacc	240
aataagcaca a	251

<210> 353
 <211> 436
 <212> DNA
 <213> Homo sapien

<400> 353
 tttttttttt tttttttttt tttttttacaa caatgcagtc atttatttat tgagtatgtg 60
 cacattatgg tattattact atactgatta tatttatcat gtgacttcta attaraaaat 120
 gtatccaaaa gcaaaacagc agatatacaa aattaaaagag acagaagata gacattaaca 180
 gataaggcaa cttatacatt gacaatccaa atccaataca tttaaacatt tgggaaatga 240
 gggggacaaa tggaagccar atcaaatttg tgtaaaacta ttcagtatgt ttcccttgc 300
 tcatgtctga raaggctctc ccttcaatgg ggatgacaaa ctccaaatgc cacacaaatg 360
 ttaacagaat actagattca cactggaacg ggggtaaaga agaaattatt ttctataaaa 420
 gggctcctaa tgtagt 436

<210> 354
 <211> 854
 <212> DNA
 <213> Homo sapien

<400> 354
 ccttttctag ttcaccagtt ttctgcaagg atgctgggta gggagtgtct gcaggaggag 60
 caagtctgaa accaaatcta ggaaacatag gaaacgagcc aggcacaggg ctggtgggcc 120
 atcagggacc accctttggg ttgatatttt gcttaatctg catcttttga gtaagatcat 180
 ctggcagtag aagctgttct ccaggtagat ttctctagct catgtacaaa aacatcctga 240
 aggactttgt caggtgcctt gctaaaagcc agatgcgttc ggcacttcct tggctcaggg 300
 ttaattgcac acctacaggc actgggctca tgctttcaag tattttgtcc tcactttaagg 360
 gtgagtgaat gatccccatt ataggagcac ttgggagaga tcatataaaa gctgactctt 420
 gagtacatgc agtaattggg tagatgtgtg tgggtgtgtc tcattcctgc aagggtgctt 480
 gtttaggaat gtttccagg ggaacaagtc tgaaaccaat catgaaataa atggtagggtg 540
 tgaactggaa aactaattca aaagagagat cgtgatataa gtgtggttga tacaccttgg 600
 caatatggaa ggctctaatt tgcccatatt tgaaataata attcagcttt ttgtaataca 660
 aaataacaaa ggattgagaa tcatggtgtc taatgtataa aagaccagg aaacataaat 720
 atatcaactg cataaatgta aaatgcatgt gacccaagaa ggccccaag tggcagacaa 780
 cattgtaccc attttccctt ccaaaatgtg agcggcgggc ctgctgcttt caaggctgtc 840
 acacgggatg tcag 854

<210> 355
 <211> 676
 <212> DNA
 <213> Homo sapien

<400> 355
 gaaattaagt atgagctaaa ttccctgtta aaacctctag gggtgacaga tctcttcaac 60
 caggtcaaaag ctgatctttc tggaaatgtca ccaaccaagg gcctatatatt atcaaaagcc 120
 atccacaagt catacctgga tgtcagcgaa gagggcacgg aggcagcagc agccactggg 180
 gacagcatcg ctgtaaaaag cctaccaatg agagctcagt tcaaggcgaa ccacccttc 240
 ctgttcttta taaggcacac tcataccaac acgatcctat tctgtggcaa gcttgcctct 300
 ccctaatacag atggggttga gtaaggctca gagttgcaga tgagggtcag agacaatcct 360
 gtgactttcc cacggccaaa aagctgttca cacctcacgc acctctgtgc ctgactttgc 420
 tcatctgcaa aataggctca ggatttcttc caaccatttc atgagtgtg aagctaaggc 480
 tttgttaatc atggaaaaag gtatagcttat gcagaaagcc tttctggctt tcttatctgt 540
 ggtgtctcat ttgagtgtg tccagtgaca tgatcaagtc aatgagttaa attttaaggg 600
 attagatttt cttgacttgt atgtatctgt gagatcttga ataagtgacc tgacatctct 660
 gcttaaagaa aaccag 676

<210> 356

<211> 574
 <212> DNA
 <213> Homo sapien

<400> 356

tttttttttt	tttttcagga	aaacattctc	ttactttatt	tgcatctcag	caaaggttct	60
catgtggcac	ctgactggca	tcaaaccaaa	gttcgtaggc	caacaaagat	gggccactca	120
caagcttccc	atttgtagat	ctcagtgcct	atgagtatct	gacacctgtt	cctctcttca	180
gtctcttagg	gaggcttaaa	tctgtctcag	gtgtgctaag	agtgccagcc	caaggkggtc	240
aaaagtccac	aaaactgcag	tctttgctgg	gatagtaagc	caagcagtgc	ctggacagca	300
gagttctttt	cttgggcaac	agataaccag	acaggactct	aatcgtgctc	ttattcaaca	360
ttcttctgtc	tctgcctaga	ctggaataaa	aagccaatct	ctctcgtggc	acaggggaagg	420
agatacaagc	tcgtttacat	gtgatagatc	taacaaaggc	atctaccgaa	gtctggtctg	480
gatagacggc	acagggagct	cttaggtcag	cgctgctggg	tggaggacat	tcctgagtc	540
agctttgcag	cctttgtgca	acagtacttt	ccca			574

<210> 357
 <211> 393
 <212> DNA
 <213> Homo sapien

<400> 357

tttttttttt	tttttttttt	tttttttttt	tacagaatat	aratgcttta	tactgkact	60
taatatggkg	kcttggtcac	tatacttaaa	aatgcaccac	tcataaatat	ttaattcagc	120
aagccacaac	caaracttga	ttttatcaac	aaaaaccct	aaatataaac	ggsaaaaaag	180
atagatataa	ttattccagt	ttttttaaaa	cttaaaarat	attccattgc	cgaattaara	240
araarataag	tggttatatg	aaagaagggc	attcaagcac	actaaaraaa	cctgaggkaa	300
gcataatctg	tacaaaatta	aactgtcctt	tttggcattt	taacaaattt	gcaacgktct	360
tttttttctt	tttctgtttt	tttttttttt	tac			393

<210> 358
 <211> 630
 <212> DNA
 <213> Homo sapien

<400> 358

acagggtaaa	caggaggatc	cttgcctctca	cggagcttac	attctagcag	gaggacaata	60
ttaatgttta	taggaaaatg	atgagtttat	gacaaaggaa	gtagatagtg	ttttacaaga	120
gcatagagta	gggaagctaa	tccagcacag	ggaggtcaca	gagacatccc	taaggaagtg	180
gagtttaaac	tgagagaagc	aagtgcctaa	actgaaggat	gtgttgaaga	agaagggaga	240
gtagaacaat	ttgggcagag	ggaaccttat	agaccctaag	gtgggaaggt	tcaaagaact	300
gaaagagagc	tagaacagct	ggagccgttc	tccggtgtaa	agaggagtca	aagagataag	360
attaaagatg	tgaagattaa	gatcttggtg	gcattcaggg	attggcactt	ctacaagaaa	420
tcactgaagg	gagtaatgtg	acattacttt	tcacttcagg	atggccattc	taactccagg	480
gggtagactg	gactaggtaa	gactggaggc	aggtagacct	cttctaaggc	ctgcgatagt	540
gaaagacaaa	aataagtggg	gaaattcagg	ggatagtga	aatcagtagg	acttaatgag	600
caagccagag	gttctctcac	aacaaccagt				630

<210> 359
 <211> 620
 <212> DNA
 <213> Homo sapien

<400> 359

acagcattcc	aaaatataca	tctagagact	aarrgtaaat	gctctatagt	gaagaagtaa	60
taattaaaaa	atgctactaa	tatagaaaat	ttataatcag	aaaaataaat	attcagggag	120
ctcaccagaa	gaataaagtg	ctctgccagt	tattaaagga	ttactgctgg	tgaattaaat	180
atggcattcc	ccaagggaaa	tagagagatt	cttctggatt	atgttcaata	tttatttcc	240

aggattaact gtttttaggaa cagatataaa gcttcgccac ggaagagatg gacaaagcac	300
aaagacaaca tgatacctta ggaagcaaca ctaccctttc aggcataaaa tttggagaaa	360
tgcaacatta tgcttcatga ataatatgta gaaagaaggc ctgatgaaaa tgacatcctt	420
aatgtaagat aactttataa gaattctggg tcaaataaaa ttctttgaag aaaacatcca	480
aatgtcattg acttatcaaa tactatcttg gcatataacc tatgaaggca aaactaaaca	540
aacaaaaagc tcacaccaaa caaaaccatc aacttatttt gtattctata acatacgaga	600
ctgtaaagat gtgacagtgt	620

<210> 360

<211> 431

<212> DNA

<213> Homo sapien

<400> 360

aaaaaaaaaa agccagaaca acatgtgata gataatatga ttggctgcac acttccagac	60
tgatgaatga tgaacgtgat ggactattgt atggagcaca tcttcagcaa gagggggaaa	120
tactcatcat ttttggccag cagttgtttg atcaccaaac atcatgccag aatactcagc	180
aaaccttctt agctcttgag aagtcaaagt ccgggggaat ttattcctgg caattttaat	240
tggactcctt atgtgagagc agcggctacc cagctggggt ggtggagcga acccgctact	300
agtggacatg cagtggcaga gctcctggta accacctaga ggaatacaca ggcacatgtg	360
tgatgccaag cgtgacacct gtagcactca aatttgtctt gtttttgtct ttcggtgtgt	420
agattccttag t	431

<210> 361

<211> 351

<212> DNA

<213> Homo sapien

<400> 361

acactgattt ccgatacaaa gaatcatcat ctttaccttg acttttcagg gaattactga	60
actttcttct cagaagatag ggcacagcca ttgccttggc ctacttgaa gggctcgcac	120
ttgggtcttc tggctctctg ccaagtttcc cagccactcg agggagaaat atcgggaggt	180
ttgacttctt ccggggcttt cccgagggct tcaccgtgag ccctgcggcc ctgagggctg	240
caatcctgga ttcaatgtct gaaacctcgc tctctgcctg ctggacttct gaggccgtca	300
ctgccactct gtectccagc tctgacagct cctcatctgt ggtcctgttg t	351

<210> 362

<211> 463

<212> DNA

<213> Homo sapien

<400> 362

acttcatcag gccataatgg gtgcctcccg tgagaatcca agcacctttg gactgcgcga	60
tgtagatgag ccggctgaag atcttgcgca tgcgcggctt cagggcgaag ttcttggcgc	120
ccccggtcac agaaatgacc aggttgggtg ttttcagggt ccagtgcctg gtcagcagct	180
cgtaaaggat ttccgcgtcc gtgtcgcagg acagacgtat atacttccct ttcttcccca	240
gtgtctcaaa ctgaatatcc ccaaaggcgt cggtaggaaa ttcttgggtg tgtttcttgt	300
agttccattt ctacttttg ttgatctggg tgccttccat gtgctggctc tgggcatagc	360
cacacttgca cacattctcc ctgataagca cgatggtgtg gacaggaagg aaggatttca	420
ttgagcctgc ttatggaaac tggattgtt agcttaata gac	463

<210> 363

<211> 653

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (653)

<223> n = A,T,C or G

<400> 363

acccccgagt	ncctgnctgg	catactgnga	acgaccaacg	acacacccaa	gctcggcctc	60
ctcttgngga	ttctgggtga	catcttcatg	aatggcaacc	gtgccagwga	ggctgtcctc	120
tgggaggcac	tacgcaagat	gggactgcgt	cctgggggtga	gacatcctct	ccttgagat	180
ctaacgaaac	ttctcaccta	tgagttgtaa	agcagaaata	cctgnactac	agacgagtgc	240
ccaacagcaa	ccccccggaa	gtatgagttc	ctctrggggc	tccgttccta	ccatgagasc	300
tagcaagatg	naagtgttga	gantcattgc	agaggttcag	aaaagagacc	cntcgtgact	360
ggctctgcaca	gttcatggag	gctgcagatg	aggccttgga	tgctctggat	gctgctgcag	420
ctgaggccga	agccccgggt	gaagcaagaa	cccgcattgg	aattggagat	gaggctgtgt	480
ntgggcccctg	gagctgggat	gacattgagt	ttgagctgct	gacctgggat	gaggaaggag	540
attttggaga	tccntggtcc	agaattccat	ttaccttctg	ggccagatac	caccagaatg	600
cccgtccag	attccctcag	acctttgccc	gtcccattat	tggtcstggt	ggt	653

<210> 364

<211> 401

<212> DNA

<213> Homo sapien

<400> 364

actagaggaa	agacgttaaa	ccactctact	accactttgt	gaactctcaa	agggtaaatg	60
acaaagccaa	tgaatgactc	taaaaacaat	atttacattt	aatggtttgt	agacaataaa	120
aaaacaagg	ggatagatct	agaattgtaa	cattttaaga	aaaccatagc	atttgacaga	180
tgagaaagct	caattataga	tgcaaagtta	taactaaact	actatagtag	taaagaaata	240
catttcacac	ccttcatata	aattcactat	cttggttga	ggcactccat	aaaatgtatc	300
acgtgcatag	taaatcttta	tatttgctat	ggcgttgac	tagaggactt	ggactgcaac	360
aagtggatgc	gcggaaaatg	aaatcttctt	caatagccca	g		401

<210> 365

<211> 356

<212> DNA

<213> Homo sapien

<400> 365

ccagtgtcat	atttgggctt	aaaatttcaa	gaagggcact	tcaaatggct	ttgcatttgc	60
atgtttcagt	gctagagcgt	aggaatagac	cctggcgctc	actgtgagat	gttcttcagc	120
taccagagca	tcaagtctct	gcagcaggtc	attcttgggt	aaagaaatga	cttccacaaa	180
ctctccatcc	cctggctttg	gcttcggcct	tgctgtttcg	gcacatcttc	cgtaaatggt	240
gactgtcacg	atgtgtatag	tacagtttga	caagcctggg	tccatacaga	ccgctggaga	300
acattcgcca	atgtcccctt	tgtagccagt	ttcttcttcg	agctcccgga	gagcag	356

<210> 366

<211> 1851

<212> DNA

<213> Homo sapien

<400> 366

tcatcaccat	tgccagcagc	ggcaccgtta	gtcaggtttt	ctgggaatcc	cacatgagta	60
cttccgtgtt	cttcattctt	cttcaatagc	cataaatctt	ctagctctgg	ctggctgttt	120
tcaacttctt	taagcctttg	tgactcttcc	tctgatgtca	gctttaagtc	ttgttctgga	180
ttgctgtttt	cagaagagat	ttttaacatc	tgtttttctt	tgtagtcaga	aagtaactgg	240
caaattacat	gatgatgact	agaaacagca	tactctctgg	ccgtctttcc	agatcttgag	300
aagatacatc	aacattttgc	tcaagtagag	ggctgactat	acttgctgat	ccacaacata	360
cagcaagtat	gagagcagtt	cttccatata	tatccagcgc	atttaaattc	gcttttttct	420
tgattaaaaa	tttcaccact	tgctgttttt	gctcatgtat	accaagtagc	agtgggtgtga	480
ggccatgctt	gttttttgat	tcgatatacag	caccgtataa	gagcagtgct	ttggccatta	540

atttatcttc	attgtagaca	gcatagtgta	gagtgggtatt	tccatactca	tctggaatat	600
ttggatcagt	gccatgttcc	agcaacatta	acgcacattc	atcttcctgg	cattgtacgg	660
cctttgtcag	agctgtcctc	ttttgttgt	caaggacatt	aagttgacat	cgtctgtcca	720
gcacgagttt	tactacttct	gaattcccat	tggcagaggc	cagatgtaga	gcagtcctct	780
tttgcttgtc	cctcttggtc	acatccgtgt	ccctgagcat	gacgatgaga	tcctttctgg	840
ggactttacc	ccaccaggca	gctctgtgga	gcttgtccag	atcttctcca	tggacgtggg	900
acctgggata	catgaaggcg	ctgtcatcgt	agtctcccca	agcgaccacg	ttgctcttgc	960
cgctcccctg	cagcagggga	agcagtggca	gcaccacttg	cacctcttgc	tcccaagcgt	1020
cttcacagag	gagtcgttgt	ggctctcaga	agtgccacg	ttgctcttgc	cgctcccct	1080
gtccattccag	ggaggaagaa	atgcaggaaa	tgaaagatgc	atgcacgatg	gtatactcct	1140
cagccatcaa	acttctggac	agcaggtcac	ttccagcaag	gtggagaaag	ctgtccaccc	1200
acagaggatg	agatccagaa	accacaatat	ccattcacia	acaaacactt	ttcagccaga	1260
cacaggtact	gaaatcatgt	catctgcggc	aacatggtgg	aacctaccca	atcacacatc	1320
aagagatgaa	gacactgcag	tatatctgca	caacgtaata	ctcttcatcc	ataacaaaat	1380
aatataat	tcctctggag	ccatatggat	gaactatgaa	ggaagaactc	cccgaagaag	1440
ccagtcgcag	agaagccaca	ctgaagctct	gtcctcagcc	atcagcgcca	cggacaggat	1500
tgtgtttctt	ccccagtgat	gcagcctcaa	gttatccga	agctgcggca	gcacacgggtg	1560
gtcctgaga	aacacccag	ctcttccgg	ctaacacagg	caagtcaata	aatgtgataa	1620
tcacataaac	agaattaaaa	gcaaagtcac	ataagcatct	caacagacac	agaaaaggca	1680
tttgacaaaa	tccagcatcc	ttgtatttat	tgttgagtt	ctcagaggaa	atgcttctaa	1740
cttttcccca	tttagtatta	tgttggtgt	gggtctgtca	taggtggttt	ttattacttt	1800
aaggtatgtc	ccttctatgc	ctgttttgc	gaggtttta	attctcgtgc	c	1851

<210> 367

<211> 668

<212> DNA

<213> Homo sapien

<400> 367

cttgagcttc	caaataygga	agactggccc	ttacacasgt	caatgttaaa	atgaatgcat	60
ttcagtattt	tgaagataaa	attrgtagat	ctataccttg	ttttttgatt	cgatatcagc	120
accrtataag	agcagtgcct	tggccattaa	tttatcttcc	atrttagaca	gcrtagtgya	180
gagtgggtatt	tccatactca	tctggaatat	ttggatcagt	gccatgttcc	agcaacatta	240
acgcacattc	atcttcctgg	cattgtacgg	cctgtcagta	ttagacccaa	aaacaaatta	300
catatcttag	gaattcaaaa	taacattcca	cagcttccac	caactagtta	tatttaaaag	360
agaaaactca	tttttatgcc	atgtattgaa	atcaaaccce	cctcatgctg	atatagttgg	420
ctactgcata	cctttatcag	agctgtcctc	ttttgttgt	caaggacatt	aagttgacat	480
cgctgtcca	gcaggagttt	tactacttct	gaattcccat	tggcagaggg	cagatgtaga	540
gcagtcctat	gagagtgaga	agacttttta	ggaaattgta	gtgcactagc	tacagccata	600
gcaatgatcc	atgtaactgc	aaacactgaa	tagcctgcta	ttactctgcc	ttcaaaaaaa	660
aaaaaaa						668

<210> 368

<211> 1512

<212> DNA

<213> Homo sapien

<400> 368

gggtcgccca	gggggsgcgt	gggttttct	cggttggtg	tgggttttcc	ctgggtgggg	60
tgggtgggc	trgaatcccc	tgctgggtt	ggcaggttt	ggctgggatt	gacttttytc	120
ttcaaacaga	ttggaaaccc	ggagttacct	gctagtggg	gaaactgggt	ggtagacgcg	180
atctgttggc	tactactggc	ttctcctggc	tgtaaaagc	agatgggtgg	tgaggttgat	240
tccatgcgg	ctgcttcttc	tgtgaagaag	ccatttggtc	tcaggagcaa	gatgggcaag	300
tgggtgctgc	gttgcttccc	ctgctgcagg	gagagcgcca	agagcaacgt	gggcacttct	360
ggagaccacg	acgactctgc	tatgaagaca	ctcaggagca	agatgggcaa	gtgggtgccg	420
cactgcttcc	cctgctgcag	ggggagtgcc	aagagcaacg	tgggcgcttc	tggagaccac	480
gacgaytctg	ctatgaagac	actcaggaac	aagatgggca	agtgggtgctg	ccactgcttc	540
ccctgctgca	gggggagcrg	caagagcaag	gtgggcgctt	ggggagacta	cgatgacagt	600

gccttcacg	agcccaggta	ccacgtccgt	ggagaagatc	tggacaagct	ccacagagct	660
gcctggtggg	gtaaagtccc	cagaaaggat	ctcatcgctc	tgctcagggg	actgacgtg	720
aacaagaagg	acaagcaaaa	gaggactgct	ctacatctgg	cctctgcca	tgggaattca	780
gaagtagtaa	aactcstgct	ggacagacga	tgtcaactta	atgtccttga	caacaaaaag	840
aggacagctc	tgayaaaggc	cgtacaatgc	caggaagatg	aatgtgcggt	aatgttgctg	900
gaacatggca	ctgatccaaa	tattccagat	gagtatggaa	ataccactct	rcactaygct	960
rtctayaatg	aagataaatt	aatggccaaa	gcactgctct	tataygggtg	tgatatcgaa	1020
tcaaaaaaca	aggatatagat	ctactaattt	tatcttcaaa	atactgaaat	gcattcattt	1080
taacattgac	gtgtgtaagg	gccagtcttc	cgtattttgga	agctcaagca	taacttgaat	1140
gaaaatattt	tgaaatgacc	taattatctm	agactttatt	ttaaatattg	ttattttcaa	1200
agaagcatta	gaggggtacg	tttttttttt	ttaaatgcac	ttctggtaaa	tacttttggt	1260
gaaaacactg	aattttgtaaa	aggtaatact	tactattttt	caatttttcc	ctcctaggat	1320
ttttttcccc	taatgaatgt	aagatggcaa	aatttgcctt	gaaatagggt	ttacatgaaa	1380
actccaagaa	aagttaaaca	tgtttcagtg	aatagagatc	ctgctccttt	ggcaagttcc	1440
taaaaaacag	taatagatac	gaggtgatgc	gcctgtcagt	ggcaagggtt	aagatatttc	1500
tgatctcgtg	cc					1512

<210> 369

<211> 1853

<212> DNA

<213> Homo sapien

<400> 369

gggtcgccca	ggggsgcgt	gggttttct	cgggtgggtg	tgggttttcc	ctgggtgggg	60
tgggctgggc	trgaatcccc	tgctgggggt	ggcagggttt	ggctgggatt	gacttttytc	120
ttcaaacaga	ttggaacccc	ggagttacct	gctagtgtgt	gaaactgggt	ggtagacgcg	180
atctgttggc	tactactggc	ttctcctggc	tgtaaaagc	agatgggtgt	tgaggttgat	240
tccatgcggg	ctgcttcttc	tgtaagaag	ccatttggtc	tcaggagcaa	gatgggcaag	300
tggtgctgcc	gttgcttccc	ctgctgcagg	gagagcggca	agagcaacgt	gggcaattct	360
ggagaccacg	acgactctgc	tatgaagaca	ctcaggagca	agatgggcaa	gtggtgcgcg	420
cactgcttcc	cctgctgcag	ggggagtggc	aagagcaacg	tggtgcgttc	tggagaccac	480
gacgaytctg	ctatgaagac	actcaggaac	aagatgggca	agtgggtgctg	ccactgcttc	540
ccctgctgca	gggggagcrg	caagagcaag	gtgggcgctt	ggggagacta	cgatgacagy	600
gccttcacg	akcccaggta	ccacgtccrt	ggagaagatc	tggacaagct	ccacagagct	660
gcctggtggg	gtaaagtccc	cagaaaggat	ctcatcgctc	tgctcagggg	cackgaygtg	720
aacaagargg	acaagcaaaa	gaggactgct	ctacatctgg	cctctgcca	tgggaattca	780
gaagtagtaa	aactcstgct	ggacagacga	tgtcaactta	atgtccttga	caacaaaaag	840
aggacagctc	tgayaaaggc	cgtacaatgc	caggaagatg	aatgtgcggt	aatgttgctg	900
gaacatggca	ctgatccaaa	tattccagat	gagtatggaa	ataccactct	rcactaygct	960
rtctayaatg	aagataaatt	aatggccaaa	gcactgctct	tataygggtg	tgatatcgaa	1020
tcaaaaaaca	agcatggcct	cacaccactg	ytacttggtr	tacatgagca	aaaacagcaa	1080
gtsgtgaaat	ttttaatyaa	gaaaaaagcg	aatttaaaat	gcrctggata	gatatggaag	1140
ractgctctc	atacttgctg	tatgttgtgg	atcagcaagt	atagtcagcc	ytctacttga	1200
gcaaaatrtt	gatgtatctt	ctcaagatct	ggaaagacgg	ccagagagta	tgctgtttct	1260
agtcacatc	atgtaatttg	ccagttactt	tctgactaca	aagaaaaaca	gatgttaaaa	1320
atctcttctg	aaaacagcaa	tccagaacaa	gacttaaaag	tgacatcaga	ggaagagtca	1380
caaaggctta	aaggaagtga	aaacagccag	ccagaggcat	ggaaactttt	aaatttaaac	1440
ttttggttta	atgttttttt	tttttgctt	aataatatta	gatagtccca	aatgaaatwa	1500
cctatgagac	taggctttga	gaatcaatag	attctttttt	taagaatctt	ttggctagga	1560
gcggtgtctc	acgcctgtaa	ttccagcacc	ttgagaggct	gaggtgggca	gatcacgaga	1620
tcaggagatc	gagaccatcc	tggttaaac	ggtgaaaccc	catctctact	aaaaatacaa	1680
aaacttagct	gggtgtggtg	gcgggtgcct	gtagtcacag	ctactcagga	rgctgaggca	1740
ggagaatggc	atgaaccggg	gaggtggagg	ttgcagtggg	ccgagatccg	ccactacact	1800
ccagcctggg	tgacagagca	agactctgtc	tcaaaaaaaa	aaaaaaaaaa	aaa	1853

<210> 370

<211> 2184

<212> DNA

<213> Homo sapien

<400> 370

ggcacgagaa	ttaaaaccct	cagcaaaaca	ggcatagaag	ggacatacct	taaagtaata	60
aaaaccacct	atgacaagcc	cacagccaac	ataatactaa	atggggaaaa	gttagaagca	120
tttctctga	gaactgcaac	aataaataca	aggatgctgg	attttgtcaa	atgccttttc	180
tgtgtctgtt	gagatgctta	tgtgactttg	cttttaattc	tgtttatgtg	attatcacat	240
ttattgactt	gcctgtgtta	gaccggaaga	gctgggggtg	ttctcaggag	ccaccgtgtg	300
ctgcggcagc	ttcgggataa	cttgaggctg	catcactggg	gaagaaacac	aytcctgtcc	360
gtggcgctga	tggctgagga	cagagcttca	gtgtggcttc	tctgcgactg	gcttcttcgg	420
ggagtctctc	cttcatagtt	catccatatt	gctccagagg	aaaattatat	tattttgtta	480
tggatgaaga	gtattacgtt	gtgcagatat	actgcagtgt	cttcattctc	tgatgtgtga	540
ttgggtaggt	tccaccatgt	tgccgcagat	gacatgattt	cagtacctgt	gtctggctga	600
aaagtgtttg	tttgtgaatg	gatattgtgg	tttctggatc	tcacctctct	tgggtggaca	660
gctttctcca	ccttgctgga	agtgaacctg	tgtccagaag	tttgatggct	gaggagtata	720
ccatcgtgca	tgcatctttc	atttcttgca	tttcttcttc	cctggatgga	cagggggagc	780
ggcaagagca	acgtgggcac	ttctggagac	cacaacgact	cctctgtgaa	gacgcttggg	840
agcaagaggt	gcaagtgggt	ctgccactgc	ttccctgctg	gcaggggagc	ggcaagagca	900
acgtggctgc	ttggggagac	tacgatgaca	gcgccttcat	ggatcccagg	taccacgtcc	960
atggagaaga	tctggacaag	ctccacagag	ctgcctgggt	gggtaaagtc	cccagaaagg	1020
atctcatcgt	catgctcagg	gacacggatg	tgaacaagag	ggacaagcaa	aagaggactg	1080
ctctacatct	ggcctctgcc	aatgggaatt	cagaagtagt	aaaactcgtg	ctggacagac	1140
gatgtcaact	taatgtcctt	gacaacaaaa	agaggacagc	tctgacaaag	gccgtacaat	1200
gccaggaaga	tgaatgtgcg	ttaatgttgc	tggaaatagg	actgatcca	aatattccag	1260
atgagtatgg	aaataccact	ctacactatg	ctgtctacaa	tgaagataaa	ttaatggcca	1320
aagcactgct	cttatacggg	gctgatattc	aatcaaaaaa	caagcatggc	ctcacaccac	1380
tgctacttgg	tatacatgag	caaaaacagc	aagtggtgaa	atttttaatc	aagaaaaaag	1440
cgaatttaaa	tgcgctggat	agatatggaa	gaactgctct	catacttgct	gtatgtttgt	1500
gatcagcaag	tatagtcagc	cctctacttg	agcaaaatgt	tgatgtatct	tctcaagatc	1560
tggaaagacg	gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	1620
ttctgactac	aaagaaaaac	agatgttaaa	aatctcttct	gaaaacagca	atccagaaca	1680
agacttaaa	ctgacatcag	aggaagagtc	acaaaggctt	aaaggaagtg	aaaaacagcca	1740
gccagaggca	tggaaacttt	taaatttaaa	cttttggttt	aatgtttttt	ttttttgcct	1800
taataatatt	agatagtccc	aaatgaaatw	acctatgaga	ctaggctttg	agaatcaata	1860
gattcttttt	ttaagaatct	tttggctagg	agcgggtgct	cacgcctgta	attccagcac	1920
cttgagaggg	tgaggtgggc	agatcacagc	atcaggagat	cgagaccatc	ctggctaaca	1980
cgggtgaaac	ccatctctac	taaaaataca	aaaacttagc	tgggtgtggg	ggcgggtgcc	2040
tgtagtccca	gctactcagg	argctgaggg	aggagaatgg	catgaaccgc	ggaggtggag	2100
gttgacagtga	gccgagatcc	gccactacac	tccagcctgg	gtgacagagc	aagactctgt	2160
ctcaaaaaaa	aaaaaaaaaa	aaaa				2184

<210> 371

<211> 1855

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(1855)

<223> n = A,T,C or G

<400> 371

tgcacgcac	ggccagtgtc	tgtgccacgt	acactgacgc	cccctgagat	gtgcacgccg	60
cacgcgcac	ttgcacgcgc	ggcagcggtc	tggtggctt	gtaacggctt	gcacgcgcac	120
gccgcccccg	cataaccgtc	agactggcct	gtaacggctt	gcagggcgac	gccgcacgcg	180
cgtaacggct	tggctgccct	gtaacggctt	gcacgtgcat	gctgcacgcg	cgtaacgggc	240
ttggctggca	tgtagccgct	tggcttggct	ttgcattt	tgctkggctk	ggcggttgkty	300
tcttggtattg	acgcttcttc	cttggtatkg	cgtttctctc	ttggatkgac	gtttctytyt	360

tcgcgttcct	ttgctggact	tgacctttty	tctgctgggt	ttggcattcc	tttgggggtg	420
gctgggtggt	ttctccgggg	gggkktgccc	ttcctggggg	gggcgtgggk	cgccccagg	480
gggcgtgggc	tttccccggg	tgggtgtggg	ttttcctggg	gtgggggtggg	ctgtgctggg	540
atccccctgc	tgggggtggc	agggattgac	ttttttcttc	aaacagattg	gaaacccgga	600
gtaacntgct	agttggtgaa	actggttggt	agacgcgac	tgctggtact	actgtttctc	660
ctggctgtta	aaagcagatg	gtggctgagg	ttgattcaat	gccggctgct	tcttctgtga	720
agaagccatt	tgggtctcagg	agcaagatgg	gcaagtgggt	cgccactgct	tccccctgct	780
caggggggagc	ggcaagagca	acgtggggcac	ttctggagac	cacaacgact	cctctgtgaa	840
gacgcttggg	agcaagaggt	gcaagtgggt	ctgcccactg	cttccccctgc	tgcaggggag	900
cggcaagagc	aacgtggkcg	cttggggaga	ctacgatgac	agcgccttca	tggakcccag	960
gtaccacgtc	crtggagaag	atctggacaa	gctccacaga	gctgcctggg	ggggtaaagt	1020
ccccagaaag	gatctcatcg	tcatgctcag	ggacactgay	gtgaacaaga	rggacaagca	1080
aaagaggact	gctctacatc	tggcctctgc	caatgggaat	tcagaagtag	taaaactcgt	1140
gctggacaga	cgatgtcaac	ttaatgtcct	tgacaacaaa	aagaggacag	ctctgacaaa	1200
ggcgttaca	tgccaggaag	atgaatgtgc	gttaatgttg	ctggaacatg	gcactgatcc	1260
aaatattcca	gatgagtatg	gaaataccac	tctacactat	gctgtctaca	atgaagataa	1320
attaatggcc	aaagcactgc	tcttatacgg	tgtgatatc	gaatcaaaaa	acaagggtata	1380
gatctactaa	ttttatcttc	aaaatactga	aatgcattca	ttttaacatt	gacgtgtgta	1440
agggccagtc	ttccgtatct	ggaagctcaa	gcataacttg	aatgaaaata	ttttgaaatg	1500
acctaattat	ctaagacttt	attttaata	ttgttatctt	caaagaagca	ttagagggtg	1560
cagttttttt	tttttaaatg	cacttctggg	aaatactttt	gttgaaaaca	ctgaatttgt	1620
aaaaggtaat	acttactatt	tttcaatttt	tccctectag	gatttttttc	ccctaatag	1680
tgtaagatgg	caaaatttgc	cctgaaatag	gttttacatg	aaaactccaa	gaaaagttaa	1740
acatgtttca	gtgaatagag	atcctgctcc	tttggcaagt	tcctaaaaaa	cagtaataga	1800
tacgagggtga	tgcgcctgtc	agtggcaagg	tttaagatat	ttctgatctc	gtgcc	1855

<210> 372

<211> 1059

<212> DNA

<213> Homo sapien

<400> 372

gcaacgtggg	cactttctgga	gaccacaacg	actcctctgt	gaagacgctt	gggagcaaga	60
gggtgcaagt	gtgctgcccc	ctgcttcccc	tgctgcaggg	gagcggcaag	agcaacgtgg	120
gcgcttgrgg	agactmcgat	gacagygcc	tcatggagcc	caggtagccac	gtccgtggag	180
aagatctgga	caagctccac	agagctgccc	tgggtggggt	aagtccccag	aaaggatctc	240
atcgtcatgc	tcaggggacac	tgaygtgaac	aagarggaca	agcaaaagag	gactgctcta	300
catctggcct	ctgccaatgg	gaattcagaa	gtagtataaac	tcstgctgga	cagacgatgt	360
caacttaagt	tcccttgacaa	caaaaagagg	acagctctga	yaaaggccgt	acaatgccag	420
gaagatgaat	gtgcgttaat	gttgcgtgaa	catggcactg	atccaaatat	tccagatgag	480
tatggaaata	ccactctrea	ctaygctrct	tayaatgaag	ataaattaat	ggccaaagca	540
ctgctcttat	ayggtgctga	tatcgaatca	aaaaacaagg	tatagatcta	ctaattttat	600
cttcaaaaata	ctgaaatgca	ttcattttta	cattgacgtg	tgtaagggcc	agtcctccgt	660
atltggagc	tcaagcataa	cttgaatgaa	aatatlttga	aatgacctaa	ttatctaaga	720
ctttatltta	aatattgtta	ttttcaaaga	agcatttagag	ggtacagttt	ttttttttta	780
aatgcacttc	tggtaaatac	ttttgttgaa	aacactgaat	ttgtaaaagg	taatacttac	840
tatttttcaa	tttttccctc	ctaggatltt	tttcccttaa	tgaatgtgaag	atggcaaaat	900
ttgccctgaa	ataggtltta	catgaaaact	ccaagaaaag	ttaaacatgt	ttcagtgaat	960
agagatcctg	ctcctttggc	aagttcctaa	aaaacagtaa	tagatacgag	gtgatgcgcc	1020
tgctcagtgcc	aaggtttaa	atatttctga	tctcgtgccc			1059

<210> 373

<211> 1155

<212> DNA

<213> Homo sapien

<400> 373

atgggtgggtg	aggttgattc	catgccgggt	gcctcttctg	tgaagaagcc	atltggctctc	60
-------------	------------	------------	------------	------------	-------------	----

aggagcaaga	tgggcaagt	gtgctgccgt	tgcttcccc	gctgcaggga	gagcggcaag	120
agcaacgtgg	gcacttctgg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgctgcagg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaacaa	gatgggcaag	300
tggtgctgcc	actgcttccc	ctgctgcagg	gggagcggca	agagcaaggt	gggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccaggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctggtgggg	aaagtcccc	gaaaggatct	catcgtcatg	480
ctcaggga	ctgacgtgaa	caagaaggac	aagcaaaaga	ggactgctct	acatctggcc	540
tctgccaatg	ggaattcaga	agtagtaaaa	ctctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcca	ggaagatgaa	660
tgtgcgttaa	tgttgcgtga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatggtgctg	atatcgaatc	aaaaaacaag	catggcctca	caccactgtt	acttggtgta	840
catgagcaaa	aacagcaagt	cgtgaaat	ttaatcaaga	aaaaagcgaa	tttaaatgca	900
ctggatagat	atggaaggac	tgctctcata	cttgcgtgat	gttgtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatattgat	gtatcttctc	aagatctatc	tggacagacg	1020
gccagagagt	atgtgtttc	tagtcatcat	catgtaatt	gccagttact	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaaa	tgtctcaaga	1140
accagaaata	aataa					1155

<210> 374

<211> 2000

<212> DNA

<213> Homo sapien

<400> 374

atggtggttg	aggttgattc	catgccggct	gcctcttctg	tgaagaagcc	atttggcttc	60
aggagcaaga	tgggcaagt	gtgctgccgt	tgcttcccc	gctgcaggga	gagcggcaag	120
agcaacgtgg	gcacttctgg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgctgcagg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaacaa	gatgggcaag	300
tggtgctgcc	actgcttccc	ctgctgcagg	gggagcggca	agagcaaggt	gggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccaggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctggtgggg	aaagtcccc	gaaaggatct	catcgtcatg	480
ctcaggga	ctgacgtgaa	caagaaggac	aagcaaaaga	ggactgctct	acatctggcc	540
tctgccaatg	ggaattcaga	agtagtaaaa	ctctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcca	ggaagatgaa	660
tgtgcgttaa	tgttgcgtga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatggtgctg	atatcgaatc	aaaaaacaag	catggcctca	caccactgtt	acttggtgta	840
catgagcaaa	aacagcaagt	cgtgaaat	ttaatcaaga	aaaaagcgaa	tttaaatgca	900
ctggatagat	atggaaggac	tgctctcata	cttgcgtgat	gttgtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatattgat	gtatcttctc	aagatctatc	tggacagacg	1020
gccagagagt	atgtgtttc	tagtcatcat	catgtaatt	gccagttact	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaca	agacttaaaag	1140
ctgacatcag	aggaagagtc	acaaagggtc	aaaggcagtg	aaaaatagcca	gccagagaaa	1200
atgtctcaag	aaccagaaat	aaataaggat	ggtgatagag	aggttgaaga	agaaatgaag	1260
aagcatgaaa	gtaataatgt	gggattacta	gaaaacctga	ctaattggtgt	cactgctggc	1320
aatggtgata	atggattaat	tcctcaaagg	aagagcagaa	cacctgaaaa	tcagcaat	1380
cctgacaacg	aaagtgaaga	gtatcacaga	atttgcgaat	tagtttctga	ctacaaagaa	1440
aaacagatgc	caaaatactc	ttctgaaaac	agcaacccag	aacaagactt	aaagctgaca	1500
tcagaggaag	agtcacaaag	gcttgagggc	agtgaaaatg	gccagccaga	gctagaaaaat	1560
tttatggcta	tcgaagaaat	gaagaagcac	ggaagtactc	atgtcggatt	cccagaaaaac	1620
ctgactaatg	gtgccactgc	tggcaatgg	gatgatggat	taattcctcc	aaggaagagc	1680
agaacacctg	aaagccagca	atttctctgac	actgagaatg	aagagtatca	cagtgcagaa	1740
caaaatgata	ctcagaagca	attttgtgaa	gaacagaaca	ctggaatatt	acacgatgag	1800
attctgat	atgaagaaaa	gcagatagaa	gtggttgaaa	aaatgaattc	tgagctttct	1860
cttagttgta	agaaagaaaa	agacatcttg	catgaaaata	gtacgttgcg	ggaagaaatt	1920

gccatgctaa gactggagct agacacaatg aaacatcaga gccagctaaa aaaaaaaaaa 1980
 aaaaaaaaaa aaaaaaaaaa 2000

<210> 375
 <211> 2040
 <212> DNA
 <213> Homo sapien

<400> 375
 atggtggttg aggttgatgc catgcccggct gcctcttctg tgaagaagcc atttggcttc 60
 aggagcaaga tgggcaagtg gtgctgccgt tgcttcccct gctgcaggga gagcggcaag 120
 agcaacgtgg gcacttctgg agaccacgac gactctgcta tgaagacact caggagcaag 180
 atgggcaagt ggtgccgcca ctgcttcccc tgctgcaggg ggagtggcaa gagcaacgtg 240
 ggcgcttctg gagaccacga cgactctgct atgaagacac tcaggaaaca gatgggcaag 300
 tgggtgctgcc actgcttccc ctgctgcagg gggagcggca agagcaaggt gggcgcttgg 360
 ggagactacg atgacagtgc cttcatggag cccaggtacc acgtccgtgg agaagatctg 420
 gacaagctcc acagagctgc ctggtggggg aaagtcccc gaaaggatct catcgtcatg 480
 ctcagggaca ctgacgtgaa caagaaggac aagcaaaaga ggactgctct acatctggcc 540
 tctgccaatg ggaattcaga agtagtaaaa ctctgctgg acagacgatg tcaacttaat 600
 gtccttgaca acaaaaagag gacagctctg ataaaggccg tacaatgcca ggaagatgaa 660
 tgtgcgttaa tgttgctgga acatggcact gatccaaata ttccagatga gtatggaaat 720
 accactctgc actacgctat ctataatgaa gataaattaa tggccaaagc actgctctta 780
 tatggtgctg atatcgaatc aaaaaacaag catggcctca caccactgtt acttgggtga 840
 catgagcaaa aacagcaagt cgtgaaatct ttaatcaaga aaaaagcgaa tttaaatgca 900
 ctggatagat atggaaggac tgctctcata cttgctgtat gttgtggatc agcaagtata 960
 gtcagccttc tacttgagca aaatattgat gtatcttctc aagatctatc tggacagacg 1020
 gccagagagt atgctgttcc tagtcatcat catgtaattt gccagtactt ttctgactac 1080
 aaagaaaaac agatgctaaa aatctcttct gaaaacagca atccagaaca agacttaaaag 1140
 ctgacatcag aggaagagtc acaaagggtc aaaggcagtg aaaatagcca gccagagaaa 1200
 atgtctcaag aaccagaaat aaataaggat ggtgatagag aggttgaaga agaaatgaag 1260
 aagcatgaaa gtaataatgt gggattacta gaaaacctga ctaatggtgt cactgctggc 1320
 aatggtgata atggattaat tcctcaaagg aagagcagaa cacctgaaaa tcagcaattt 1380
 cctgacaacg aaagtgaaga gtatcacaga atttgcgaaat tagtttctga ctacaaagaa 1440
 aaacagatgc caaaatactc ttctgaaaac agcaaccagc aacaagactt aaagctgaca 1500
 tcagaggaag agtcacaaaag gcttgagggc agtgaaaatg gccagccaga gaaaagatct 1560
 caagaaccag aaataaataa ggatggtgat agagagctag aaaattttat ggctatcgaa 1620
 gaaatgaaga agcagcgaag tactcatgct ggattcccag aaaacctgac taatggtgac 1680
 actgctggca atggtgatga tggattaatt cctccaagga agagcagaac acctgaaagc 1740
 cagcaatttc ctgacactga gaatgaagag tatccacagt acgaacaaaa tgatactcag 1800
 aagcaatttt gtgaagaaca gaacactgga atattacacg atgagattct gattcatgaa 1860
 gaaaagcaga tagaagtggg tgaaaaaatg aattctgagc tttctcttag ttgtaagaaa 1920
 gaaaaagaca tcttgcatga aaatagtacg ttgcgggaag aaattgccat gctaagactg 1980
 gagctagaca caatgaaca tcagagccag ctaaaaaaa aaaaaaaaaa aaaaaaaaaa 2040

<210> 376
 <211> 329
 <212> PRT
 <213> Homo sapien

<400> 376
 Met Asp Ile Val Val Ser Gly Ser His Pro Leu Trp Val Asp Ser Phe
 1 5 10 15
 Leu His Leu Ala Gly Ser Asp Leu Leu Ser Arg Ser Leu Met Ala Glu
 20 25 30
 Glu Tyr Thr Ile Val His Ala Ser Phe Ile Ser Cys Ile Ser Ser Ser
 35 40 45
 Leu Asp Gly Gln Gly Glu Arg Gln Glu Gln Arg Gly His Phe Trp Arg
 50 55 60

```

Pro Gln Arg Leu Leu Cys Glu Asp Ala Trp Glu Gln Glu Val Gln Val
65          70          75          80
Val Leu Pro Leu Leu Pro Leu Leu Gln Gly Ser Gly Lys Ser Asn Val
      85          90          95
Val Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe Met Asp Pro Arg Tyr
      100          105          110
His Val His Gly Glu Asp Leu Asp Lys Leu His Arg Ala Ala Trp Trp
      115          120          125
Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met Leu Arg Asp Thr Asp
      130          135          140
Val Asn Lys Arg Asp Lys Gln Lys Arg Thr Ala Leu His Leu Ala Ser
145          150          155          160
Ala Asn Gly Asn Ser Glu Val Val Lys Leu Val Leu Asp Arg Arg Cys
      165          170          175
Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr Ala Leu Thr Lys Ala
      180          185          190
Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met Leu Leu Glu His Gly
      195          200          205
Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr
      210          215          220
Ala Val Tyr Asn Glu Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr
225          230          235          240
Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu
      245          250          255
Leu Gly Ile His Glu Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys
      260          265          270
Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu
      275          280          285
Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile Val Ser Pro Leu Leu
      290          295          300
Glu Gln Asn Val Asp Val Ser Ser Gln Asp Leu Glu Arg Arg Pro Glu
305          310          315          320
Ser Met Leu Phe Leu Val Ile Ile Met
      325

```

<210> 377
 <211> 148
 <212> PRT
 <213> Homo sapien

<220>
 <221> VARIANT
 <222> (1)...(148)
 <223> Xaa = Any Amino Acid

```

<400> 377
Met Thr Xaa Pro Ser Trp Ser Pro Gly Thr Thr Ser Val Glu Lys Ile
1          5          10          15
Trp Thr Ser Ser Thr Glu Leu Pro Trp Trp Gly Lys Val Pro Arg Lys
      20          25          30
Asp Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys Xaa Asp Lys
      35          40          45
Gln Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu
      50          55          60
Val Val Lys Leu Xaa Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp
65          70          75          80
Asn Lys Lys Arg Thr Ala Leu Xaa Lys Ala Val Gln Cys Gln Glu Asp
      85          90          95

```

Glu Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro
 100 105 110
 Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Xaa Tyr Asn Glu Asp
 115 120 125
 Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser
 130 135 140
 Lys Asn Lys Val
 145

<210> 378
 <211> 1719
 <212> PRT
 <213> Homo sapien

<400> 378
 Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
 1 5 10 15
 Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
 20 25 30
 Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
 35 40 45
 His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
 50 55 60
 Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
 65 70 75 80
 Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn
 85 90 95
 Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
 100 105 110
 Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe
 115 120 125
 Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His
 130 135 140
 Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met
 145 150 155 160
 Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala
 165 170 175
 Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu
 180 185 190
 Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr
 195 200 205
 Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met
 210 215 220
 Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn
 225 230 235 240
 Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys
 245 250 255
 Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly
 260 265 270
 Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val
 275 280 285
 Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr
 290 295 300
 Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile
 305 310 315 320
 Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu
 325 330 335
 Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His His Val

[illegible]

805										810				815			
Leu	Leu	Glu	Asn	Leu	Thr	Asn	Gly	Val	Thr	Ala	Gly	Asn	Gly	Asp	Asn		
820										825				830			
Gly	Leu	Ile	Pro	Gln	Arg	Lys	Ser	Arg	Thr	Pro	Glu	Asn	Gln	Gln	Phe		
835										840				845			
Pro	Asp	Asn	Glu	Ser	Glu	Glu	Tyr	His	Arg	Ile	Cys	Glu	Leu	Val	Ser		
850										855				860			
Asp	Tyr	Lys	Glu	Lys	Gln	Met	Pro	Lys	Tyr	Ser	Ser	Glu	Asn	Ser	Asn		
865										870				875			
Pro	Glu	Gln	Asp	Leu	Lys	Leu	Thr	Ser	Glu	Glu	Glu	Ser	Gln	Arg	Leu		
885										890				895			
Glu	Gly	Ser	Glu	Asn	Gly	Gln	Pro	Glu	Leu	Glu	Asn	Phe	Met	Ala	Ile		
900										905				910			
Glu	Glu	Met	Lys	Lys	His	Gly	Ser	Thr	His	Val	Gly	Phe	Pro	Glu	Asn		
915										920				925			
Leu	Thr	Asn	Gly	Ala	Thr	Ala	Gly	Asn	Gly	Asp	Asp	Gly	Leu	Ile	Pro		
930										935				940			
Pro	Arg	Lys	Ser	Arg	Thr	Pro	Glu	Ser	Gln	Gln	Phe	Pro	Asp	Thr	Glu		
945										950				955			
Asn	Glu	Glu	Tyr	His	Ser	Asp	Glu	Gln	Asn	Asp	Thr	Gln	Lys	Gln	Phe		
965										970				975			
Cys	Glu	Glu	Gln	Asn	Thr	Gly	Ile	Leu	His	Asp	Glu	Ile	Leu	Ile	His		
980										985				990			
Glu	Glu	Lys	Gln	Ile	Glu	Val	Val	Glu	Lys	Met	Asn	Ser	Glu	Leu	Ser		
995										1000				1005			
Leu	Ser	Cys	Lys	Lys	Glu	Lys	Asp	Ile	Leu	His	Glu	Asn	Ser	Thr	Leu		
1010										1015				1020			
Arg	Glu	Glu	Ile	Ala	Met	Leu	Arg	Leu	Glu	Leu	Asp	Thr	Met	Lys	His		
1025										1030				1035			
Gln	Ser	Gln	Leu	Pro	Arg	Thr	His	Met	Val	Val	Glu	Val	Asp	Ser	Met		
1045										1050				1055			
Pro	Ala	Ala	Ser	Ser	Val	Lys	Lys	Pro	Phe	Gly	Leu	Arg	Ser	Lys	Met		
1060										1065				1070			
Gly	Lys	Trp	Cys	Cys	Arg	Cys	Phe	Pro	Cys	Cys	Arg	Glu	Ser	Gly	Lys		
1075										1080				1085			
Ser	Asn	Val	Gly	Thr	Ser	Gly	Asp	His	Asp	Asp	Ser	Ala	Met	Lys	Thr		
1090										1095				1100			
Leu	Arg	Ser	Lys	Met	Gly	Lys	Trp	Cys	Arg	His	Cys	Phe	Pro	Cys	Cys		
1105										1110				1115			
Arg	Gly	Ser	Gly	Lys	Ser	Asn	Val	Gly	Ala	Ser	Gly	Asp	His	Asp	Asp		
1125										1130				1135			
Ser	Ala	Met	Lys	Thr	Leu	Arg	Asn	Lys	Met	Gly	Lys	Trp	Cys	Cys	His		
1140										1145				1150			
Cys	Phe	Pro	Cys	Cys	Arg	Gly	Ser	Gly	Lys	Ser	Lys	Val	Gly	Ala	Trp		
1155										1160				1165			
Gly	Asp	Tyr	Asp	Asp	Ser	Ala	Phe	Met	Glu	Pro	Arg	Tyr	His	Val	Arg		
1170										1175				1180			
Gly	Glu	Asp	Leu	Asp	Lys	Leu	His	Arg	Ala	Ala	Trp	Trp	Gly	Lys	Val		
1185										1190				1195			
Pro	Arg	Lys	Asp	Leu	Ile	Val	Met	Leu	Arg	Asp	Thr	Asp	Val	Asn	Lys		
1205										1210				1215			
Lys	Asp	Lys	Gln	Lys	Arg	Thr	Ala	Leu	His	Leu	Ala	Ser	Ala	Asn	Gly		
1220										1225				1230			
Asn	Ser	Glu	Val	Val	Lys	Leu	Le										

1265 1270 1275 1280
 Asn Ile Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Ile Tyr
 1285 1290 1295
 Asn Glu Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp
 1300 1305 1310
 Ile Glu Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu Leu Gly Val
 1315 1320 1325
 His Glu Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys Lys Lys Ala
 1330 1335 1340
 Asn Leu Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu Ile Leu Ala
 1345 1350 1355 1360
 Val Cys Cys Gly Ser Ala Ser Ile Val Ser Leu Leu Leu Glu Gln Asn
 1365 1370 1375
 Ile Asp Val Ser Ser Gln Asp Leu Ser Gly Gln Thr Ala Arg Glu Tyr
 1380 1385 1390
 Ala Val Ser Ser His His His Val Ile Cys Gln Leu Leu Ser Asp Tyr
 1395 1400 1405
 Lys Glu Lys Gln Met Leu Lys Ile Ser Ser Glu Asn Ser Asn Pro Glu
 1410 1415 1420
 Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Phe Lys Gly
 1425 1430 1435 1440
 Ser Glu Asn Ser Gln Pro Glu Lys Met Ser Ser Gln Glu Pro Glu Ile Asn
 1445 1450 1455
 Lys Asp Gly Asp Arg Glu Val Glu Glu Glu Met Lys Lys His Glu Ser
 1460 1465 1470
 Asn Asn Val Gly Leu Leu Glu Asn Leu Thr Asn Gly Val Thr Ala Gly
 1475 1480 1485
 Asn Gly Asp Asn Gly Leu Ile Pro Gln Arg Lys Ser Arg Thr Pro Glu
 1490 1495 1500
 Asn Gln Gln Phe Pro Asp Asn Glu Ser Glu Glu Tyr His Arg Ile Cys
 1505 1510 1515 1520
 Glu Leu Val Ser Asp Tyr Lys Glu Lys Gln Met Pro Lys Tyr Ser Ser
 1525 1530 1535
 Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu
 1540 1545 1550
 Ser Gln Arg Leu Glu Gly Ser Glu Asn Gly Gln Pro Glu Lys Arg Ser
 1555 1560 1565
 Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Leu Glu Asn Phe
 1570 1575 1580
 Met Ala Ile Glu Glu Met Lys Lys His Gly Ser Thr His Val Gly Phe
 1585 1590 1595 1600
 Pro Glu Asn Leu Thr Asn Gly Ala Thr Ala Gly Asn Gly Asp Asp Gly
 1605 1610 1615
 Leu Ile Pro Pro Arg Lys Ser Arg Thr Pro Glu Ser Gln Gln Phe Pro
 1620 1625 1630
 Asp Thr Glu Asn Glu Glu Tyr His Ser Asp Glu Gln Asn Asp Thr Gln
 1635 1640 1645
 Lys Gln Phe Cys Glu Glu Gln Asn Thr Gly Ile Leu His Asp Glu Ile
 1650 1655 1660
 Leu Ile His Glu Glu Lys Gln Ile Glu Val Val Glu Lys Met Asn Ser
 1665 1670 1675 1680
 Glu Leu Ser Leu Ser Cys Lys Lys Glu Lys Asp Ile Leu His Glu Asn
 1685 1690 1695
 Ser Thr Leu Arg Glu Glu Ile Ala Met Leu Arg Leu Glu Leu Asp Thr
 1700 1705 1710
 Met Lys His Gln Ser Gln Leu
 1715

<210> 379
 <211> 656
 <212> PRT
 <213> Homo sapien

<400> 379
 Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
 1 5 10 15
 Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
 20 25 30
 Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
 35 40 45
 His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
 50 55 60
 Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
 65 70 75 80
 Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn
 85 90 95
 Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
 100 105 110
 Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe
 115 120 125
 Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His
 130 135 140
 Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met
 145 150 155 160
 Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala
 165 170 175
 Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu
 180 185 190
 Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr
 195 200 205
 Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met
 210 215 220
 Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn
 225 230 235 240
 Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys
 245 250 255
 Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly
 260 265 270
 Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val
 275 280 285
 Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr
 290 295 300
 Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile
 305 310 315 320
 Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu
 325 330 335
 Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His His Val
 340 345 350
 Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln Met Leu Lys Ile
 355 360 365
 Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu
 370 375 380
 Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser Gln Pro Glu Lys
 385 390 395 400
 Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Val Glu
 405 410 415

Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly Leu Leu Glu Asn
 420 425 430
 Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn Gly Leu Ile Pro
 435 440 445
 Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe Pro Asp Asn Glu
 450 455 460
 Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser Asp Tyr Lys Glu
 465 470 475 480
 Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp
 485 490 495
 Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Leu Glu Gly Ser Glu
 500 505 510
 Asn Gly Gln Pro Glu Leu Glu Asn Phe Met Ala Ile Glu Glu Met Lys
 515 520 525
 Lys His Gly Ser Thr His Val Gly Phe Pro Glu Asn Leu Thr Asn Gly
 530 535 540
 Ala Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro Pro Arg Lys Ser
 545 550 555 560
 Arg Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu Asn Glu Glu Tyr
 565 570 575
 His Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe Cys Glu Glu Gln
 580 585 590
 Asn Thr Gly Ile Leu His Asp Glu Ile Leu Ile His Glu Glu Lys Gln
 595 600 605
 Ile Glu Val Val Glu Lys Met Asn Ser Glu Leu Ser Leu Ser Cys Lys
 610 615 620
 Lys Glu Lys Asp Ile Leu His Glu Asn Ser Thr Leu Arg Glu Glu Ile
 625 630 635 640
 Ala Met Leu Arg Leu Glu Leu Asp Thr Met Lys His Gln Ser Gln Leu
 645 650 655

<210> 380

<211> 671

<212> PRT

<213> Homo sapien

<400> 380

Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
 1 5 10 15
 Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
 20 25 30
 Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
 35 40 45
 His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
 50 55 60
 Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
 65 70 75 80
 Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn
 85 90 95
 Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
 100 105 110
 Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe
 115 120 125
 Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His
 130 135 140
 Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met
 145 150 155 160
 Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala

625	630	635	640
Glu Lys Asp Ile Leu His Glu Asn Ser Thr Leu Arg Glu Glu Ile Ala			
	645	650	655
Met Leu Arg Leu Glu Leu Asp Thr Met Lys His Gln Ser Gln Leu			
	660	665	670

<210> 381
 <211> 251
 <212> DNA
 <213> Homo sapien

<400> 381
 ggagaagcgt ctgctggggc aggaaggggt ttccctgccc tctcacctgt ccctcaccaa 60
 ggtaacatgc ttcccctaag ggtatcccaa cccagggggc tcaccatgac ctctgagggg 120
 ccaatatccc aggagaagca ttggggaggt gggggcaggt gaaggaccca ggactcacac 180
 atcctggggc tccaaggcag aggagaggggt cctcaagaag gtcaggagga aaatccgtaa 240
 caagcagtca g 251

<210> 382
 <211> 3279
 <212> DNA
 <213> Homo sapiens

<400> 382
 cttcctgcag ccccatgct ggtgaggggc acgggcagga acagtggacc caacatggaa 60
 atgctggagg gtgtcaggaa gtgatcgggc tctggggcag ggaggagggg tggggagtgt 120
 cactgggagg ggacatcctg cagaaggtag gagtgcagaa acacccgctg caggggaggg 180
 gagagccctg cggcacctgg gggagcagag ggagcagcac ctgcccaggc ctgggaggag 240
 gggcctggag ggcgtgagga ggagcgaggg ggctgcatgg ctggagttag ggatcagggg 300
 cagggcgcca gatggcctca cacagggaag agagggcccc tctgcaggg cctcacctgg 360
 gccacaggag gacactgctt ttcctctgag gagtgcaggag ctgtggatgg tgctggacag 420
 aagaaggaca gggcctggct caggtgtcca gaggctgtcg ctggcttccc tttgggatca 480
 gactgcaggg agggagggcg gcagggttgt ggggggagtg acgatgagga tgacctgggg 540
 gtggctccag gccttgcctc tgctggggc ctcacccagc ctccctcaca gtctcctggc 600
 cctcagtctc tccctccac tccatcctcc atctggcctc agtgggtcat tctgatcact 660
 gaactgacca taccagccc tgcccacggc cctccatggc tcccaatgc cctggagagg 720
 ggacatctag tcagagagta gtccatgaaga ggtggcctct gcgatgtgcc tgtgggggca 780
 gcatcctgca aagtgtcccg gccctcatcc tgctgacctg tctgcaggga ctgtcctcct 840
 ggaccttgcc ccttgatgag gactgggacc ctgaagtccc ctcccatag gccaaagactg 900
 gagccttggt cctctgttg gactccctgc ccatattctt gtgggagtgg gttctggaga 960
 catttctgtc tgttctgag agctgggaat tgctctcagt catctgcctg cgcggttctg 1020
 agagatggag ttgcctaggc agttattggg gccaatcttt ctactgtgt ctctcctcct 1080
 ttacccttag ggtgattctg ggggtccact tgtctgtaat ggtgtgcttc aaggtatcac 1140
 atcatggggc cctgagccat gtgccctgcc tgaaaagcct gctgtgtaca ccaaggtggt 1200
 gcattaccgg aagtggatca aggacacccat cgcagccaac ccctgagtgc ccctgtccca 1260
 cccctacctc tagtaaatcc aagtccacct cactgtctgg catcacttgg cctttctgga 1320
 tgctggacac ctgaagcttg gaactcacct ggccgaagct cgagcctcct gactcctact 1380
 gacctgtgct ttctggtgtg gactccaggg ctgctaggaa aaggaatggg cagacacagg 1440
 tgtatgcaa tgtttctgaa atgggtataa tttcgtcctc tccttcggaa cactggctgt 1500
 ctctgaagac ttctcgctca gtttcagtga ggacacacac aaagacgtgg gtgacctatg 1560
 tgtttggtgg gtgcagagat gggaggggtg gggccacccc tggaagagtg gacagtgaac 1620
 caagtgagg acctctctaca gatcactgag gataagctgg agccacaatg catgaggcac 1680
 acacacagca aggttgacgc tgtaaacata gccacgctg tcttgggggc actgggaagc 1740
 ctagataagg cgttgagcag aaagaagggg aggatcctcc tatgttggtg aaggagggac 1800
 tagggggaga aactgaaagc tgattaatta caggaggttt gttcaggtcc cccaaaccac 1860
 cgtcagattt gatgatttcc tagcaggact tacagaaata aagagctatc atgctgtggt 1920
 ttattatggt ttgttacatt gataggatac atactgaaat cagcaaaca aacagatgta 1980
 tagattagag tgtggagaaa acagaggaaa acttgcagtt acgaagactg gcaacttggc 2040

```

tttactaagt tttcagactg gcaggaagtc aaacctatta ggctgaggac cttgtggagt 2100
gtagctgata cagctgatag aggaactagc caggtggggg cctttccctt tggatggggg 2160
gcataatccga cagttattct ctccaagtgg agacttacgg acagcatata attctccctg 2220
caaggatgta tgataatatg tacaaagtaa ttccaactga ggaagctcac ctgatcctta 2280
gtgtccaggg tttttactgg gggctctgtg gacgagtatg gactacttga ataattgacc 2340
tgaagtcctc agacctgagg ttccctagag ttcaaacaga tacagcatgg tccagagtcc 2400
cagatgtaca aaaacagggg ttcatacaca atccccatct tagcatgaag ggtctggcat 2460
ggcccaaggc cccaagtata tcaaggcact tgggcagaa acatgccaagga atcaaatgtc 2520
atctcccagg agttattcaa gggtagagcc tttacttggg atgtacaggc tttgagcagt 2580
gcagggctgc tgagtcaacc tttatttcta caggggatga gggaaaaggga gaggatgagg 2640
aagccccctt ggggatttgg tttggtcttg tgatcagggt gtctatgggg ctatccctac 2700
aaagaagaat ccagaaatag gggcacattg aggaatgata ctgagcccaa agagcattca 2760
atcattgttt tatttgcctt cttttcacac cattggtgag ggagggatta ccaccctggg 2820
gttatgaaga tggttgaaca ccccacacat agcacgggag atatgagatc aacagtttct 2880
tagccataga gattcacagc ccagagcagg aggacgtgc acaccatgca ggatgacatg 2940
ggggatgcgc tcgggattgg tgtgaagaag caaggactgt tagaggcagg ctttatagta 3000
acaagacggg ggggcaaact ctgatttccg tgggggaatg tcatggtctt gctttactaa 3060
gttttgagac tggcaggtag tgaaactcat taggctgaga accttgtgga atgcagctga 3120
cccagctgat agaggaagta gccaggtggg agcctttccc agtgggtgtg ggacatatct 3180
ggcaagattt tgtggcactc ctggttacag atactggggc agcaaataaa actgaatctt 3240
gttttcagac cttaaaaaaa aaaaaaaaaa aaaagtttt 3279

```

<210> 383

<211> 154

<212> PRT

<213> Homo sapiens

<400> 383

```

Met Ala Gly Val Arg Asp Gln Gly Gln Gly Ala Arg Trp Pro His Thr
      5                      10                      15

Gly Lys Arg Gly Pro Leu Leu Gln Gly Leu Thr Trp Ala Thr Gly Gly
      20                      25                      30

His Cys Phe Ser Ser Glu Glu Ser Gly Ala Val Asp Gly Ala Gly Gln
      35                      40                      45

Lys Lys Asp Arg Ala Trp Leu Arg Cys Pro Glu Ala Val Ala Gly Phe
      50                      55                      60

Pro Leu Gly Ser Asp Cys Arg Glu Gly Gly Arg Gln Gly Cys Gly Gly
      65                      70                      75                      80

Ser Asp Asp Glu Asp Asp Leu Gly Val Ala Pro Gly Leu Ala Pro Ala
      85                      90                      95

Trp Ala Leu Thr Gln Pro Pro Ser Gln Ser Pro Gly Pro Gln Ser Leu
      100                     105                     110

Pro Ser Thr Pro Ser Ser Ile Trp Pro Gln Trp Val Ile Leu Ile Thr
      115                     120                     125

Glu Leu Thr Ile Pro Ser Pro Ala His Gly Pro Pro Trp Leu Pro Asn
      130                     135                     140

Ala Leu Glu Arg Gly His Leu Val Arg Glu
      145                     150

```

<210> 384
<211> 557
<212> DNA
<213> Homo sapiens

<400> 384
ggatcctcta gaggcgccgc ctactactac taaattcgcg gccgcgtcga cgaagaagag 60
aaagatgtgt tttgttttgg actctctgtg gtcccttcca atgctgtggg tttccaacca 120
ggggaagggt cccttttgca ttgccaagtg ccataaccat gagcactact ctaccatggg 180
tctgcctcct ggccaagcag gctggtttgc aagaatgaaa tgaatgattc tacagctagg 240
acttaacctt gaaatggaaa gtcttgcaat ccatttgca ggatccgtct gtgcacatgc 300
ctctgtagag agcagcattc ccagggacct tggaaacagt tggcactgta aggtgcttgc 360
tccccaagac acatcctaaa aggtgttgta atggtgaaaa cgtcttcctt ctttattgcc 420
ccttcttatt tatgtgaaca actgtttgtc tttttttgta tcttttttaa actgtaaaagt 480
tcaattgtga aaatgaatat catgcaaata aattatgcga tttttttttc aaagtaaaaa 540
aaaaaaaaa aaaaaaa 557

<210> 385
<211> 337
<212> DNA
<213> Homo sapiens

<400> 385
ttcccagggtg atgtgcgagg gaagacacat ttactatcct tgatggggct gattccttta 60
gtttctctag cagcagatgg gttaggagga agtgacccaa gtggttgact cctatgtgca 120
tctcaaagcc atctgctgtc ttcgagtacg gacacatcat cactcctgca ttgttgatca 180
aaacgtggag gtgcttttcc tcagctaaga agcccttagc aaaagctcga atagacttag 240
tatcagacag gtccagtttc cgcaccaaca cctgctgggt ccctgtcgtg gtctggatct 300
ctttggccac caattcccc ttttccacat cccggca 337

<210> 386
<211> 300
<212> DNA
<213> Homo sapiens

<400> 386
gggcccgccta cgggcccgagg ccccgccctcg cgagtccctc tccccgggtg cctgcccgcga 60
gcccgcctcgg ccagaggggt gggcgcgggg ctgcctctac cggtcgcggt ctgtaactca 120
gcgaccttgg ccggaaggct ctagcaagga cccaccgacc ccagcccggt cggcgccggc 180
gcggaacttg cccggtgtgt gggcgggagc ggactgctgt tccgcgagc ggcagcgaag 240
atggttagcct tcgctgccag gaccgtggac cgatcccagg gctgtggtgt aacctcagcc 300

<210> 387
<211> 537
<212> DNA
<213> Homo sapiens

<400> 387
gggcccagctc gggcaccaag ggactctttg caggcttccct tcctcggatc atcaaggctg 60
ccccctcctg tgccatcatg atcagcacct atgagttcgg caaaagcttc ttccagaggc 120
tgaaccagga ccggtctctg ggcggctgaa aggggcaagg aggcaaggac cccgtctctc 180
ccacggatgg ggagagggca ggaggagacc cagccaagtg ccttttcctc agcactgagg 240
gagggggctt gtttcccttc cctcccggcg acaagctcca gggcagggct gtccctctgg 300
gcgggccagc acttctctag acacaacttc ttctgctgc tccagtcgtg gggatcatca 360
cttaccacc ccccaagttc aagaccaaact cttccagctg ccccttcgt gtttccctgt 420
gtttgctgta gctgggcatg tctccaggaa ccaagaagcc ctcagcctgg ttagtctcc 480
ctgacccttg ttaattcctt aagtctaaa atgatgaact tcaaaaaaaaa aaaaaaa 537

<210> 388
 <211> 520
 <212> DNA
 <213> Homo sapiens

<400> 388
 aggataat ttaaaccaat caaatgaaaa aaacaaacaa acaaaaaagg aaatgtcatg 60
 tgagggttaaa ccagtttgca ttcccctaata gtggaaaaag taagaggact actcagcact 120
 gtttgaagat tgccctcttct acagcttctg agaattgtgt tatttcactt gccaaagtga 180
 ggacccccctc cccaacatgc cccagcccac ccctaagcat ggtcccttgt caccaggcaa 240
 ccaggaaact gctacttgtg gacctcacca gagaccagga gggtttggtt agctcacagg 300
 acttccccca cccagaaga ttagcatccc atactagact cataactcaac tcaactaggc 360
 tcatactcaa ttgatgggta ttagacaatt ccatctctt ctgggtatta taaacagaaa 420
 atcttctctc ttctcattac cagtaaaggc tcttggtatc tttctgttgg aatgatttct 480
 atgaacttgt cttattttaa tgggtgggtt ttttctggt 520

<210> 389
 <211> 365
 <212> DNA
 <213> Homo sapiens

<400> 389
 cggtgcccc gtttgacaga aggaaaggcg gagcttattc aaagtctaga gggagtggag 60
 gaggtaaggc tggatttcag atctgcctgg ttccagccgc agtggtccct ctgctcccc 120
 aacgactttc caaataatct caccagcgcc ttccagctca ggcgtcctag aagcgtcttg 180
 aagcctatgg ccagctgtct ttgtgttccc tctcaccgc ctgtcctcac agctgagact 240
 cccaggaaac cttcagacta ccttctctct ccttcagcaa ggggcgttgc ccacattctc 300
 tgagggtcag tggaagaacc tagactccca ttgctagagg tagaaagggg aagggtgctg 360
 gggag 365

<210> 390
 <211> 221
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (221)
 <223> n = A,T,C or G

<400> 390
 tgccctctcca tcttggeccc gacttctctg tcaggaaagt ggggatggac cccatctgca 60
 tacacggnnt ctcattgggtg tggacatct ctgcttgcg tttcaggaag gcctctggct 120
 gctctangag tctgancnga ntcgttgccc cantntgaca naaggaaagg cggagcttat 180
 tcaaagtcta gagggagtgg aggagttaag gctggatttc a 221

<210> 391
 <211> 325
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (325)
 <223> n = A,T,C or G

<400> 391


```

tggagcaggt cccgaggcct ccctagagcc tggggccgac tctgtgncga tgcangcttt 60
ctctcgcgcc cagcctggag ctgctcctgg catctaccaa caatcagncg aggcgagcag 120
tagccagggc actgctgcca acagccagtc cnnataccat catgtnaccc ggtgngctct 180
naanttngat ntccanagcc ctacccatcn tagttctgct ctcccacccg ntaccagccc 240
cactgccag gaatectaca gccagtaccc tgtcccagac tctctaccta ccagtacgat 300
gagacctccg gctactacta tgacc                                     325

```

<210> 392

<211> 277

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(277)

<223> n = A,T,C or G

<400> 392

```

atattgttta actccttcct ttatatcttt taacattttc atggngaaag gttcacatct 60
agtctcactt nggcagnagn ctctactctg agtctcttcc ccggcctggn ccagtnгнаa 120
antaccanga accgncatgn cttaanaacn ncctggtttn tgggttnntc aatgactgca 180
tgcaagtgcac caccctgtcc actacgtgat gctgtaggat taaagtctca cagtgggcgg 240
ctgaggatag agcgccgcgt cctgtgttgc tggggaa                                     277

```

<210> 393

<211> 566

<212> DNA

<213> Homo sapiens

<400> 393

```

actagtcag tgtggtggaa ttcgcgccg cgtcgacgga caggtcagct gtctggctca 60
gtgatctaca ttctgaagtt gtctgaaaat gtcttcatga ttaaattcag cctaaacgtt 120
ttgccgggaa cactgcagag acaatgctgt gagtttccaa ccttagccca tctgcgggca 180
gagaaggctc agtttgtcca tcagcattat catgatatca ggactgggta cttgggtaag 240
gaggggtcta ggagatctgt cccttttaga gacaccttac ttataatgaa gtatttggga 300
gggtggtttt caaaagtaga aatgtcctgt attccgatga tcatcctgta aacattttat 360
catttattaa tcatccctgc ctgtgtctat tattatattc atatctctac gctggaaact 420
ttctgcctca atgtttactg tgcctttgtt ttgtctagtt tgtgttgttg aaaaaaaaaa 480
cattctctgc ctgagtttta atttttgtcc aaagttattt taatctatac aattaaaagc 540
ttttgcctat caaaaaaaaa aaaaaa                                     566

```

<210> 394

<211> 384

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(384)

<223> n = A,T,C or G

<400> 394

```

gaacatacat gtcccggcac ctgagctgca gtctgacatc atcgccatca cgggcctcgc 60
tgcaaatng gaccgggcca aggctggact gctggagcgt gtgaaggagc tacaggccna 120
gcaggaggac cgggctttta ggagttttaa gctgagtgtc actgtagacc ccaaatacca 180
tcccaagatt atcgggagaa agggggcagt aattaccaa atccggttgg agcatgacgt 240
gaacatccag tttcctgata aggacgatgg gaaccagccc caggaccaa ttaccatcac 300
agggtacgaa aagaacacag aagctgccag ggatgctata ctgagaattg tgggtgaact 360

```

tgagcagatg gtttctgagg acgt

384

<210> 395

<211> 399

<212> DNA

<213> Homo sapiens

<400> 395

```
ggcaaaactg tgtgacctca ataagacctc gcagatccaa ggtcaagtat cagaagtgc 60
tctgaccttg gactccaaga cctacatcaa cagcctggct atattagatg atgagccagt 120
tatcagaggt ttcacattg cggaaattgt ggagtctaag gaaatcatgg cctctgaagt 180
attcacgtct ttcacgtacc ctgagttctc tatagagttg cctaacacag gcagaattgg 240
ccagctactt gtctgcaatt gtatcttcaa gaataccctg gccatccctt tgactgacgt 300
caagttctct ttggaaagcc tgggcatctc ctactacag acctctgacc atgggacggt 360
gcagcctggt gagaccatcc aatcccaaat aaaatgcac 399
```

<210> 396

<211> 403

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(403)

<223> n = A,T,C or G

<400> 396

```
tggagttntc agtgcaaaca agccataaag cttcagtagc aaattactgt ctcacagaaa 60
gacattttca acttctgtct cagctgtctga taaaacaaat catgtgttta gcttgactcc 120
agacaaggac aacctgttcc ttcataactc tctagagaaa aaaaggagtt gttagtagat 180
actaaaaaaaa gtggatgaat aatctggata tttttcctaa aaagattcct tgaaacacat 240
taggaaaatg gagggcctta tgatcagaat gctagaatta gtccattgtg ctgaagcagg 300
gttttagggga gggagtggag gataaaagaa ggaaaaaaag aagagtgaga aaacctattt 360
atcaaagcag gtgctatcac tcaatgttag gccctgctct ttt 403
```

<210> 397

<211> 100

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(100)

<223> n = A,T,C or G

<400> 397

```
actagtnacg tgtggtggaa ttcgcggccg cgtcgacctc naanccatct ctatagcaaa 60
tccatccccg ctctggttg gtnacagaat gactgacaaa 100
```

<210> 398

<211> 278

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(278)

<223> n = A,T,C or G

<400> 398
gcggccgcgt cgacagcagt tccgccagcg ctgccccctg ggtggggatg tgctgcacgc 60
ccacctggac atctggaagt cagcggcctg gatgaaagag cggacttcac ctggggcgat 120
tcactactgt gcctcgacca gtgaggagag ctggaccgac agcgagggtg actcatcatg 180
ctccgggcag cccatccacc tgtggcagtt cctcaaggag ttgctactca agccccacag 240
ctatggccgc ttcattangt ggctcaacaa ggagaagg 278

<210> 399
<211> 298
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(298)
<223> n = A,T,C or G

<400> 399
acggagggtg aggaagcgnc cctgggatcg anaggatggg tcctgncatt gaccncctcn 60
ggggtgcccng catggagcgc atgggcgcgg gcctgggcca cggcatggat cgctggggct 120
ccgagatcga gcgcattggg ctggatcatg accgcatggg ctccgtggag cgcatgggct 180
ccggcattga gcgcattggg ccgctgggccc tcgaccacat ggcctccanc attgancgca 240
tgggcccagac catggagcgc attggctctg gcgtggagcn catgggtgcc ggcattggg 298

<210> 400
<211> 548
<212> DNA
<213> Homo sapiens

<400> 400
acatcaacta cttcctcatt ttaaggtatg gcagttccct tcatcccctt ttctgcctt 60
gtacatgtac atgtatgaaa tttccttctc ttaccgaact ctctccacac atcacaagg 120
caaagaacca cagccttaga agggtaaagag ggcaccctat gaaatgaaat ggtgatttct 180
tgagtctctt ttttccacgt ttaaggggccc atggcaggac ttagagttgc gagttaagac 240
tgcagagggc tagagaatta tttcatacag gctttgaggc caccatgtc acttatccc 300
tataccctct caccatcccc ttgtctactc tgatgcccc aagatgcaac tgggcagcta 360
gttgccccca taattctggg cctttgttgt ttgttttaat tacttgggca tcccaggaag 420
ctttccagtg atctcctacc atgggcccc ctctgggat caagcccctc ccaggccctg 480
tccccagccc ctctgcccc agcccaccgc cttgccttgg tgcacagccc tcccattggg 540
agcagggtt 548

<210> 401
<211> 355
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(355)
<223> n = A,T,C or G

<400> 401
actgtttcca tggtatgttt ctacacattg ctacctcagt gctcctggaa acttagcttt 60
tgatgtctcc aagtagtcca ccttcattta actctttgaa actgtatcat ctttgccaag 120
taagagtggg ggcctatttc agctgctttg acaaaatgac tggctcctga cttaacgttc 180
tataaatgaa tgtgtcgaag caaagtggcc atgggtggcg cgaagaagan aaagatgtgt 240
tttgttttgg actctctgtg gtcccttcca atgctgnggg tttccaacca ggggaagggt 300

cccttttgca ttgccaagtg ccataacccat gagcactact ctaccatggn tctgc 355

<210> 402

<211> 407

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(407)

<223> n = A,T,C or G

<400> 402

atggggcaag ctggataaag aaccaagacc cactggagta tgctgtcttc aagaaaccca 60
tctcacatgc ggtggcatat ataggctcaa aataaaggaa tggagaaaaa tatttcaagc 120
aaatggaaaa cagaaaaaag caggtgttgc actcctactt tctgacaaaa cagactatgc 180
gaataaagat aaaaaagaga aggacattac aaaggtgggc ctgacctttg ataaatctca 240
ttgcttgata ccaacctggg ctgttttaat tgcccaaacc aaaaggataa tttgctgagg 300
ttgtggagct tctcccttgc agagagtccc tgatctccca aaatttggtt gagatgtaag 360
gntgattttg ctgacaactc cttttctgaa gttttactca tttccaa 407

<210> 403

<211> 303

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(303)

<223> n = A,T,C or G

<400> 403

cagtatttat agccnaactg aaaagctagt agcaggcaag tctcaaatcc aggcacccaa 60
tcctaagcaa gagccatggc atggtgaaaa tgcaaaagga gagtctggcc aatctacaaa 120
tagagaacaa gacctactca gtcataaaca aaaaggcaga caccaacatg gatctcatgg 180
gggattggat attgtaatta tagagcagga agatgacagt gatcgtcatt tggcacaaca 240
tcttaacaac gaccgaaacc cattatttac ataaacctcc attcggtaac catgttgaaa 300
gga 303

<210> 404

<211> 225

<212> DNA

<213> Homo sapiens

<400> 404

aagtgttaact tttaaaaatt tagtggattt tgaaaattct tagaggaaag taaaggaaaa 60
attgttaatg cactcattta cctttacatg gtgaaagttc tctcttgatc ctacaaacag 120
acattttcca ctctgttttc catagtgtt aagtgtatca gatgtgttgg gcatgtgaat 180
ctccaagtgct ctgtgtaata aataaagtat ctttatttca ttcatt 225

<210> 405

<211> 334

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(334)

<223> n = A,T,C or G

<400> 405

```
gagctgttat actgtgagtt ctactaggaa atcatcaa at ctgaggggtg tctggaggac 60
ttcaatacac ctccccccat agtgaatcag cttccagggg gtccagtcct tctccttact 120
tcatccccat cccatgccaa aggaagaccc tccctccttg gctcacagcc ttctctaggc 180
ttcccagtg cttccaggaca gagtgggtta tgttttcagc tccatccttg ctgtgagtg 240
ctggtgcggg tgtgcctcca gcttctgctc agtgcttcat ggacagtgtc cagcccatgt 300
cactctccac tctctcanng tggatcccac ccct 334
```

<210> 406

<211> 216

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(216)

<223> n = A,T,C or G

<400> 406

```
tttcatacct aatgagggag ttganatnac atnnaaccag gaaatgcatg gatctcaang 60
gaaacaaaca cccaataaac tcggagtggc agactgacaa ctgtgagaca tgcacttgct 120
acnaaacaca aatttnatgt tgcacccttg tttctacacc tgtgggttat gacaaagaca 180
actgccaaag aatnttcaag aaggaggact gccant 216
```

<210> 407

<211> 413

<212> DNA

<213> Homo sapiens

<400> 407

```
gctgacttgc tagtatcatc tgcattcatt gaagcacaag aacttcatgc cttgactcat 60
gtaaatgcaa taggattaaa aaataaattt gatatcacat ggaaacagac aaaaaatatt 120
gtacaacatt gcacccagtg tcagattcta cacctggcca ctcaggaagc aagagttaag 180
cccagaggtc tatgtcctaa tgtgttatgg caaatggatg tcatgcacgt accttcattt 240
ggaaaattgt catttgcctc tgtgacagtt gatacttatt cacatttcat atgggcaacc 300
tgccagacag gagaaaagtct tcccatgtta aaagacattt attatcttgt tttcctgtca 360
tgggagttcc agaaaaagtt aaaacagaca atgggccagg ttctgtagta aag 413
```

<210> 408

<211> 183

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(183)

<223> n = A,T,C or G

<400> 408

```
ggagctngcc ctcaattcct ccatntctat gttancatat ttaatgtctt ttgnnattaa 60
tntttaacta gttaatcctt aaagggctan ntaatcctta actagtcctt ccattgtgag 120
cattatcctt ccagtatctn ccttctnttt tatttactcc ttcttggtca cccatgtact 180
ntt 183
```

<210> 409

<211> 250

<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(250)
<223> n = A,T,C or G

<400> 409
cccacgcacg ataagctctt tatttctgta agtcctgcta ggaaatcatc aaatctgacg 60
gtggtttggg ggacctgaac aaacctctct taattaatca gctttcagtt tctcccccta 120
gtccctcctt caacaacata ggaggatcct ccccttcttt ctgctcacgg ccttatctag 180
gcttcccagt gccccagga cagcgtgggc tatgtttaca gcgcttcctt gctggggggg 240
ggcctatgc 250

<210> 410
<211> 306
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(306)
<223> n = A,T,C or G

<400> 410
ggctggtttg caagaatgaa atgaatgatt ctacagctag gacttaacct tgaaatggaa 60
agtcttgcaa tcccatttgc aggatccgtc tgtgcacatg cctctgtaga gagcagcatt 120
cccagggacc ttggaaacag ttggcactgt aaggtgcttg ctccccaaga cacatcctaa 180
aaggtgttgt aatggtgaaa accgcttctt tctttattgc cccttcttat ttatgtgaac 240
nactggttgg ctttttttgn atctttttta aactggaaag ttcaattgng aaaatgaata 300
tcntgc 306

<210> 411
<211> 261
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(261)
<223> n = A,T,C or G

<400> 411
agagatattn cttaggtnaa agttcataga gttcccatga actatatgac tggccacaca 60
ggatcttttg tatttaagga ttctgagatt ttgcttgagc aggattagat aaggctgttc 120
tttaaatgtc tgaaatggaa cagatttcaa aaaaaaaccc cacaatctag ggtgggaaca 180
aggaaggaaa gatgtgaata ggctgatggg caaaaaacca atttaccat cagttccagc 240
cttctctcaa gngaggcaa a 261

<210> 412
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)

<223> n = A,T,C or G

<400> 412

```
gttcaatggtt acctgacatt tctacaacac eccactcacc gatgtattcg ttgcccagtg 60
ggaacataacc agcctgaatt tggaaaaaat aattgtgttt cttgcccagg aaatactacg 120
actgactttg atggctccac aaacataacc cagtgtaaaa acagaagatg tggaggggag 180
ctgggagatt tctactgggtg cattgaattc ccaaactacc cangcaatta cccagccaac 240
a 241
```

<210> 413

<211> 231

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(231)

<223> n = A,T,C or G

<400> 413

```
aactcttaca atccaagtga ctcactctgtg tgcttgaatc ctttccactg tctcatctcc 60
ctcatccaag tttctagtac cttctctttg ttgtgaagga taatcaaact gaacaacaaa 120
aagtttactc tctctatttg gaacctaaaa actctcttct tcttgggtct gagggctcca 180
agaatccttg aatcanttct cagatcattg gggacaccan atcaggaacc t 231
```

<210> 414

<211> 234

<212> DNA

<213> Homo sapiens

<400> 414

```
actgtccatg aagcactgag cagaagctgg aggcacaacg caccagacac tcacagcaag 60
gatggagctg aaaacataac ccactctgtc ctggaggcac tgggaagcct agagaaggct 120
gtgagccaag gagggagggt cttcctttgg catgggatgg ggatgaagta aggagaggga 180
ctggaccccc tggaagctga ttcactatgg ggggaggtgt attgaagtcc tcca 234
```

<210> 415

<211> 217

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(217)

<223> n = A,T,C or G

<400> 415

```
gcataggatt aagactgagt atcttttcta cattctttta acttttctaag gggcacttct 60
caaaacacag accaggtagc aaatctccac tgctctaagg ntctcaccac cactttctca 120
cacctagcaa tagtagaatt cagtcctact tctgaggcca gaagaatggg tcagaaaaat 180
antggattat aaaaaataac aattaagaaa aataatc 217
```

<210> 416

<211> 213

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature
<222> (1)...(213)
<223> n = A,T,C or G

<400> 416
atgcataatnt aaagganact gcctcgcttt tagaagacat ctggngctgct ctctgcatga 60
ggcacagcag taaagctctt tgattcccag aatcaagaac tctccccttc agactattac 120
cgaatgcaag gtgggttaatt gaaggccact aattgatgct caaatagaag gatattgact 180
atattggaac agatggagtc tctactacaa aag 213

<210> 417
<211> 303
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(303)
<223> n = A,T,C or G

<400> 417
nagtcttcag gcccatcagg gaagttcaca ctggagagaa gtcatacata tgtactgtat 60
gtgggaaagg ctttactctg agttcaaadc ttcaagccca tcagagagtc cacactggag 120
agaagccata caaatgcaat gagggtggga agagcttcag gagggattcc cattatcaag 180
ttcatctagt ggccacaca ggagagaaac cctataaatg tgagatatgt gggaagggct 240
tcantcaaag ttcgtatctt caaatccatc ngaaggngcca cagtatanan aaacctttta 300
agt 303

<210> 418
<211> 328
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(328)
<223> n = A,T,C or G

<400> 418
tttttgccgg tgggtgggga gggacgggac angagtetca ctctgttgcc caggctggag 60
tgcacaggca tgatctcggc tcactacaac ccctgcctcc catgtccaag cgattcttgt 120
gcctcagcct tccctgtagc tagaattaca ggcacatgcc accacaccca gctagttttt 180
gtatttttag tagagacagg gtttcacat gttggccagg ctggtetcaa actcctnacc 240
tcagnngtca ggctggtctc aaactcctga cctcaagtga tctgcccacc tcagcctccc 300
aaagtgtan gattacaggc cgtgagcc 328

<210> 419
<211> 389
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(389)
<223> n = A,T,C or G

<400> 419
cctcctcaag acggcctgtg gtccgcctcc cggcaaccaa gaagcctgca gtgcatatg 60


```

acccctgagc catggactgg agcctgaaag gcagcgtaca ccctgctcct gatcttgctg 120
cttgttttct ctctgtggct ccattcatag cacagtgtgt gactgagggc ttgtgcaggc 180
cgagcaaggc caagctggct caaagagcaa ccagtcaact ctgccacggg gtgccaggca 240
ccggttctcc agccaccaac ctactcgtct ccgcgaaatg gcacatcagt tcttctaccc 300
taaaggtagg accaaagggc atctgctttt ctgaagtctt ctgctctatc agccatcacg 360
tggcagccac tcnggctgtg tcgacgcgg 389

```

<210> 420

<211> 408

<212> DNA

<213> Homo sapiens

<400> 420

```

gttcctccta actcctgcc aaacagctc tcctcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggct tcttgtttct gcttttttct tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgactttggt gtttcggcat ggagaccgaa 180
gtccattga cacttttccc actgacccca taaaggaaat ctcattggcca caaggatttg 240
gccaaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gagtcttata aacatgaaca gggttatatt cgaagcacag 360
acgttgaccg gactttgatg aagtgtatg aaaaacctgg caagcccg 408

```

<210> 421

<211> 352

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (352)

<223> n = A,T,C or G

<400> 421

```

gctcaaaaat ctttttactg atnggcattg ctacacaatc attgactatt acggaggcca 60
gaggagaatg aggcctggcc tgggagccct gtgcctacta naagcacatt agattatcca 120
ttcactgaca gaacaggtct tttttgggtc cttcttctcc accacnatat acttgacgtc 180
ctccttcttg aagattcttt ggcagttgtc tttgtcataa cccacagggt tagaaacaag 240
ggtgcaacat gaaatttctg tttcgtagca agtgcattgc tcacaagttg gcangtctgc 300
cactccgagt ttattgggtg tttgtttcct ttgagatcca tgcatttctt gg 352

```

<210> 422

<211> 337

<212> DNA

<213> Homo sapiens

<400> 422

```

atgccaccat gctggcaatg cagcgggcgg tcgaaggcct gcatatccag cccaagctgg 60
cgatgatcga cggcaaccgt tgcccgaagt tgccgatgcc agccgaagcg gtggtcaagg 120
gcatagcaa ggtgccggcg atcgcggcgg cgtcaatcct ggccaagggt agccgtgatc 180
gtgaaatggc agctgtcgaa ttgatctacc cgggttatgg catcggcggg cataagggtc 240
atccgacacc ggtgcacctg gaagccttgc agcggctggg gccgacgccg attcaccgac 300
gcttcttccg ccggtacggc tggcctatga aaattat 337

```

<210> 423

<211> 310

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature
 <222> (1)...(310)
 <223> n = A,T,C or G

<400> 423
 gctcaaaaat ctttttactg atatggcatg gctacacaat cattgactat tagaggccag 60
 aggagaatga ggcctggcct gggagccctg tgcctactan aagcncatta gattatccat 120
 tcaactgacag aacaggctctt ttttgggtcc ttcttctcca ccacgatata cttgcagtcc 180
 tccttcttga agattctttg gcagttgtct ttgtcataac ccacagggtg anaaacaagg 240
 gtgcaacatg aaatttctgt ttcgtagcaa gtgcatgtct cacagttgtc aagtctgccc 300
 tccgagttta 310

<210> 424
 <211> 370
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(370)
 <223> n = A,T,C or G

<400> 424
 gctcaaaaat ctttttactg ataggcatgg ctacacaatc attgactatt agaggccaga 60
 ggagaatgag ggcctggcctg ggagccctgt gcctactaga agcacattag attatccatt 120
 cactgacaga acaggctctt tttgggtcct tcttctccac cacgatatac ttgcagtcc 180
 ccttcttgaa gattctttgg cagttgtctt tgtcataacc cacagggtgta gaaacatcct 240
 ggttgaaatc cctggaactc cctcattagg tatgaaatag catgatgcat tgcataaagt 300
 cacgaagggtg gcaaagatca caacgctgcc cagganaaca ttcattgtga taagcaggac 360
 tccgtcgacg 370

<210> 425
 <211> 216
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(216)
 <223> n = A,T,C or G

<400> 425
 aattgctatn ntttattttg ccaactcaaaa taattaccaa aaaaaaaaaa tnttaaataga 60
 taacaacnca acatcaagg n anaanaaca ggaatggntg actntgcata aatnggccga 120
 anattatcca ttatnttaag ggttgacttc aggntacagc acacagacaa acatgcccag 180
 gaggnntntca ggaccgctcg atgtntntg agggagg 216

<210> 426
 <211> 596
 <212> DNA
 <213> Homo sapiens

<400> 426
 cttccagtga ggataaccct gttgccccgg gccgagggttc tccattaggc tctgattgat 60
 tggcagtcag tgatggaagg gtgttctgat cattccgact gcccgaagg tgcgtggcca 120
 gctctctgtt ttgctgagtt ggcagtagga cctaatttgt taattaagag tagatgggtga 180
 gctgtccttg tattttgatt aacctaattg ccttcccagc acgactcgga ttcagctgga 240
 gacatcacgg caacttttaa tgaatgatt tgaagggcc ttaaggagga cttcccgtaa 300

```

ttaggcagtt catctgcact gataacttct tggcagctga gctggctcgga gctgtggccc 360
aaacgcacac ttggcttttg gttttgagat acaactctta atcttttagt catgcttgag 420
ggtaggatggc cttttcagct ttaaccaat ttgactgcc ttggaagtgt agccaggaga 480
atacactcat atactcgtgg gcttagaggc cacagcagat gtcattggtc tactgcctga 540
gtcccgctgg tcccatccca ggaccttcca tcggcgagta cctgggagcc cgtgct 596

```

<210> 427

<211> 107

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(107)

<223> n = A,T,C or G

<400> 427

```

gaagaattca agttaggttt attcaaaggg cttacngaga atcctanacc caggncccag 60
cccgggagca gccttanaga gctcctgttt gactgcccgg ctcagng 107

```

<210> 428

<211> 38

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(38)

<223> n = A,T,C or G

<400> 428

```

gaacttccna anaangactt tattcactat ttacatt 38

```

<210> 429

<211> 544

<212> DNA

<213> Homo sapiens

<400> 429

```

ctttgctgga cggaataaaa gtggacgcaa gcatgacctc ctgatgaggg cgctgcattt 60
attgaagagc ggctgcagcc ctgcggttca gattaaaatc cgagaattgt atagacgccg 120
atatccacga actcttgaag gactttctga tttatccaca atcaaatcat cggttttcag 180
tttgatgggt ggctcatcac ctgtagaacc tgacttggcc ttggctggaa tccactcgtt 240
gccttccact tcagttacac ctcactcacc atcctctcct gttggttctg tgctgcttca 300
agatactaag ccacatttg agatgcagca gccatctccc ccaattcctc ctgtccatcc 360
tgatgtgcag ttaaaaaatc tgccctttta tgatgtcctt gatgttctca tcaagcccac 420
gagtttagtt caaagcagta ttcagcgatt tcaagagaag ttttttattt ttgctttgac 480
acctcaacaa gttagagaga tatgcatatc cagggatattt ttgccagggtg gtaggagaga 540
ttat 544

```

<210> 430

<211> 507

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(507)

<223> n = A,T,C or G

<400> 430

```

cttatacncaa tggggctccc aaacttggct gtgcagtgga aactccgggg gaattttgaa 60
gaacactgac acccatcttc cccccgaca ctctgattta attgggctgc agtgagaaca 120
gagcatcaat ttaaaaagct gcccgagaatg ttntcctggg cagcgttgtg atctttgcn 180
ccttcgtgac tttatgcaat gcatcatgct atttcatacc taatgaggga gttccaggag 240
attcaaccag gatgtttcta cncctgtggg ttatgacaaa gacaactgcc aaagaatntt 300
caagaaggag gactgcaagt atatcgtggg ggagaagaag gacccaaaaa agacctgttc 360
tgtcagtga tggataatct aatgtgcttc tagtaggcac agggctccca ggccaggcct 420
cattctcttc tggcctctaa tagtcaatga ttgtgtagcc atgcctatca gtaaaaagat 480
ttttgagcaa aaaaaaaaaa aaaaaaa 507

```

<210> 431

<211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(392)

<223> n = A,T,C or G

<400> 431

```

gaaaattcag aatggataaa aacaaatgaa gtacaaaata tttcagattt acatagcgat 60
aaacaagaaa gcacttatca ggaggactta caaatggaag tacactctan aaccatcatc 120
tatcatggct aaatgtgaga ttagcacagc tgtattattt gtacattgca aacacctaga 180
aagagatggg aaacaaaatc ccaggagttt tgtgtgtgga gtcctgggtt ttccaacaga 240
catcattcca gcattctgag attagggnga ttgggatca ttctggagtt ggaatgttca 300
acaaaagtga tgttggttagg taaaatgtac aacttctgga tctatgcaga cattgaagggt 360
gcaatgagtc tggctttttac tctgctgttt ct 392

```

<210> 432

<211> 387

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(387)

<223> n = A,T,C or G

<400> 432

```

ggtatcanta cataatcaaa tatagctgta gtacatgttt tcattggngt agattaccac 60
aaatgcaagg caacatgtgt agatctcttg tcttattctt ttgtctataa tactgtattg 120
ngtagtccaa gctctcggn a gtcagccac tgngaacaat gctcccttta gattaacctc 180
gtggacnctn ttgttgnatt gtctgaactg tagngccctg tattttgctt ctgtctgnga 240
attctgttgc ttctggggca tttccttgng atgcagagga ccaccacaca gatgacagca 300
atctgaattg ntccaatcac agctgcgatt aagacatact gaaatcgta aggaccggga 360
acaacgtata gaacactgga gtccttt 387

```

<210> 433

<211> 281

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(281)

<223> n = A,T,C or G

<400> 433

```
ttcaactagc anagaanact gcttcagggn gtgtaaaatg aaaggcttcc acgcagttat 60
ctgattaaag aacactaaga gagggacaag gctagaagcc gcaggatgtc tacactatag 120
caggcnctat ttgggttggc tggaggagct gtggaaaaca tggagagatt ggcgctggag 180
atcgccgtgg ctattcctcn ttgntattac accagnaggg ntctctgtnt gccactgggt 240
tnnaaaaccg ntatacaata atgatagaat aggacacaca t 281
```

<210> 434

<211> 484

<212> DNA

<213> Homo sapiens

<400> 434

```
ttttaaaata agcatttagt gctcagtcct tactgagtac tctttctctc cctcctcttg 60
aatttaatto tttcaacttg caatttgcaa ggattacaca tttcactgtg atgtatatgg 120
tggtgcaaaa aaaaaaagt gtctttgttt aaaattactt ggtttgtaga tccatcttgc 180
tttttcccca ttggaactag tcattaaccc atctctgaac tggtagaaaa acatctgaag 240
agctagtcta tcagcatctg acaggtgaat tggatggttc tcagaacccat ttcacccaga 300
cagcctgttt ctatcctgtt taataaatta gtttgggttc tctacatgca taacaaaccc 360
tgctccaate tgtcacataa aagtctgtga cttgaagttt agtcagcacc cccaccaaac 420
tttatttttc tatgtgtttt ttgcaacata tgagtgtttt gaaaataaag taccatgtgc 480
ttta 484
```

<210> 435

<211> 424

<212> DNA

<213> Homo sapiens

<400> 435

```
gcgccgctca gagcaggtea ctttctgcct tccacgtcct ctttcaagga agccccatgt 60
gggtagcttt caatatcgca gggtcttact cctctgcctc tataagctca aaccaccaa 120
cgatcgggca agtaaacccc ctccctcgcc gacttcggaa ctggcgagag ttcagcgag 180
atgggcctgt ggggaggggg caagatagat gagggggagc ggcatgggtc ggggtgacct 240
cttgagaga ggaagaggc cacaagaggg gctgccaccg ccactaacgg agatggccct 300
ggtagagacc tttgggggtc tggaacctct ggactcccca tgctctaact cccacactct 360
gctatcagaa acttaaaact gaggattttc tctgttttcc actcgcaata aattcagagc 420
aaac 424
```

<210> 436

<211> 667

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(667)

<223> n = A,T,C or G

<400> 436

```
accttgggaa nactctcaca atataaaggg tcgtagactt tactccaaat tccaaaaagg 60
tcctggccat gtaatcctga aagttttccc aaggtagcta taaaatcctt ataaggggtg 120
agcctcttct ggaattcctc tgatttcaaa gtctcactct caagttcttg aaaacgaggg 180
cagttcctga aaggcaggta tagcaactga tcttcagaaa gaggaactgt gtgcaccggg 240
atgggctgcc agagtaggat aggattccag atgctgacac cttctggggg aaacaggggt 300
gccaggtttg tcatagcact catcaaagtc cggtaacagt ctgtgcttcg aatataaacc 360
```

tggtcatgtt tataggactc attcaagaat tttctatata tctttcttat atactctcca 420
agttcataat gctgctccat gccagctgg gtgagttggc caaatccttg tggccatgag 480
gattccttta tggggtcagt gggaaaggtg tcaatgggac ttcggtctcc atgccgaaac 540
accaaagtca caaacttcaa ctcttggct agtacacttc ggtctagcca gaaaaaagc 600
agaacaaga agccaaggct aaggcttgct gccctgccag gaggaggggt gcagctctca 660
tgttgag 667

<210> 437

<211> 693

<212> DNA

<213> Homo sapiens

<400> 437

ctacgtctca accctcattt ttaggtaagg aatcttaagt ccaaagatat taagtgactc 60
acacagccag gtaaggaaag ctggattggc acactaggac tctaccatac cgggttttgt 120
taaagctcag gttaggaggc tgataagctt ggaagggaact tcagacagct ttttcagatc 180
ataaaagata attcttagcc catgttcttc tccagagcag acctgaaatg acagcacagc 240
aggtaactct ctattttcac ccctcttgct tctactctct ggcagtcaga cctgtgggag 300
gccatgggag aaagcagctc tctggatggt tgtacagatc atggactatt ctctgtggac 360
catttctcca ggttacccta ggtgtcacta ttggggggac agccagcatc tttagctttc 420
atttgagttt ctgtctgtct tcagtagagg aaacttttgc tcttcacact tcacatctga 480
acacctaact gctgttgctc ctgaggtggg gaaagacaga tatagagctt acagtattta 540
tcctatttct aggcactgag ggctgtgggg taccttgtgg tgccaaaaca gatcctgttt 600
taaggacatg ttgcttcaga gatgtctgta actatctggg ggctctgttg gctctttacc 660
ctgcatcatg tgctctcttg gctgaaaatg acc 693

<210> 438

<211> 360

<212> DNA

<213> Homo sapiens

<400> 438

ctgcttatca caatgaatgt tctcctgggc agcgttgtga tctttgccac cttcgtgact 60
ttatgcaatg catcatgcta tttcatacct aatgagggag ttccaggaga ttcaaccagg 120
atgtttctac acctgtgggt tatgacaaag acaactgcc aagaatcttc aagaaggagg 180
actgcaagta tatctggtgg agaagaagga cccaaaaaag acctgttctg tcagtgaatg 240
gataatctaa tgtgcttcta gtaggcacag ggctcccagg ccaggcctca ttctcctctg 300
gcctctaata gtcaataatt gtgtagccat gcctatcagt aaaaagattt ttgagcaaac 360

<210> 439

<211> 431

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(431)

<223> n = A,T,C or G

<400> 439

gttctnnta actcctgcc aaacagctc tctcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggct tcttgtttct gcttttttcc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgactttggt gtttcggcat ggagaccgaa 180
gtcccattga cacctttccc actgacccca taaaggaatc ctcatggcca caaggatttg 240
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gagtcctata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg agtgctatga caaacctggc agcccgtcga cgcggccgcg 420
aatttagtag t 431

<210> 440
<211> 523
<212> DNA
<213> Homo sapiens

<400> 440
agagataaaag cttaggtcaa agttcataga gttcccatga actatatgac tggccacaca 60
ggatccttttg tatttaagga ttctgagatt ttgcttgagc aggattagat aaggctgttc 120
tttaaatgtc tgaaatggaa cagatttcaa aaaaaaaccc cacaatctag ggtgggaaca 180
aggaaggaaa gatgtgaata ggctgatggg caaaaaacca atttaccat cagttccagc 240
cttctctcaa ggagaggcaa agaaaggaga tacagtggag acatctggaa agttttctcc 300
actggaaaac tgctactatc tgtttttata tttctgttaa aatatatgag gctacagaac 360
taaaaattaa aacctctttg tgtcccttg tcttggaaaca tttatgttcc ttttaaagaa 420
acaaaaatca aactttacag aaagatttga tgtatgtaat acatatagca gctcttgaag 480
tatatatatc atagcaaata agtcactctga tgagaacaag cta 523

<210> 441
<211> 430
<212> DNA
<213> Homo sapiens

<400> 441
gttcctccta actcctgcca gaaacagctc tctcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggtt tcttgtttct gcttttttcc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgactttggt gtttcggcat ggagaccgaa 180
gtccattga cacctttccc actgacccca taaaggaatc ctcatggcca caaggatttg 240
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gagtcctata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg agtgctatga caaacctggc agcccgtcga cgcggccgcg 420
aatttagtag 430

<210> 442
<211> 362
<212> DNA
<213> Homo sapiens

<400> 442
ctaaggaatt agtaggttc ccatcacttg tttggagtgt gctattctaa aagattttga 60
tttctggaa tgacaattat attttaactt tgggtgggga aagagttata ggaccacagt 120
cttactttct gatacttgta aattaactt ttattgcact tgttttgacc attaagctat 180
atgtttagaa atgggtcatt tacggaaaaa ttagaaaaat tctgataata gtgcagaata 240
aatgaattaa tgttttactt aatttatatt gaactgtcaa tgacaaataa aaattctttt 300
tgattatttt ttgttttcat ttaccagaat aaaaactaag aattaaaagt ttgattacag 360
tc 362

<210> 443
<211> 624
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1) ... (624)
<223> n = A,T,C or G

<400> 443
tttttttttt gcaacacaat atacatcaca gtgaaatgtg taatccttgc aaattgcaag 60

```

ttgaaagaat taaattcaga ggaggggaga gaaagagtag tcagtaggga ctgagcacta 120
aatgcttatt ttaaaagaaa tgtaaagagc agaaagcaat tcaggctacc ctgccttttg 180
tgctggctag tactccggtc ggtgtcagca gcacgtggca ttgaacattg caatgtggag 240
cccaaaccac agaaaatggg gtgaaattgg ccaactttct attaaacttg cttcctgttt 300
tataaaatat tgtgaataat atcacctact tcaaagggca gttatgaggc ttaaatgaac 360
taacgcctac aaaacactta aacatagata acataggtag aagtactatg tatctgttac 420
atggtaaaca tccttattat taaagtcaac gctaaaatga atgtgtgtgc atatgctaata 480
agtacagaga gagggcactt aaaccaacta agggcctgga ggggaagggtt cctggaaaga 540
ngatgcttgt gctgggtcca aatcttgggtc tactatgacc ttggccaaat tatttaaact 600
ttgtccctat ctgctaaaca gatc 624

```

```

<210> 444
<211> 425
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1) ... (425)
<223> n = A,T,C or G

```

```

<400> 444
gcacatcatt nntcttgcatt tctttgagaa taagaagatc agtaaatagt tcagaagtgg 60
gaagctttgt ccaggcctgt gtgtgaaccc aatgttttgc ttagaaatag aacaagtaag 120
ttcattgcta tagcataaca caaaatttgc ataagtgtg gtcagcaaat ccttgaatgc 180
tgcttaatgt gagaggttgg taaaatcctt tgtgcaacac tctaactccc tgaatgtttt 240
gctgtgctgg gacctgtgca tgccagacaa ggccaagctg gctgaaagag caaccagcca 300
cctctgcaat ctgccacctc ctgctggcag gatttgtttt tgcattcctgt gaagagccaa 360
ggaggcacca gggcataagt gagtagactt atggtcgacg cggccgcgaa ttttagtagta 420
gtaga 425

```

```

<210> 445
<211> 414
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1) ... (414)
<223> n = A,T,C or G

```

```

<400> 445
catgtttatg nttttggatt actttgggca cctagtgttt ctaaatcgct tatcattctt 60
ttctgttttt caaaagcaga gatggccaga gtctcaacaa actgtatctt caagtctttg 120
tgaaattctt tgcatgtggc agattattgg atgtagtctt ctttaactag catataaatc 180
tggtgtgttt cagataaatg aacagcaaaa tgtggtggaa ttaccatttg gaacattgtg 240
aatgaaaaat tgtgtctcta gattatgtaa caaataacta tttcctaacc attgatcttt 300
ggatttttat aatctactc acaaagact aggcctctcc tcttgatatt tgaagcagtg 360
tgggtgctgg attgataaaa aaaaaaaaaa tgcagcgggc cgcgaattta gtag 414

```

```

<210> 446
<211> 631
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1) ... (631)

```


<223> n = A,T,C or G

<400> 446

```
acaaattaga anaaagtgcc agagaacacc acataccttg tccggaacat tacaatggct 60
tctgcatgca tgggaagtgt gagcattcta tcaatatgca ggagccatct tgcagggtgtg 120
atgctgggta tactggacaa cactgtgaaa aaaaggacta cagtgttcta tacgttggtc 180
ccggtccctgt acgatttcag tatgtcttaa tcgcagctgt gattggaaca attcagattg 240
ctgtcatctg tgtggtggtc ctctgcatca caagggccaa actttaggta atagcattgg 300
actgagattt gtaaaccttc caaccttcca ggaaatgccc cagaagcaac agaattcaca 360
gacagaagca aaatacaggg cactacagtt cagacaatac aacaagagcg tccacgaggt 420
taatctaaag ggagcatgtt tcacagtggc tggactaccg agagcttggg ctacacaata 480
cagtattata gacaaaagaa taagacaaga gatctacaca tgttgccctg catttggtgt 540
aatctacacc aatgaaaaca tgtactacag ctatatattga ttatgtatgg atatatttga 600
aatagtatac attgtcttga tgttttttct g 631
```

<210> 447

<211> 585

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(585)

<223> n = A,T,C or G

<400> 447

```
ccttgaggaaa antntcacia tataaagggt cgtagacttt actccaaatt ccaaaaagggt 60
cctggccatg taatcctgaa agttttccca aggtagetat aaaatcctta taaggggtgca 120
gcctcttctg gaattcctct gatttcaaag tctcactctc aagttcttga aaacgagggc 180
agttcctgaa aggcaggtat agcaactgat cttcagaaag aggaactgtg tgcaccggga 240
tgggctgcca gagtaggata ggattccaga tgctgacacc ttctggggga aacagggtctg 300
ccaggtttgt catagcactc atcaaagtcg ggtcaacgtc tgtgcttcga atataaacct 360
gttcattgtt ataggactca ttcaagaatt ttctatatct ctttcttata tactctccaa 420
gttcataatg ctgctccatg cccagctggg tgagttggcc aaatccttgt ggccatgagg 480
attcctttat ggggtcagtg ggaaagggtg caatgggact tcggtctcca tgcgaaaca 540
ccaaagtac aaacttcaac tccttggtca gtacacttcg gtcta 585
```

<210> 448

<211> 93

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(93)

<223> n = A,T,C or G

<400> 448

```
tgctcgtggg tcattctgan nnccgaactg acctgcccag ccctgcccgan gggccnccat 60
ggctccctag tgccctggag agganggggc tag 93
```

<210> 449

<211> 706

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(706)

<223> n = A,T,C or G

<400> 449

```
ccaagtccat gctntgtgct ggacgctgga caggggggcaa aagcnnnttgc tcgtgggtca 60
ttctgancac cgaactgacc atgccagccc tgccgatggt cctccatggc tccctagtgc 120
cctggagagg aggtgtctag tcagagagta gtcctggaag gtggcctctg ngaggagcca 180
cggggacagc atcctgcaga tggtcgggcg cgtcccatc gccattcagg ctgcgcaact 240
gttggaagg gcgatcggtg cgggectctt cgctattac ccagctggcg aaaggggat 300
gtgctgcaag gcgattaagt tgggtaacgc cagggttttc ccagtcncga cgttgtaaaa 360
cgacggccag tgaattgaat ttaggtgacn ctatagaaga gctatgacgt cgcagtcacg 420
cgtacgtaag cttggatcct ctagagcggc cgcctactac tactaaattc gcggccgcgt 480
cgacgtggga tccnactga gagagtggag agtgacatgt gctggacnct gtccatgaag 540
cactgagcag aagctggagg cacaacgcnc cagacactca cagctactca ggaggctgag 600
aacaggttga acctgggagg tggaggttgc aatgagctga gatcaggccn ctgcncccca 660
gcatggatga cagagtgaaa ctccatctta aaaaaaaaaa aaaaaa 706
```

<210> 450

<211> 493

<212> DNA

<213> Homo sapiens

<400> 450

```
gagacggagt gtcactctgt tgcccaggct ggagtgcagc aagacactgt ctaagaaaaa 60
acagttttta aaggtaaaaac aacataaaaa gaaatatcct atagtggaaa taagagagtc 120
aaatgaggct gagaacttta caaagggatc ttacagacat gtcgccaata tcaactgcatg 180
agcctaagta taagaacaac ctttggggag aaaccatcat ttgacagtga ggtacaattc 240
caagtcagggt agtgaatgg gtggaattaa actcaaatta atcctgccag ctgaaacgca 300
agagacactg tcagagagtt aaaaagttag ttctatccat gaggtgatcc cacagtcttc 360
tcaagtcaac acatctgtga actcacagac caagtcttta aaccactgtt caaactctgc 420
tacacatcag aatcacctgg agagctttac aaactcccat tgccgagggt cgacgcggcc 480
gcgaatttag tag 493
```

<210> 451

<211> 501

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(501)

<223> n = A,T,C or G

<400> 451

```
gggcgcgtcc cattcgccat tcaggctgcg caactgttgg gaagggcgat cgggtgcgggc 60
ctcttcgcta ttacgccagc tggcgaaaagg gggatgtgct gcaaggcgat taagttgggt 120
aacgccaggg ttttcccagt cncgacgttg taaaacgacg gccagtgaat tgaatttagg 180
tgacnctata gaagagctat gacgtcgcat gcacgcgtac gtaagcttgg atcctctaga 240
gcggcgcgct actactacta aattcgcggc cgcgtcgacg tgggatccnc actgagagag 300
tggagagtga catgtgctgg acnctgtcca tgaagcactg agcagaagct ggaggcacia 360
cgcncacagc actcacagct actcaggagg ctgagaacag gttgaacctg ggagggtggag 420
gttgcaatga gctgagatca ggcnctgcn cccagcatg gatgacagag tgaaactcca 480
tcttaaaaaa aaaaaaaaaa a 501
```

<210> 452

<211> 51

<212> DNA

<213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(51)
 <223> n = A,T,C or G

<400> 452
 agacggtttc accnttaca cnccttttag gatgggnntt ggggagcaag c 51

<210> 453
 <211> 317
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(317)
 <223> n = A,T,C or G

<400> 453
 tacatcttgc tttttcccca ttggaactag tcattaaccc atctctgaac tggtagaaaa 60
 acatctgaag agctagtcta tcagcatctg gcaagtgaat tggatggttc tcagaacccat 120
 ttcaccana cagcctgttt ctatcctgtt taataaatta gtttgggttc tctacatgca 180
 taacaaaccc tgctccaatc tgtcacataa aagtctgtga cttgaagttt antcagcacc 240
 cccaccaaac tttatttttc tatgtgtttt ttgcaacata tgagtgtttt gaaaataagg 300
 taccatgtc tttatta 317

<210> 454
 <211> 231
 <212> DNA
 <213> Homo sapiens

<400> 454
 ttcgaggtag aatcaactct cagagtgtag tttccttcta tagatgagtc agcattaata 60
 taagccacgc cagctcttg aaggagtctt gaattctcct ctgctcactc agtagaacca 120
 agaagaccaa attctcttgc atcccagctt gcaaacaaaa ttgttcttct aggtctccac 180
 ccttctttt tcagtgttcc aaagctcctc acaatttcat gaacaacagc t 231

<210> 455
 <211> 231
 <212> DNA
 <213> Homo sapiens

<400> 455
 taccaaagag ggcataataa tcagtctcac agtaggggtc accatcctcc aagtgaaaaa 60
 cattgttccg aatgggcttt ccacaggcta cacacacaaa acaggaaaca tgccaagttt 120
 gtttcaacgc attgatgact tctccaagga tcttctttg gcatcgacca cattcagggg 180
 caaagaattt ctcatagcac agtcacaaat acagggtctc tttctcctct a 231

<210> 456
 <211> 231
 <212> DNA
 <213> Homo sapiens

<400> 456
 ttggcaggta cccttacaaa gaagacacca taccttatgc gttattaggt ggaataatca 60
 ttccattcag tattatcggt attattcttg gagaaccct gtctgtttac tgtaaccttt 120
 tgcactcaaa ttcctttatc aggaataact acatagccac tatttacaaa gccattggaa 180

cctttttatt tgggtgcagct gctagtcagct ccctgactga cattgccaag t 231

<210> 457

<211> 231

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(231)

<223> n = A,T,C or G

<400> 457

cgaggtaccc aggggtctga aaatctctnn ttantagtc gatagcaaaa ttgttcatca 60
gcattcctta atatgatctt gctataatta gatttttctc cattagagtt catacagttt 120
tatttgattt tattagcaat ctctttcaga agacccttga gatcattaag ctttgtatcc 180
agttgtctaa atcgatgcct catttcctct gaggtgtcgc tggcttttgt g 231

<210> 458

<211> 231

<212> DNA

<213> Homo sapiens

<400> 458

aggtctgggt cccccactt ccactccct ctactctctc taggactggg ctgggccaag 60
agaagagggg tggttaggga agcgttgag acctgaagcc ccaccctcta ccttccttca 120
acaccctaac cttgggtaac agcatttga attatcattt gggatgagta gaatttcaa 180
ggtcctgggt taggcatttt ggggggcccag accccaggag aagaagattc t 231

<210> 459

<211> 231

<212> DNA

<213> Homo sapiens

<400> 459

ggtaccgagg ctgctgaca cagagaaacc ccaacgcgag gaaaggaatg gccagccaca 60
ccttcgcaaa acctgtgggt gcccaccagt cctaacggga caggacagag agacagagca 120
gccttgact gtttccctc caccacagcc atcctgtccc tcattggctc tgtgctttcc 180
actatacaca gtcaccgtcc caatgagaaa caagaaggag caccctccac a 231

<210> 460

<211> 231

<212> DNA

<213> Homo sapiens

<400> 460

gcaggtataa catgctgcaa caacagatgt gactaggaac ggccggtgac atggggaggg 60
cctatcacc cttcttggg ggctgcttct tcacagtgat catgaagcct agcagcaaat 120
cccacctcc caccgcaca cggccagcct ggagccaca gaagggtcct cctgcagcca 180
gtggagcttg gtccagcctc cagtccacc ctaccaggct taaggataga a 231

<210> 461

<211> 231

<212> DNA

<213> Homo sapiens

<400> 461

cgaggtttga gaagctctaa tgtgcagggg agccgagaag caggcggcct agggaggggc 60

gcgtgtgctc cagaagagtg tgtgcatgcc agaggggaaa caggcgctg tgtgtcctgg 120
gtgggggttca gtgaggagtg ggaaattggt tcagcagaac caagccgtg ggtgaataag 180
agggggattc catggcactg atagagccct atagtctcag agctgggaat t 231

<210> 462

<211> 231

<212> DNA

<213> Homo sapiens

<400> 462

aggtaccctc attgtagcca tgggaaaatt gatgttcagt ggggatcagt gaattaaatg 60
gggtcatgca agtataaaaa ttaaaaaaaa aagacttcat gcccaatctc atatgatgtg 120
gaagaactgt tagagagacc aacagggtag tgggttagag atttccagag tcttacattt 180
tctagaggag gtatttaatt tcttctcact catccagtgt tgtatttagg a 231

<210> 463

<211> 231

<212> DNA

<213> Homo sapiens

<400> 463

tactccagcc tggtagacaga gcgagaccct atcaccgccc cccacccac caaaaaaaaa 60
actgagtaga caggtgtcct cttggcatgg taagtcttaa gtcccctccc agatctgtga 120
catttgacag gtgtcttttc ctctggacct cggtgtcccc atctgagtga gaaaaggcag 180
tggggagggtg gatcttcag tcgaagcggt atagaagccc gtgtgaaaag c 231

<210> 464

<211> 231

<212> DNA

<213> Homo sapiens

<400> 464

gtactctaag attttatcta agttgccttt tctgggtggg aaagttaa cttagtgtact 60
aaggacatca catatgaaga atgtttaagt tggagggtggc aacgtgaatt gcaaacaggg 120
cctgtctcag tgactgtgtg cctgtagtcc cagctactcg ggagtctgtg tgaggccagg 180
gggtgccagcg caccagctag atgctctgta acttctaggc cccattttcc c 231

<210> 465

<211> 231

<212> DNA

<213> Homo sapiens

<400> 465

catgttggtg tagctgtggt aatgtcggct gcctctcaga cagggttaac ttcagctcct 60
gtggcaaat agcaacaaat tctgacatca tatttatggt ttctgtatct ttgttgatga 120
aggatggcac aatttttctg tgtgttcata atatactcag attagtctcag ctccatcaga 180
taaatggag acatgcagga cattagggtg gtgtgttagc tctggtaatg a 231

<210> 466

<211> 231

<212> DNA

<213> Homo sapiens

<400> 466

caggtaacct tttccattgg atactgtgct agcaagcatg ctctccgggg tttttttaat 60
ggccttcgaa cagaacttgc cacataccca ggtataatag tttctaact ttgccaggga 120
cctgtgcaat caaatattgt ggagaattcc ctactgtggg aagtcacaaa gactataggc 180
aataatggag accagtccca caagatgaca accagtgcgt gtgtgcggct g 231

<210> 467
 <211> 311
 <212> DNA
 <213> Homo sapiens

<400> 467
 gtacaccctg gcacagtcca atctgaactg gttcggcact catctttcat gagatggatg 60
 tgggtggttt tctccttttt catcaagact cctcagcagg gagcccagac cagcctgcac 120
 tgtgccttaa cagaaggtct tgagattcta agtgggaatc atttcagtga ctgtcatgtg 180
 gcatgggtct ctgcccgaagc tcgtaatgag actatagcaa ggcggctgtg ggacgtcagt 240
 tgtgacctgc tgggcctccc aatagactaa caggcagtgc cagttggacc caagagaaga 300
 ctgcagcaga c 311

<210> 468
 <211> 3112
 <212> DNA
 <213> Homo sapiens

<400> 468
 cattgtgttg ggagaaaaac agaggggaga tttgtgtggc tgcagccgag ggagaccagg 60
 aagatctgca tggtggggaag gacctgatga tacagagttt gataggagac aattaaaggc 120
 tggaaaggcag tggatgcctg atgatgaagt ggactttcaa actggggcac tactgaaacg 180
 atgggatggc cagagacaca ggagatgagt tggagcaagc tcaataacaa agtggttcaa 240
 cgaggacttg gaattgcatg gagctggagc tgaagttag cccaattgtt tactagttag 300
 gtgaatgtgg atgattggat gatcatttct catctctgag cctcaggttc cccatccata 360
 aaatgggata cacagtatga tctataaagt gggatatagt atgatctact tctactgggtt 420
 atttgaagga tgaattgaga taatttattt cagggtgcct gaacaatgcc cagattagta 480
 catttggttg aactgagaaa tggcataaca ccaaattdaa tatatgtcag atgttactat 540
 gattatcatt caatctcata gttttgtcat ggcccaattt atcctcactt gtgcctcaac 600
 aaattgaact gttaacaaag gaatctctgg tcctgggtaa tggctgagca ccaactgagca 660
 tttccattcc agttggcttc ttgggtttgc tagctgcatc actagtcata ttaaataaat 720
 gaagttttaa catttctcca gtgatttttt tatctcacct ttgaagatac tatgttatgt 780
 gattaaataa agaacttgag aagaacaggc ttcattaaac ataaaatcaa ttagtagcgc 840
 aattttctgg atgggcaata cttatgttca caggaaatgc tttaaaatat gcagaagata 900
 attaatggc aatggacaaa gtgaaaaact tagacttttt tttttttttt ggaagtatct 960
 ggatgttctt tagtactta aaggagaact gaaaaatagc agtgagttcc acataatcca 1020
 acctgtgaga ataggctct ttgtgggaa ggacaaagat ctgtaaattt acagtttcct 1080
 tccaaagcca acgtcgaatt ttgaaacata tcaaaagctc tcttcaagac aaataatcta 1140
 tagtacatct ttcttatggg atgcacttat gaaaaatggg ggctgtcaac atctagtac 1200
 tttagctctc aaaatgggtc attttaagag aaagtttttag aatctcatat ttattcctgt 1260
 ggaaggacag cattgtggct tggactttat aaggctctta ttcaactaaa taggtgagaa 1320
 ataagaaagg ctgctgactt taccatctga ggccacacat ctgctgaaat ggagataatt 1380
 aacatcacta gaaacagcaa gatgacaata taatgtctaa gtagtgacat gtttttgcac 1440
 atttccagcc cttttaaata tccacacaca caggaaagc aaaaggaagc acagagatcc 1500
 ctgggagaaa tgcccggccg ccatcttggg tcatcgatga gcctcgccct gtgcctgggtc 1560
 ccgcttgtga ggggaaggaca ttagaaaatg aattgatgtg ttctttaaag gatgggcagg 1620
 aaaacagatc ctgttgtgga tatttatgtg aacgggatta cagatttgaa atgaagtcac 1680
 aaagttagca ttaccaatga gaggaaaaca gacgagaaaa tcttgatggc ttcacaagac 1740
 atgcaacaaa caaaatggaa tactgtgatg acatgaggca gccaaagctgg ggaggagata 1800
 accacggggc agagggtcag gattctggcc ctgctgccta aactgtgcgt tcataaccaa 1860
 atcatttcat atttctaacc ctcaaaacaa agctgttgta atatctgac tctacgggtc 1920
 cttctgggccc caacattctc catatatcca gccacactca tttttaatat ttagttccca 1980
 gatctgtact gtgaccttcc tacactgtag aataaacatta ctcattttgt tcaaagacct 2040
 ttcgtgttgc tgcctaatat gtagctgact gtttttccca aggagtgttc tggcccaggg 2100
 gatctgtgaa caggctggga agcatctcaa gatctttcca gggttatact tactagcaca 2160
 cagcatgac attacggagt gaattatcta atcaacatca tcctcagtgt ctttgcccat 2220
 actgaaattc atttcccact tttgtgcccc ttctcaagac ctcaaaatgt cattccatta 2280

```

atatacagc attaactttt ttttttaacc tggaagaatt caatgttaca tgcagctatg 2340
ggaatttaac tacatatatt gttttccagt gcaaagatga ctaagtcctt tatccctccc 2400
ctttgtttga ttttttttcc agtataaagt taaaatgctt agccttgtag tgaggctgta 2460
tacagccaca gcctctcccc atccctccag ccttatctgt catcaccatc aaccctcccc 2520
atgcaccta acaaaatcta acttgtaatt ccttgaaatc gtcaggcata cattattcct 2580
tctgcctgag aagctcttcc ttgtctctta aatctagaat gatgtaaagt tttgaataag 2640
ttgactatct tacttcatgc aaagaaggga cacatatgag attcatcatc acatgagaca 2700
gcaaatacta aaagtgtaat ttgattataa gagtttagat aaatatatga aatgcaagag 2760
ccacagaggg aatgtttatg gggcacgttt gtaagcctgg gatgtgaagc aaaggcaggg 2820
aacctcatag tatcttatat aatatacttc atttctctat ctctatcaca atatccaaca 2880
agcttttcac agaattcatg cagtgcacaa ccccaaaggg aacctttatc catttcatgg 2940
tgagtgcgct ttagaatttt ggcaaatcat actggtcact tatctcaact ttgagatgtg 3000
tttgccttg tagttaattg aaagaaatag ggcactcttg tgagccactt tagggttcac 3060
tcttggaat aaagaattta caaagagcaa aaaaaaaaaa aaaaaaaaaa aa 3112

```

<210> 469

<211> 2229

<212> DNA

<213> Homo sapiens

<400> 469

```

agctctttgt aaattcttta ttgccaggag tgaaccctaa agtggctcac aagagtgtcc 60
tatttctttc aattaactac aaggacaaac acatctcaa gttgagataa gtgaccagta 120
tgatttgcca aaattctaaa gcgcactcac catgaaatgg ataaaggtta cctttgggga 180
tttgactgac atgaattctg tgaaaagctt gttggatatt gtgatagaga tagagaaatg 240
aagtatatta tataagatac tatgaggttc cctgcctttg cttcacatcc caggcttaca 300
aacgtgtccc ataaacattc cctctgtggc tcttgcatct catatattta tctaaactct 360
tataatcaaa tacactttta gtatttgctg tctcatgtga tgatgaatct catatgtgtc 420
ccttctttgc atgaagtaag atagtcaact tattcaaac tttacatcat tctagattta 480
agagacaagg aagagcttct caggcagaag gaataatgta tgcctgacat gttcaaggaa 540
ttacaagtta gattttgttt aggtgcctgg gagggttgta tggatgagac agataaggct 600
ggagggatgg ggagaggctg tggctgtata cagcctcagt acaaggctaa gcattttaac 660
tttatactgg aaaaaaaatc aaacaaaggg gagggataaa ggacttagtc atctttgcac 720
tggaacacaa aatatgtaat taaattccca tagctgcatt taacattgaa ttcttccagg 780
ttaaaaaaaaa agttaatcct gtgatattaa tggaatgaca ttttgaggct ttgagaatgg 840
gcacaaaagt gggaaatgaa tttcagtatg ggcaagaca ctgaggatga tgttgattag 900
ataattcact cgtaatgat catgctgtgt gctagtaagt ataaccctgg aaagatcttg 960
agatgcttcc cagcctgttc acagatcccc tgggccagaa cactccttag gaaaaacagt 1020
cagctacata ttaggcagca acacgaaggg tctttgaaca aaatgagtta tgttattcta 1080
cagtgtagaa aggtcacagt acagatctgg gaactaaata ttaaaaatga gtgtggctgg 1140
atatatggag aatgttgggc ccagaaggaa ccgtagagat cagatattac aacagctttg 1200
ttttgagggt tagaaatatg aaatgatttg gttatgaacg cacagttagg gcagcagggc 1260
cagaatcctg accctctgcc ccgtggttat ctcctcccca gcttggctgc ctcagtcatc 1320
cacagtatc cattttgttt gttgcatgtc ttgtgaagcc atcaagattt tctcgtctgt 1380
tttctctca ttgtaatgc tcactttgtg acttcatttc aaatctgtaa tcccgttcaa 1440
ataaatatcc acaacaggat ctgttttctt gccatcctt taaggaaacac atcaattcat 1500
tttctaattg ccttccctca caagcgggac caggcacagg gcgaggctca tcatgacccc 1560
aagatggcgg ccgggcattt ccccaggga tctctgtgct tctttttgtg cttcctgtgt 1620
gtgtggatat ttaaaggggc tggaatgtg caaaaacatg tcactactta gacattatat 1680
tgtcatcttg ctgtttctag tgatgttaat tatctccatt tcagcagatg tgtggcctca 1740
gatggtaaag tcagcagcct ttcttatttc tcacctggaa atacatacga ccatttgagg 1800
agacaaatgg caaggtgtca gcatccctg aacttgagtt gagagctaca cacaatatta 1860
ttggtttccg agcatcaca acacctctc ttgttcttca ctgggcacag aattttaata 1920
cttatttcag tgggtgtgtg gcaggaacaa atgaagcaat ctacataaag tcactagtgc 1980
agtgcctgac acacaccatt ctcttgaggt cccctctaga gatccacag gtcatatgac 2040
ttcttgggga gcagtggctc acacctgtaa tcccagcact ttgggaggct gaggcagggt 2100
ggtcacctga ggtcaggagt tcaagaccag cctggccaat atggtgaaac cccatctcta 2160
ctaaaaatc aaaaatttag tgggcgtgct ggtgcatgcc tgaatccca gcccacacac 2220

```

aatggaatt

2229

<210> 470

<211> 2426

<212> DNA

<213> Homo sapiens

<400> 470

```

gtaaattctt tattgccagg agtgaaccct aaagtggctc acaagagtc cctatttctt 60
tcaattaact acaaggacaa acacatctca aagttgagat aagtgaccag tatgatttgc 120
caaaattcta aagcgactc accatgaaat ggataaagggt tacctttggg gatttgcact 180
gcatgaattc tgtgaaaagc ttgttgata ttgtgataga gatagagaaa tgaagtatat 240
tatataagat actatgaggt tccctgcctt tgcttcacat cccaggctta caaacgtgcc 300
ccataaacat tccctctgtg gctcttgcat ttcatatatt tatctaaact cttataatca 360
aattacactt ttagtatttg ctgtctcatg tgatgatgaa tctcatatgt gtcccttctt 420
tgcataaggt aagatagtca acttattcaa aactttacat cattctagat ttaagagaca 480
aggaagagct tctcaggcag aaggaataat gtatgcctga catgttcaag gaattacaag 540
ttagattttg tttagggtga tgggaggggt tgatgggtgat gacagataag gctggaggga 600
tggggagagg ctgtggctgt atacagcctc agtacaaggc taagcatttt aactttatac 660
tggaaaaaaa atcaaacaaa ggggagggat aaaggactta gtcacttttg cactggaaaa 720
caaaatatgt aattaaattc ccatagctgc atgtaacatt gaattcttcc aggttaaaaa 780
aaaaagttaa tcctgtgata ttaatggaat gacattttga ggtcttgaga atgggcacaa 840
aagtgggaaa tgaatttcag tatgggcaaa gacactgagg atgatgttga ttagataatt 900
cactccgtaa tgatcatgct gtgtgctagt aagtataacc ctggaaagat cttgagatgc 960
tccccagcct gttcacagat cccctgggcc agaactacc ttaggaaaaa cagtcagcta 1020
catattaggt agcaacacga agggctcttg aacaaaatga gtaatgttat tctacagtgt 1080
agaaagggtc cagtacagat ctgggaacta aatattaaaa atgagtgtgg ctggatatat 1140
ggagaatgtt gggcccagaa ggaaccgtag agatcagata ttacaacagc tttgttttga 1200
gggttagaaa tatgaaatga tttggttatg aacgcacagt ttaggcagca gggccagaat 1260
cctgacctc tgccccgtgg ttatctctc cccagcttgg ctgacctcatg tcatcacagt 1320
attccatttt gtttgttgca tgtcttgta agccatcaag attttctcgt ctgttttctt 1380
ctcattggta atgtcactt tgtgacttca tttcaaactt gtaatccctg tcaaataaat 1440
atccacaaca ggatctgttt tcctgcccac cctttaagga acacatcaat tcattttcta 1500
atgtccttcc ctcacaagcg ggaccaggca cagggcgagg ctcatcgatg acccaagatg 1560
gcgcccgggc atttctccca gggatctctg tgcttcctt tgtgcttctt gtgtgtgtgg 1620
atattttaaag gggctggaat tgtgcaaaaa catgtcacta cttagacatt atattgtcat 1680
cttgctgttt ctagtgatgt taattatctc catttcagca gatgtgtggc ctcagatggg 1740
aaagtcagca gcctttctta tttctcacct ggaaatacat acgaccattt gaggagacaa 1800
atggcaaggt gtcagcatac cctgaacttg agttgagagc tacacacaat attattgggt 1860
tccgagcatc acaaacaccc tctctgtttc ttcactgggc acagaatttt aatacttatt 1920
tcagtgggct gttggcagga acaaatgaag caatctacat aaagtcacta gtgcagtgcc 1980
tgacacacac cattctcttg aggtccctc tagagatccc acaggtcata tgacttcttg 2040
gggagcagtg gctcacacct gtaatcccag cactttggga ggctgaggca ggtgggtcac 2100
ctgaggtcag gagttcaaga ccagcctggc caatatgggtg aaaccccatc tctactaaaa 2160
atacaaaaat tagctgggcg tgctgggtgca tgctgtaat cccagctact tgggaggtcg 2220
aggcaggaga attgctggaa catgggaggc ggaggttgca gtgagctgta attgtgccat 2280
tgactcgaa cctgggagac agagtgaac tctgtttcca aaaaacaaac aaacaaaaaa 2340
ggcatagtca gatacaacgt ggggtgggatg tgtaaataga agcaggatat aaagggcatg 2400
gggtgacggt tttgccaac acaatg

```

<210> 471

<211> 812

<212> DNA

<213> Homo sapiens

<400> 471

```

gaacaaaatg agtaatgtta ttctacagt tagaaagggtc acagtacaga tctgggaact 60
aaatattaaa aatgagtgtg gctggatata tggagaatgt tgggcccaga aggaaccgta 120

```



```

gagatcagat attacaacag ctttgttttg aggggttagaa atatgaaatg atttggttat 180
gaacgcacag tttaggcagc agggccagaa tcctgacct ctgccccgtg gttatctcct 240
ccccagcttg gctgcctcat gtcacacag tattccattt tgtttggtgc atgtcttggt 300
aagccatcaa gattttctcg tctgttttcc tctcattggt aatgctcact ttgtgacttc 360
atttcaaate tgtaatcccc ttcaaataaa tatccacaac aggatctggt ttcttgccca 420
tcctttaagg aacacatcaa ttcattttct aatgtccttc cctcacaagc gggaccaggc 480
acagggcgag gctcatogat gacccaagat ggcggccggg catttctccc agggatctct 540
gtgcttcctt ttgtgcttcc tgtgtgtgtg gatatttaaa ggggctggaa atgtgcaaaa 600
acatgtcact acttagacat tatattgtca tcttgctggt tctagtgtg ttaattatct 660
ccatttcagc agatgtgtgg cctcagatgg taaagtcagc agcctttctt atttctcacc 720
tctgtatcat caggctcttc ccaccatgca gatcttctg gtctccctcg gctgcagcca 780
cacaatctc ccctctggtt ttctgatgcc ag 812

```

<210> 472

<211> 515

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(515)

<223> n = A,T,C or G

<400> 472

```

acggagactt attttctgat attgtctgca tatgtatggt ttaagagtc tggaaatagt 60
cttatgactt tcctatcatg cttattaata aataatacag cccagagaag atgaaaatgg 120
gttcagaat tattggctct tgcagcccg tgaatctcag caagaggaac caccaactga 180
caatcaggat attgaacctg gacaagagag agaaggaaca cctccgatcg aagaacgtaa 240
agtagaagg gattgccagg aaatggatct ggaaaagact cggagtggag gtggagatgg 300
ctctgatgta aaagagaaga ctccacctaa tcctaagcat gctaagacta aagaagcagg 360
agatggggcag ccataagtta aaaagaagac aagctgaagc tacacacatg gctgatgtca 420
cattgaaat gtgactgaaa atttgaaat tctctcaata aagtttgagt tttctctgaa 480
gaaaaaaaaa naaaaaaaaa aaanaaaan aaaaa 515

```

<210> 473

<211> 5829

<212> DNA

<213> Homo sapiens

<400> 473

```

cgcatgccgg ggaagcccaa gctggctcga agagccacca gccacctgtg caagggtggg 60
cctggaccag ttggaccagc caccaagctc acctactcaa ggaagcaggg atggccagg 120
tgcaacagcc tgagtggctg ccacctgata gctgatggag cagaggcctg aggaaaatca 180
gatggcacat ttagctcttt aatggatctt aagttaattt ttctataaag cacatggcac 240
cagtccatgc ctcatagctc gtatggcact gcggaccaca gcaggccgag ttcccaggat 300
tgccatccag gggggccttc ttagacctg gccagacctt gcagagggtg ctgggtgctc 360
tttgagcgag ctggcctcc ctggcatgca caggccccag gtactgacac gctgctctga 420
gtgagcttgt cctgccttgg ctgccacctt actgctgatg gagcagcggc cttaggaaaa 480
gcaaatggcg ctgtagccca actttagggt agaagaagat gtaccatgtc cgcccgctag 540
ttggtgactg gtgcacctgc tctggcgta cccttgca gaaggggtgg tgctctttgg 600
ccagcttggc ctgcttggc atgcacaagc ctcatgtcaa caactgtcct acaaatggag 660
acacagagag gaaaacagca gcgggctcag gagcagggtg tgtgtgctt ttggggctcc 720
agtccatgcc tcgggtcgta tggtagtga ggcttcttgg ttgccaagag gcggaccaca 780
ggccttcttg agaggactt tacgttcaag tgcagaaagc agccaaaatt accatccatg 840
agactaagcc ttctgtggcc ctggcgagac ttaaaatttg tgccaaggca ggacaagctc 900
actcggagca gcgtgtcagt agctggggcc tatgcatgcc gggcaggggc gggctggctg 960
aaggagcaac cagccacctc tgcaagggtg cgctagtgc aggcggagca tccaccacct 1020
caccgcctcg aggaagtggg gatggccagg ttcccacagc ctgagtgtct gccaccttat 1080

```

tgctgatgga	gcagaggcct	taagaaaagc	agatggcact	gtggccctac	ctttagggtg	1140
gaagaagtga	tgtacatgtc	cggacgctaa	ttggtgactg	gtacaccggc	tcctgctaca	1200
cctttgcaga	ggtggctggt	tgctctttga	gccagcttgt	ccttgcccgg	catgcacaag	1260
tttcagtga	acaactttgc	cacaaatgga	gccatataga	ggaacaaga	agcaggttca	1320
ggagaaggg	gtaccctgcc	tttggggctc	cagtcctatg	ctcagggtgc	acatggcact	1380
gcgggcttct	tggttgccag	gaggcggacc	acaggccatc	ttggggagga	ctttgtgttc	1440
aagtgcagaa	agcagccagg	attgccatcc	agggggacct	tctatagccc	tggccaaacc	1500
ttgcaggggt	gtctggttgc	tctttgagcc	ggcttggcct	ccctggcatg	cacgggcccc	1560
aggtgctggc	acgctgctcc	gagtgtgctt	gtcctgcctt	ggctgccacc	tctgcggggg	1620
tgctctgga	gggggtggac	cggccaccaa	ccttaccag	tcaaggaagt	ggatggccat	1680
gttcccacag	cctgagtggc	tgccacctga	tggtgatgg	agcaaaggcc	ttaggaaaag	1740
cagatggccc	ttggccctac	ctttttgtta	gaagaactga	tgttccatgt	cctgcagcga	1800
gtgaggttgg	tggtctgtgc	cccagctcct	ggcgcgccct	cgagagggtg	actggttgct	1860
ctttggggccc	tcttggcctt	gcccagcatg	cacaagcctc	agtgtacta	ctgtgtctaca	1920
aatggagcca	tataggggaa	acgagcagcc	atctcaggag	caaggtgtat	gctgcctttg	1980
ggggctccag	tccttgccctc	aagggtctta	tgtcactgtg	ggcttcttgg	ttgtcaagag	2040
gcagaccata	ggcgtctctg	agagggactt	tatgttcaag	tgcaaaaagc	agccaggatt	2100
gccaccctcg	ggactctgcc	ttctgtggcc	ctggccaaac	ttagaatttg	gccgtagaca	2160
ggacaggctc	acttgagta	gcgtgtccgt	agctggggtc	tgtgcatgcc	gggcaaggcc	2220
gggctggctc	ggggaagcaac	cagccacctc	tgccgggggtg	cgcttgaggc	aggtggagca	2280
gccaccagct	caccactctc	aggaagccgg	ggtagccagg	ttcccaaggc	ctgagtgggt	2340
gccacctaat	ggctgaagaa	acagaggcct	tgggaaaacc	agatggcact	gtggccctac	2400
ctttatggta	gaagagctga	tttagcctga	ctggcagcgt	gtggggttgg	tggtgtgtct	2460
gectgctgct	ggcgcctccg	tgcaaggatg	gctggttgcc	ctttgagcca	gcttgcctct	2520
gcccggcatg	cgcaagcctc	agtgaacaa	ctgtgctgca	aatggggcca	tatagaggaa	2580
aggagcagct	ggctctggag	catggtgtgc	actccctttg	ggccttcagt	ccatgtctca	2640
tgggtcgtat	gacactgcgg	gcttgttggt	tgccaagagg	cagaccacag	gtcatcttga	2700
ggaggacttt	atgttccagt	ccagaaagca	gccagtggta	ccaccagggg	gacttgtgtg	2760
tctgtgcccc	ggccagacgt	agaatttgac	aaagtcagga	cgtctcagt	cagagcggcg	2820
tgttcagtc	cggttcctgt	gcatgccggg	caaggccggg	gtggccttgg	gagcaagcag	2880
ccacctctgt	taagggtgtg	cctggagcag	gtggagcagc	caccaacctc	acgcactgaa	2940
agaagcaggg	atggccagg	tccaacatcc	tgagtggctg	ccacctgatg	gctgatggag	3000
cagaggcctg	aggaaaagca	gatggcactg	ctttgtagt	ctgttctttg	tctctcttga	3060
tctttttcag	ttaatgtctg	ttttatcaga	gactaggatt	gcaaacctct	ctcttttttg	3120
ctttccattt	gcttggtaaa	tattcctcca	tccttttatt	ttaagcctat	gtgtgtcttt	3180
gcacatgaga	tgggtctcct	gaatacagga	caacaatggg	tctttactct	ttatccaact	3240
tgccagctctg	gtctctttta	ctggggcatt	tagccatttt	acatttaagt	ttagtattgt	3300
tacatgtgaa	atttatcctg	tcatgatgtt	gctagctttt	tatttttccc	attagtttgc	3360
agtttcttta	tagtgtcaat	ggtctttaca	attcgatatg	tttttgtagt	ggctgggtact	3420
ggtttttcct	ttctacgttt	agtgtctcct	tcaggagctc	ttgtaacaca	agaatgtgga	3480
tttatcttct	gtaaggtaaa	tatgtggatt	tatttcttgg	gactgtatct	tatggccttt	3540
accccaagaa	tcattacttt	ttaaaatgca	attcaaatta	gcataaaaaca	tttacagcct	3600
atggaaaagg	ttgtggcatt	agaatcctta	tttataggat	tattttgtgt	ttttttgaga	3660
tatggtcttt	gtcatcgagg	cagaagtgcc	gtggtttgat	cataattcac	cacagccctg	3720
aactcttgag	tccaagccat	ccttttgctt	taatctccca	accagttgga	tctgcaggca	3780
taaggcatca	tgcgtggcta	attttttcac	gttttttttt	tttttttgct	gagattatgg	3840
tgtcactgtg	ttgctctggc	tgatctcaaa	tgtttgacct	caagggatct	ttctgccacg	3900
gcctcctaaa	gtgctaggat	tatatgcatg	atacaccatg	cctattgtag	agtattacat	3960
tattttcaaa	gtcttattgt	aagagccatt	tattgccttt	ggcctaaata	actcaatata	4020
atatctctga	aacttttttt	tgacaaattt	tggggcgtga	tgatgagaga	aggggggtttg	4080
aaactttcta	ataagagtta	ccttagagcc	atttaagaaa	ggaaaaaaca	caaattatca	4140
gaaaaacaac	agtaagatca	agtgcaaaag	ttctgtggca	aagatgatga	gagtaaagaa	4200
tatatgtttg	tgactcatgg	tggcttttac	ttgttcttg	aatttctgag	tacgggttaa	4260
catttaaaga	atctacatta	tagataacat	tttattgcaa	gtaaatgtat	ttcaaaattt	4320
gttattgggt	ttgtatgaga	ttattctcag	cctacttcat	tatcaagcta	tattatttta	4380
ttaatgtagt	tcgatgatct	tacagcaaag	ctgaaagctg	tatcttcaaa	atatgtctat	4440
ttgactaaaa	agttattcaa	caggagttat	tatctataaa	aaaaatacaa	caggaatata	4500
aaaaacttga	ggataaaaag	atgttggaaa	aagtaatat	aaactctaaa	aaacatatgg	4560

```

aaactacaca atggtgaaga cacattggtg aagtacaaaa atataaattg gatctagaag 4620
aaagggcaat gcaggcaata gaaaaattag tagaaatccc tttaaagggt agtttgtaaa 4680
atcaggtaag tttatttata atttgcttct atttatttca ctgcaaatta tattttggat 4740
atgtatatat atttgcttct ctctgcctgt cttacagcaa tttgccttgc agagtcttag 4800
gaaaaagggt gcatgtgttt ttactttcaa aatattttaa tttccatcat tataacaaaa 4860
tcaatttttc agagtaataga ttctcactgt ggagtcattt gattattaag acccgttggc 4920
ataagattac atcctctgac tataaaaaatc ctggaagaaa acctaggaaa tattcgtctg 4980
gacattgcac ttggcaatga atttatgggt aaccactgat ccacttccag tcactatcca 5040
tgagttttta tttccagata catgaaatca tatgagttga aactttcttt tgattgagca 5100
gtttggaac cgtctttttg tagaatctgc aagtggatat ttggaaccct ttgaggccta 5160
tgctgaaaaa agaaatatct tcactacatg atgaccacca gcagcagctg gggaaaccag 5220
caccctgtgg aattccatac ggtgcataga atacatcctc ccttcagtcg gcttgggtca 5280
acttaggtca tgggccacct ggctgatagc agtttccaca gaaatgcttc aagatgaaag 5340
tggatgaccg ggccacctc caccactgcc ctgtaagacc atgggacaca caggccacca 5400
gttcttttca tgtgttcac ccctgttaga tgggagaaaa tacacctgcc tcatttttgc 5460
accttctgtg tgaacattcc acggcagact gtcgctaaat gtggatgaag aattgaatga 5520
atgaatgaat atgagagaaa atgaataaat ggttcagatc ctgggctgga aggctgtgta 5580
tgaggatggt gggtagagga gggctctgtt ttcttgctt taagtcacta attgtcactt 5640
tggggcagga gcacaggctt tgaatgcaga ccgactggac ttaattctgc gctttactag 5700
ttgtgattgt gtgacctgt gaaagttact taaacctct gtgcctgttt ctttatctgt 5760
aaaatggaga taataagatg tcaaaggact gtggttaagaa ttaaatgctt taaaaaaaaa 5820
aaaaaaaaa

```

<210> 474

<211> 1594

<212> DNA

<213> Homo sapiens

<400> 474

```

atztatggat cattaatgcc tcttttagtag tttagagaaa acgtcaaaaag aaatggcccc 60
agaataagct tcttgatttg taaaattcta tgtcattggc tcaaatttgt atagtatctc 120
aaaatataaa tatatagaca tctcagataa tatatttgaa atagcaaatt cctgttagaa 180
aataatagta cttaactaga tgagaataac aggtcgccat tatttgaatt gtctcctatt 240
cgtttttcat ttgttgtgtt actcatgttt tacttatgag ggatatatat aacttccact 300
gttttcagaa ttattgtatg cagtcagtat gagaatgcaa ttttaagtct cttgatgctt 360
tttcacactt ctattactag aaataagaat acagtaatat tggcaaagaa aattgaccag 420
ttcaataaaa ttttttagta aatctgattg aaaataaaca ttgcttatgg ctttcttaca 480
tcaatattgt tatgtcctag acaccttatc tgaaattacg gcttcaaaat tctaattatg 540
tgcaaatgtg taaaatatca atactttatg ttcaagctgg ggcctcttca ggcgtcctgg 600
gctgagagag aaagatgcta gctccgcaag ccggagaggg aacaccgcca cattgttaca 660
cggacacacc gccacgtgga cacatgacca gactcacatg tacagacaca cggagacatt 720
accacatgga gacaccgtca cacagtcaca cggacacact ggcatagtca catggacgga 780
cacacagaca tatggagaaa tcacatggac acaccaccac actatcacag ggacacagac 840
acacggagac atcaccacat ggacacactg tcacactacc acagggacac gagacatcac 900
actgtcacat ggacacacca tcacacacat gaacacaccg acacactgcc atatggacac 960
tggcacacac actgccacac tgtcacatgg acacacctcc acaccatcac accaccacac 1020
acactgcctg tggacacaag gacacacaga cactgtcaca cagatacaca aaactgtgc 1080
acacggagac atcaccatgc agatacacca ccactctggt gccgtctgaa ttacctgct 1140
ggggggacag cagtggcata ctcatgccta agtgactggc tttcacccca gtagtgattg 1200
ccctcatcca acactgcccc ccccagggtg gggtaccacc agcccatctt taaaaaacag 1260
ggcaagggtg actaatggag tgggtggagg agttggaaga aatcccagcg tcagtaccgc 1320
ggatagaatt cccaaggaac cctctttttg gaggatgggt tccatttctg gaggcgatct 1380
gccgacaggg tgaatgcctt cttgcttctc ttctggggaa tcagagagag tccgttttgt 1440
ggtgggaaga gtgtggctgt gtactttgaa ctctgtgtaa ttctctgact catgtccaca 1500
aaaccaacag ttttgtgaat gtgtctggag gcaagggaag ggccactcag gatctatggt 1560
gaagggaaga ggcctggggc tggagtattc gctt

```

<210> 475

<211> 2414

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (33)

<223> n=A,T,C or G

<400> 475

```
cccaacacaa tggctttata agaatgcttc acntgtgaaa aacaaatata aaagtcttct 60
tgtagattat ttttaaggac aaatctttat tccatgttta atttatttag ctttcctgt 120
agctaataat tcatgctgaa cacattttta atgctgtaaa tgtagataat gtaatttatg 180
tatcattaat gcctcttttag tagtttagag aaaacgtcaa aagaaatggc cccagaataa 240
gcttcttgat ttgtaaaatt ctatgtcatt ggctcaaatt tgtatagtat ctcaaaatat 300
aaatatatag acatctcaga taatatattt gaaatagcaa attcctgtta gaaaataata 360
gtacttaact agatgagaat aacaggctgc cattatttga attgtctcct attcgttttt 420
catttgttgt gttactcatg ttttacttat ggggggatat atataacttc cgctgttttc 480
agaagtattg tatgcagtea gtatgagaat gcaatttaag tttccttgat gctttttcac 540
acttctatta ctagaataa gaatacagta atattggcaa agaaaattga ccagtccaat 600
aaaatttttt agtaaactctg attgaaaata aacattgctt atggctttct tacatcaata 660
ttgttatgtc ctagacacct tatctgaaat tacggcttca aaattctaata tatgtgcaaa 720
tgtgtaaaat atcaatactt tatgttcaag ctggggcctc ttcaggcgctc ctgggctgag 780
agagaaagat gctagctcgg caagccgggg agggaaacacc gccacattgt tacatggaca 840
caccgccacg tggacacatg accagactca catgtacaga cacacggaga cattaccaca 900
tggagacacc gtcacacagt cacacgagca cactggcata gtcacatgga cggacacaca 960
gacatatgga gaaatcacac tgacacacca ccacactatc acagggacac agacacacgg 1020
agacatcacc acatggacac actgtcacac taccacaggg acacgagaca tcacactgtc 1080
acatggacac accatcacac acatgaacac accgacacac tgccatatgg acactgccac 1140
acacactgcc acactgtcac atggacacac ctccatacca tcacaccacc acacacactg 1200
ccatgtggac acaaggacac acagacactg tcacacagat acacaaaaca ctgtcacacg 1260
gagacatcac catgcagata caccaccaca tggacatagc accagacact ctgccacaca 1320
gatacaccac cacacagaaa tgcggacaca ctgccacaca gacaccacca catcgttgcc 1380
acactttcat gtgtcagctg gcggtgtggg cccacgact ctgggctcta atcgagaaat 1440
tacttggaac tatagtgaag gcaaaatttt tttttatttt ctgggtaacc aagcgcgact 1500
ctgtctcaaa aaaagaaaaa aaaagcaata tactgtgtaa tcgttgacag cataattcac 1560
tattatgtag atcggagagc agaggattct gaatgcatga acatatcatt aacatttcaa 1620
tacattactc ataattactg atgaactaaa gagaaaccaa gaaattatgg tgatagttaa 1680
attgacctgg agaaatgtag acacaaaaga accgtaagat gagaaatgtg ttaacacagt 1740
ctataagggc atgcaagaat aaaaaatagg gagaaaacag gagagttttt caagagcttt 1800
ctggctcatg aagtcaactt gtatcgggta atttttaaaa ggtttattta catgcaataa 1860
actgcacata cttcaattgt acatttttgg aattcttggc atttgtagct ctataaaacc 1920
agcaacatat taaaatagca aacatatcca ttacctttac caccaaagtt ttcttgtgtt 1980
ttttctactc acttttttct gectatcccc ccactctctc cacaggtaac cactgatcca 2040
cttccagtea ctatccatga gtttttattt ccaaatacat gaaatcatat gaattttctg 2100
tttttctgt tggagcccaa ggagcaaggg cagaatgagg aacatgatgt ttcttwccga 2160
cagttactca tgacgtctcc atccaggact gaggggggca tccttctcca tctaggactg 2220
ggggcatcct tctccatoca gtattggggg tcactcttct ccattccagta ttgggggtca 2280
tctcctcca tccaggacct gaggggtgtc cttttctgct cttccttgga tggcagtcct 2340
tcccttcagt tttatagtra cttaccatta aatcactgtg ccgttttttc ctaaaataaa 2400
aaaaaaaaaa aaaa 2414
```

<210> 476

<211> 3434

<212> DNA

<213> Homo sapiens

<400> 476

```

ctgtgctgca aatggggcca tatagaggaa agggagcagct ggctctggag catggtgtgc 60
actccctttg ggccttcagt ccatgtctca tgggtcgtat gacactgcgg gcttgttggg 120
tgccaagagg cagaccacag gtcattctga ggaggacttt atgttccagt ccagaaagca 180
gccagtggta ccaccagggt gacttgtgct tctgtggccc aggccagacg tagaatttga 240
caaagtcagg acggtctcag tcagagcagc atgtcgggtcc ccggggcctg tgcattgcgg 300
gcaggggccag gctgggttaa ggagcaagca gccacctctg ttaggggtgt gcctggagca 360
gggtggagcag ccaccaacct cagcactga aagaagcagg gatggccagg ttccaacatc 420
ctgagtggct gccacctgat ggctgatgga gcagaggcct gaggaaaagc agatggcact 480
gcttttagtg gctgttcttt gtctctcttg atctttttca gttaatgtct gttttatcag 540
agactaggat tgcaaacctt gctctttttt gctttccatt tgcttgtaa atattctcc 600
atccctttat ttttaagcta tgtgtgtctt tgcacatgag atgggtctcc tgaatacagg 660
acaacaatgg gtctttactc tttatccaac ttgccagtct gtgtctttta actggggcat 720
ttagcccat tacatttaag ttttagtattt gttacatgtg aaatttatcc tgcattgatg 780
ttgctagctt tttatttttc ccattagttt gcagtttctt tatagtgtca atggctctta 840
caattcgata tgtttttgta gtggctggta ctggtttttc ctttctacgt ttagtgtctc 900
cttcaggagc tttgttaaca caagaatgtg gatttatttc ttgtaaggta aatatgtgga 960
tttattctgg gactgtattc tatggccttt accccaagaa tcattacttt ttaaaatgca 1020
attcaaatta gcataaaaca tttacagcct atggaaaggc ttgtggcatt agaatcctta 1080
tttataggat tttttgtgtt ttttttgaga tatggctctt gtcactgagg cagaagtgcc 1140
gtgggttgat cataattcac cacagccctg aactcttgag tccaagccat ccttttgctt 1200
taatctccca accagttgga tctacaagca taaggcatca tgcgtggcta attttttcac 1260
gttttttttt tttttgtcga gattatggta tcaactgtgt gctctggctg atctcaaatg 1320
tttgacctca agggatcttt ctgccacagc ctctctaaagt ctaggatta tatgcatgat 1380
acaccatgcc tattgtagag tattacatta ttttcaagt cttattgtaa gagccattta 1440
ttgcctttgg cctaaataac tcaatataat atctctgaaa cttttttttg acaaattttg 1500
gggctgtgat atgagagaag ggggtttgaa actttctaat aagagttaac ttagagccat 1560
ttaagaaagg aaaaaacaca aattatcaga aaaacaacag taagatcaag tgcaaaagt 1620
ctgtggcaaa gatgatgaga gtaaagaata tatgtttgtg actcatgggt gcttttactt 1680
tgttcttgaa tttctgagta cgggttaaca tttaaagaat ctacattata gataacattt 1740
tattgcaact aaagtattt caaaatttgt tattggtttt gtatgagatt attctcagcc 1800
tacttcatta tcaagctata ttattttatt aatgtagttc gatgatctta cagcaaagct 1860
gaaagctgta tcttcaaaat atgtctattt gactaaaaag ttattcaaca ggagtatta 1920
tctataaaaa aatacaacag gaatataaaa aacttgagga taaaaagatg ttggaaaaag 1980
taatattaaa tcttaaaaaa catatggaaa ctacacaatg gtgaagacac attggtgaag 2040
tacaaaaata taaattggat ctagaagaaa gggcaatgca ggcaatagaa aaattagtag 2100
aaatcccttt aaaggttagt ttgtaaaatc aggttaagtt atttataatt tgctttcatt 2160
tatttcactg caattatat tttggatagt tatatatatt gtgcttcttc tgctgtctt 2220
acagcaattt gccttgca ga ttctaggaa aaaggtggca tgtgttttta ctttcaaaat 2280
atttaaattt ccatcattat aacaaaatca atttttcaga gtaatgattc tcaactgtgga 2340
gtcatttgat tattaagacc cgttggcata agattacatc ctctgactat aaaaatcctg 2400
gaagaaaacc taggaaatat tctgtctggac attgcacttg gcaatgaatt tatgggcgct 2460
ttggaatcct gcagatataa taatgataat taaacaaaac actcagagaa actgccaacc 2520
ctaggatgaa gtatattgtt actgtgcttt gggattaaaa taagtaacta cagtttatag 2580
aacttttata ctgatacaca gacactaaaa agggaaagggt tttagatgag aagctctgct 2640
atgcaatcaa gaatctcagc cactcatttc tgtaggggtc gcaggagctc cctgtaaaga 2700
gaggttatgg agtctgtagc ttcaggtaag atacttaaaa cccttcagag tttctccatt 2760
ttttcccata gtttcccaa aaaggttatg acactttata agaatgcttc acttgtgaaa 2820
aacaatatc aaagtcttct tgtagattat ttttaaggac aaatctttat tccatgttta 2880
atatttttag ctttccctgt agctaattat tcatgctgaa cacattttta atgctgtaaa 2940
tgtagataat gtaatttatg tatcattaat gcctctttag tagtttagag aaaacgtcaa 3000
aagaaatggc ccagaataa gcttcttgat ttgtaaaatt ctatgtcatt ggctcaaat 3060
tgtatagtat ctcaaaatat aaatatatag acatctcaga taatatattt gaaatagcaa 3120
attcctgtta gaaaataata gtacttaact agatgagaat aacaggctgc cattatttga 3180
attgtctcct attcgttttt catttggtgt gttactcatg ttttacttat ggggggatat 3240
atataacttc cgtgttttcc agaagtattg tatgcagtca gtatgagaat gcaatttaag 3300
tttcttggat gctttttcac acttctatta ctagaaataa gaatacagta atattggcaa 3360
agaaaattga ccagttcaat aaaatttttt agtaaactctg attgaaaata aaaaaaaaaa 3420
aaaaaaaaaa aaaa 3434

```

Met Asp Gly His Thr Asp Ile Trp Arg Asn His Met Asp Thr Pro Pro
5 10 15

His Tyr His Arg Asp Thr Asp Thr Arg Arg His His His Met Asp Thr
20 25 30

Leu Ser His Tyr His Arg Asp Thr Arg His His Thr Val Thr Trp Thr
35 40 45

His His His Thr His Glu His Thr Asp Thr Leu Pro Tyr Gly His Trp
50 55 60

His Thr His Cys His Thr Val Thr Trp Thr His Leu His Thr Ile Thr
65 70 75 80

Pro Pro His Thr Leu Pro Val Asp Thr Arg Thr His Arg His Cys His
85 90 95

Thr Asp Thr Gln Asn Thr Val Thr Arg Arg His His His Ala Asp Thr
100 105 110

Pro Pro Leu Trp Cys Arg Leu Asn Tyr Pro Ala Gly Gly Thr Ala Val
115 120 125

Ala Tyr Ser Cys Leu Ser Asp Trp Leu Ser Pro Gln
130 135 140

```
<210> 478
<211> 143
<212> PRT
<213> Homo sapiens
```

Met Tyr Arg His Thr Glu Thr Leu Pro His Gly Asp Thr Val Thr Gln
5 10 15

Ser His Gly His Thr Gly Ile Val Thr Trp Thr Asp Thr Gln Thr Tyr
20 25 30

Gly Glu Ile Thr Trp Thr His His His Thr Ile Thr Gly Thr Gln Thr
35 40 45

His Gly Asp Ile Thr Thr Trp Thr His Cys His Thr Thr Thr Gly Thr
50 55 60

Arg Asp Ile Thr Leu Ser His Gly His Thr Ile Thr His Met Asn Thr
65 70 75 80

Pro Thr His Cys His Met Asp Thr Gly Thr His Thr Ala Thr Leu Ser
85 90 95

His Gly His Thr Ser Thr Pro Ser His His His Thr His Cys Leu Trp
 100 105 110

Thr Gln Gly His Thr Asp Thr Val Thr Gln Ile His Lys Thr Leu Ser
 115 120 125

His Gly Asp Ile Thr Met Gln Ile His His His Ser Gly Ala Val
 130 135 140

<210> 479

<211> 222

<212> PRT

<213> Homo sapiens

<400> 479

Met Tyr Arg His Thr Glu Thr Leu Pro His Gly Asp Thr Val Thr Gln
 5 10 15

Ser His Glu His Thr Gly Ile Val Thr Trp Thr Asp Thr Gln Thr Tyr
 20 25 30

Gly Glu Ile Thr Leu Thr His His His Thr Ile Thr Gly Thr Gln Thr
 35 40 45

His Gly Asp Ile Thr Thr Trp Thr His Cys His Thr Thr Thr Gly Thr
 50 55 60

Arg Asp Ile Thr Leu Ser His Gly His Thr Ile Thr His Met Asn Thr
 65 70 75 80

Pro Thr His Cys His Met Asp Thr Ala Thr His Thr Ala Thr Leu Ser
 85 90 95

His Gly His Thr Ser Ile Pro Ser His His His Thr His Cys His Val
 100 105 110

Asp Thr Arg Thr His Arg His Cys His Thr Asp Thr Gln Asn Thr Val
 115 120 125

Thr Arg Arg His His His Ala Asp Thr Pro Pro His Gly His Ser Thr
 130 135 140

Arg His Ser Ala Thr Gln Ile His His His Thr Glu Met Arg Thr His
 145 150 155 160

Cys His Thr Asp Thr Thr Ser Leu Pro His Phe His Val Ser Ala
 165 170 175

Gly Gly Val Gly Pro Thr Thr Leu Gly Ser Asn Arg Glu Ile Thr Trp
 180 185 190

Thr Tyr Ser Glu Gly Lys Ile Phe Phe Tyr Phe Leu Gly Asn Gln Ala
 195 200 205

Arg Leu Cys Leu Lys Lys Arg Lys Lys Lys Gln Tyr Thr Val
 210 215 220

<210> 480
 <211> 144
 <212> PRT
 <213> Homo sapiens

<400> 480

```

Met Glu Pro Tyr Arg Gly Asn Glu Gln Pro Ser Gln Glu Gln Gly Val
      5                      10                      15

Cys Cys Leu Trp Gly Leu Gln Ser Leu Pro Gln Gly Ser Tyr Val Thr
      20                      25                      30

Val Gly Phe Leu Val Val Lys Arg Gln Thr Ile Gly Arg Leu Glu Arg
      35                      40                      45

Asp Phe Met Phe Lys Cys Arg Lys Gln Pro Gly Leu Pro Pro Ser Gly
      50                      55                      60

Leu Cys Leu Leu Trp Pro Trp Pro Asn Leu Glu Phe Gly Arg Arg Gln
      65                      70                      75                      80

Asp Arg Leu Thr Trp Ser Ser Val Ser Val Ala Gly Val Cys Ala Cys
      85                      90                      95

Arg Ala Arg Pro Gly Trp Leu Gly Glu Gln Pro Ala Thr Ser Ala Gly
      100                     105                     110

Val Arg Leu Glu Gln Val Glu Gln Pro Pro Ala His Pro Leu Gln Glu
      115                     120                     125

Ala Gly Val Ala Arg Phe Pro Arg Pro Glu Trp Val Pro Pro Asn Gly
      130                     135                     140

```

<210> 481
 <211> 167
 <212> PRT
 <213> Homo sapiens

<400> 481

```

Met His Gly Pro Gln Val Leu Ala Arg Cys Ser Glu Cys Ala Cys Pro
      5                      10                      15

Ala Leu Ala Ala Thr Ser Ala Gly Val Arg Leu Glu Gly Val Asp Arg
      20                      25                      30

Pro Pro Thr Leu Pro Ser Gln Gly Ser Gly Trp Pro Cys Ser His Ser
      35                      40                      45

Leu Ser Gly Cys His Leu Met Ala Asp Gly Ala Lys Ala Leu Gly Lys
      50                      55                      60

Ala Asp Gly Pro Trp Pro Tyr Leu Phe Val Arg Arg Thr Asp Val Pro

```


[illegible]

```
<210> 482
<211> 143
<212> PRT
<213> Homo sapiens
```

```
<400> 482
Met Glu Pro Tyr Arg Gly Asn Lys Lys Gln Val Gln Glu Lys Gly Val
      5                                10                        15

Pro Cys Leu Trp Gly Ser Ser Pro Cys Leu Arg Cys His Met Ala Leu
      20                                25                        30

Arg Ala Ser Trp Leu Pro Gly Gly Gly Pro Gln Ala Ile Leu Gly Arg
      35                                40                        45

Thr Leu Cys Ser Ser Ala Glu Ser Ser Gln Asp Cys His Pro Gly Gly
      50                                55                        60

Pro Ser Ile Ala Leu Ala Lys Pro Cys Arg Gly Val Trp Leu Leu Phe
      65                                70                        75                        80

Glu Pro Ala Trp Pro Pro Trp His Ala Arg Ala Pro Gly Ala Gly Thr
      85                                90                        95

Leu Leu Arg Val Cys Leu Ser Cys Leu Gly Cys His Leu Cys Gly Gly
      100                               105                       110

Ala Ser Gly Gly Gly Gly Pro Ala Thr Asn Leu Thr Gln Ser Arg Lys
      115                               120                       125

Trp Met Ala Met Phe Pro Gln Pro Glu Trp Leu Pro Pro Asp Gly
      130                               135                       140
```

<210>	483
<211>	143
<212>	PRT

<213> Homo sapiens

<400> 483

```

Met Glu Thr Gln Arg Gly Asn Lys Gln Arg Ala Gln Glu Gln Gly Val
      5                      10                      15

Cys Cys Leu Trp Gly Ser Ser Pro Cys Leu Gly Ser Tyr Gly Thr Ala
      20                      25                      30

Gly Phe Leu Val Ala Lys Arg Arg Thr Thr Gly Leu Leu Glu Glu Asp
      35                      40                      45

Phe Thr Phe Lys Cys Arg Lys Gln Pro Lys Leu Pro Ser Met Arg Leu
      50                      55                      60

Ser Leu Leu Trp Pro Trp Arg Asp Leu Lys Phe Val Pro Arg Gln Asp
      65                      70                      75                      80

Lys Leu Thr Arg Ser Ser Val Ser Val Ala Gly Ala Tyr Ala Cys Arg
      85                      90                      95

Ala Gly Pro Gly Trp Leu Lys Glu Gln Pro Ala Thr Ser Ala Arg Val
      100                     105                     110

Arg Leu Val Gln Ala Glu His Pro Pro Pro His Pro Leu Glu Glu Val
      115                     120                     125

Gly Met Ala Arg Phe Pro Gln Pro Glu Cys Leu Pro Pro Tyr Cys
      130                     135                     140

```

<210> 484

<211> 30

<212> PRT

<213> Homo Sapien

<400> 484

```

Thr Ala Ala Ser Asp Asn Phe Gln Leu Ser Gln Gly Gly Gln Gly Phe
  1      5                      10                      15
Ala Ile Pro Ile Gly Gln Ala Met Ala Ile Ala Gly Gln Ile
      20                      25                      30

```

<210> 485

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 485

gggaagctta tcacctatgt gccgcctctg c

31

<210> 486

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 486

gcgaattctc acgctgagta tttggcc

27

<210> 487

<211> 36

<212> DNA

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 487

cccgaattct tagctgccca tccgaacgcc ttcac

36

<210> 488

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 488

gggaagcttc ttccccggct gcaccagctg tgc

33

<210> 489

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 489

Met Asp Arg Leu Val Gln Arg Phe Gly Thr Arg Ala Val Tyr Leu Ala
 1 5 10 15
 Ser Val Ala

<210> 490

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 490

Tyr Leu Ala Ser Val Ala Ala Phe Pro Val Ala Ala Gly Ala Thr Cys
 1 5 10 15
 Leu Ser His Ser
 20

<210> 491

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 491

Thr	Cys	Leu	Ser	His	Ser	Val	Ala	Val	Val	Thr	Ala	Ser	Ala	Ala	Leu
1				5					10					15	
Thr	Gly	Phe	Thr												
			20												

<210> 492

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 492

Ala	Leu	Thr	Gly	Phe	Thr	Phe	Ser	Ala	Leu	Gln	Ile	Leu	Pro	Tyr	Thr
1				5					10					15	
Leu	Ala	Ser	Leu												
			20												

<210> 493

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 493

Tyr	Thr	Leu	Ala	Ser	Leu	Tyr	His	Arg	Glu	Lys	Gln	Val	Phe	Leu	Pro
1				5					10					15	
Lys	Tyr	Arg	Gly												
			20												

<210> 494

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 494

Leu	Pro	Lys	Tyr	Arg	Gly	Asp	Thr	Gly	Gly	Ala	Ser	Ser	Glu	Asp	Ser
1				5					10					15	
Leu	Met	Ile	Ser												
			20												

<210> 495

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 495

Asp Ser Leu Met Thr Ser Phe Leu Pro Gly Pro Lys Pro Gly Ala Pro
1 5 10 15
Phe Pro Asn Gly
20

<210> 496

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 496

Ala Pro Phe Pro Asn Gly His Val Gly Ala Gly Gly Ser Gly Leu Leu
1 5 10 15
Pro Pro Pro Pro Ala
20

<210> 497

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 497

Leu Leu Pro Pro Pro Ala Leu Cys Gly Ala Ser Ala Cys Asp Val
1 5 10 15
Ser Val Arg Val
20

<210> 498

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 498

Asp Val Ser Val Arg Val Val Val Gly Glu Pro Thr Glu Ala Arg Val
1 5 10 15
Val Pro Gly Arg
20

<210> 499

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 499

Arg Val Val Pro Gly Arg Gly Ile Cys Leu Asp Leu Ala Ile Leu Asp
 1 5 10 15
 Ser Ala Phe Leu
 20

<210> 500

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 500

Leu Asp Ser Ala Phe Leu Leu Ser Gln Val Ala Pro Ser Leu Phe Met
 1 5 10 15
 Gly Ser Ile Val
 20

<210> 501

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 501

Phe Met Gly Ser Ile Val Gln Leu Ser Gln Ser Val Thr Ala Tyr Met
 1 5 10 15
 Val Ser Ala Ala
 20

<210> 502

<211> 414

<212> DNA

<213> Homo Sapien

<220>

<221> misc_feature

<222> (1)...(414)

<223> n = A,T,C or G

<400> 502

caccatggag	acaggcctgc	gctggctttt	cctggtcgct	gtgctcaaag	gtgtccaatg	60
tcagtcggtg	gaggagtccg	ggggtcgcct	ggtcacgcct	gggacacctt	tgacantcac	120
ctgtagagtt	tttggaatng	acctcagtag	caatgcaatg	agctgggtcc	gccaggctcc	180
aggggaagggg	ctggaatgga	tcggagccat	tgataattgt	ccacantacg	cgacctgggc	240
gaaaggccga	ttnatnattt	ccaaaacctn	gaccacgggtg	gatttgaaaa	tgaccagtcc	300
gacaaccgag	gacacggcca	cctatttttg	tggcagaatg	aatactggta	atagtggttg	360
gaagaatatt	tggggcccag	gcaccctggt	caccgtntcc	tcagggaac	ctaa	414

<210> 503

<211> 379

<212> DNA

<213> Homo Sapiens

<220>

<221> misc_feature

<222> (1)...(379)

<223> n = A,T,C or G

<400> 503

atnccgatggt gcttgggtcaa aggtgtccag tgtcagtcgg tggaggagtc cggggggtcgc	60
ctgggtcacgc ctgggacacc cctgacactc acctgcaccg tntctggatt ngacatcagt	120
agctatggag tgagctgggt ccgccaggct ccagggaagg ggctgggata catcggatca	180
ttagtagtag tggtagattt tacgcgagct gggcgaaagg ccgattcacc atttccaaaa	240
cctngaccac ggtggatttg aaaatcacca gtttgacaac cgaggacacg gccacctatt	300
tntgtgccag agggggggtt aattataaag acatttgggg cccaggcacc ctggtcaccg	360
tntccttagg gcaacctaa	379

<210> 504

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 504

Gly Phe Thr Asn Tyr Thr Asp Phe Glu Asp Ser Pro Tyr Phe Lys Glu	
1 5 10 15	
Asn Ser Ala	

<210> 505

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 505

Lys Glu Asn Ser Ala Phe Pro Pro Phe Cys Cys Asn Asp Asn Val Thr	
1 5 10 15	
Asn Thr Ala Asn	
20	

<210> 506

<211> 407

<212> DNA

<213> Homo Sapien

<400> 506

atggagacag gcctgcgctg gcttctcctg gtcgctgcgc tcaaagggtg ccagtgtcag	60
tcgctggagg agtcgggggg tcgctggtc acgcctggga caccctgac actcacctgc	120
accgtctctg gattctccct cagtagcaat gcaatgatct gggctccgca ggctccaggg	180
aaggggctgg aatacatcg atacattagt tatgggtgta gcgcatacta cgcgagctgg	240
gtgaaaggcc gattcaccat ctccaaaacc tcgaccacgg tggatctgag aatgaccagt	300
ctgacaaccg aggacacggc cacctatttc tgtgccagaa atagtgattt tagtggtatg	360
ttgtgggggc caggcacctt ggtcacctgc tctcagggc aacctaa	407

<210> 507
 <211> 422
 <212> DNA
 <213> Homo Sapien

<400> 507
 atggagacag gcctgcgctg gcttctcctg gtcgctgtgc tcaaagggtg ccagtgtcag 60
 tcggtggagg agtccggggg tcgcctgggc acgcctggga caccctgac actcacctgt 120
 acagtctctg gattctccct cagcaactac gacctgaact gggtcggcca ggctccaggg 180
 aaggggctgg aatggatcgg gatcattaat tatgttggtg ggacggacta cgcgaactgg 240
 gcaaaaggcc gggtcaccat ctccaaaacc tcgaccaccg tggatctcaa gatcgccagt 300
 ccgacaaccg aggacacggc cacctatttc tgtgccagag ggtggaagtg cgatgagtct 360
 ggtccgtgct tgcgcatctg gggcccaggc accctgggtc cegtctcctt agggcaacct 420
 aa 422

<210> 508
 <211> 411
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> misc_feature
 <222> (1)...(411)
 <223> n = A,T,C or G

<400> 508
 atggagacag gcctcgctgg cttctcctgg tcgctgtgct caaagggtgc cagtgtcagt 60
 cgggtggagg gtccgggggt cgcctgggtc cgcctgggac acccctgaca ctcacctgca 120
 cagtctctgg aatcgacctc agtagctact gcatgagctg ggtccgccag gctccagggg 180
 aggggctgga atggatcgga atcattggta ctctgggtga cacatactac gcgaggtggg 240
 cgaaaggccg attcaccatc tccaaaacct cgaccacggg gcatntgaaa atcnccagtc 300
 cgacaaccga ggacacggcc acctatttct gtgccagaga tcttcgggat ggtagtagta 360
 ctggttatta taaaatctgg ggcccaggca ccctgggtcac cgtctccttg g 411

<210> 509
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 509
 Leu Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
 1 5 10 15

<210> 510
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 510
 Pro Glu Tyr Asn Arg Pro Leu Leu Ala Asn Asp Leu Met Leu Ile
 1 5 10 15

<210> 511
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 511

Tyr	His	Pro	Ser	Met	Phe	Cys	Ala	Gly	Gly	Gly	Gln	Asp	Gln	Lys
1				5				10					15	

<210> 512
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 512

Asp	Ser	Gly	Gly	Pro	Leu	Ile	Cys	Asn	Gly	Tyr	Leu	Gln	Gly	Leu
1				5				10					15	

<210> 513
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 513

Ala	Pro	Cys	Gly	Gln	Val	Gly	Val	Pro	Asx	Val	Tyr	Thr	Asn	Leu
1				5				10					15	

<210> 514
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 514

Leu	Cys	Lys	Phe	Thr	Glu	Trp	Ile	Glu	Lys	Thr	Val	Gln	Ala	Ser
1				5				10					15	

<210> 515
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 515
Met Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg
1 5 10 15

<210> 516
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 516
Val Ser Glu Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln
1 5 10 15

<210> 517
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 517
Glu Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met
1 5 10 15

<210> 518
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 518
Arg Ala Glu Pro Gly Thr Glu Ala Arg Arg His Tyr Asp Glu Gly
1 5 10 15

<210> 519
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 519
Arg Ala Glu Pro Gly Thr Glu Ala Arg Arg Asn Tyr Asp Glu Gly Cys
1 5 10 15
Gly

<210> 520
<211> 25
<212> PRT
<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 520

Val	Gly	Glu	Gly	Leu	Tyr	Gln	Gly	Val	Pro	Arg	Ala	Glu	Pro	Gly	Thr
1				5				10					15		
Glu	Ala	Arg	Arg	His	Tyr	Asp	Glu	Gly							
			20				25								

<210> 521

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 521

Ala	Pro	Phe	Pro	Asn	Gly	His	Val	Gly	Ala	Gly	Gly	Ser	Gly	Leu	Leu
1				5				10					15		
Pro	Pro	Pro	Pro	Ala											
				20											

<210> 522

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 522

Leu	Leu	Val	Val	Pro	Ala	Ile	Lys	Lys	Asp	Tyr	Gly	Ser	Gln	Glu	Asp
1				5				10					15		
Phe	Thr	Gln	Val												
			20												

<210> 523

<211> 254

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<220>

<221> VARIANT

<222> (1)...(254)

<223> Xaa = any amino acid

<400> 523

Met	Ala	Thr	Ala	Gly	Asn	Pro	Trp	Gly	Trp	Phe	Leu	Gly	Tyr	Leu	Ile
1				5				10					15		
Leu	Gly	Val	Ala	Gly	Ser	Leu	Val	Ser	Gly	Ser	Cys	Ser	Gln	Ile	Ile
			20				25					30			
Asn	Gly	Glu	Asp	Cys	Ser	Pro	His	Ser	Gln	Pro	Trp	Gln	Ala	Ala	Leu
		35					40					45			

Val Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln
 50 55 60
 Trp Val Leu Ser Ala Thr His Cys Phe Gln Asn Ser Tyr Thr Ile Gly
 65 70 75 80
 Leu Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met
 85 90 95
 Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu
 100 105 110
 Leu Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu
 115 120 125
 Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala
 130 135 140
 Gly Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg
 145 150 155 160
 Met Pro Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu Glu
 165 170 175
 Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys
 180 185 190
 Ala Gly Gly Gly Gln Xaa Gln Xaa Asp Ser Cys Asn Gly Asp Ser Gly
 195 200 205
 Gly Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly
 210 215 220
 Lys Ala Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn Leu
 225 230 235 240
 Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
 245 250

<210> 524

<211> 765

<212> DNA

<213> Homo sapien

<400> 524

atggccacag caggaaatcc ctggggctgg ttctctgggt acctcactct tgggtgtcgca 60
 ggatcgctcg tctctggttag ctgcagccaa atcataaacg gcgaggactg cagcccgcac 120
 tcgcagccct ggcaggcggc actggtcatg gaaaacgaat tggtctgctc gggcgctctg 180
 gtgcattcgc agtgggtgct gtcagccgca cactgtttcc agaactccta caccatcggt 240
 ctgggcctgc acagtcttga ggccgaccaa gagccaggga gccagatggt ggaggccagc 300
 ctctccgtac ggcacccaga gtacaacaga cccttgctcg ctaacgacct catgctcatc 360
 aagttggacg aatccgtgtc cgagtctgac accatccgga gcatcagcat tgcttcgcag 420
 tgccctaccg cggggaaactc ttgcctcggt tctggctggg gtctgctggc gaacggcaga 480
 atgcctaccg tgctgcagtg cgtgaacgtg tcggtggtgt ctgaggaggt ctgcagtaag 540
 ctctatgacc cgctgtacca cccagcatg ttctgcgccg gcggagggca agaccagaag 600
 gactcctgca acggtgactc tggggggccc ctgatctgca acgggtactt gcagggcctt 660
 gtgtctttcg gaaaagcccc gtgtggccaa gttggcgtgc cagggtgtcta caccaacctc 720
 tgcaaatcca ctgagtggat agagaaaacc gtccaggcca gtttaa 765

<210> 525

<211> 254

<212> PRT

<213> Homo sapien

<400> 525

Met Ala Thr Ala Gly Asn Pro Trp Gly Trp Phe Leu Gly Tyr Leu Ile
 1 5 10 15
 Leu Gly Val Ala Gly Ser Leu Val Ser Gly Ser Cys Ser Gln Ile Ile
 20 25 30
 Asn Gly Glu Asp Cys Ser Pro His Ser Gln Pro Trp Gln Ala Ala Leu

180

35	40	45
Val Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln		
50	55	60
Trp Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly		
65	70	75
Leu Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met		
85	90	95
Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu		
100	105	110
Leu Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu		
115	120	125
Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala		
130	135	140
Gly Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg		
145	150	155
Met Pro Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu Glu		
165	170	175
Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys		
180	185	190
Ala Gly Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly		
195	200	205
Gly Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly		
210	215	220
Lys Ala Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn Leu		
225	230	235
Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser		
245	250	

<210> 526

<211> 963

<212> DNA

<213> Homo sapiens

<400> 526

```

atgagttcct gcaacttcac acatgccacc tttgtgctta ttggtatccc aggattagag 60
aaagcccatt tctgggttgg cttccccctc ctttccatgt atgtagtggc aatgtttggg 120
aactgcatcg tggcttccat cgtaaggacg gaacgcagcc tgcacgctcc gatgtacctc 180
tttctctgca tgcttgacgc cattgacctg gccttatcca catccaccat gcctaagatc 240
cttgcccttt tctggtttga ttcccgagag attagctttg aggccctgtct taccagatg 300
ttctttattc atgccctctc agccattgaa tccaccatcc tgctggccat ggcctttgac 360
cgttatgtgg ccatctgcc aacctgcgc catgctgcag tgcacaaca tacagtaaca 420
gcccagattg gcatcgtggc tgtggtcgc ggatccctct ttttttccc actgcctctg 480
ctgatcaagc ggctggcctt ctgccactcc aatgtctct cgcactccta ttgtgtccac 540
caggatgtaa tgaagtggc ctatgcagac actttgccca atgtggtata tggcttact 600
gccattctgc tggatcatggc cgtggacgta atgttcatct ccttgctcta tttctgata 660
atacgaacgg ttctgcaact gccttccaag tcagagcggg ccaaggcctt tggaacctgt 720
gtgtcacaca ttggtgtggt actgccttc tatgtgccac ttattggcct ctcagttgta 780
caccgctttg gaaacagcct tcatccatt gtgcgtgttg tcatgggtga catctacctg 840
ctgtgcctc ctgtcatcaa tcccatcatc tatggtgcc aaacaaaca gatcagaaca 900
cgggtgctgg ctatgttcaa gatcagctgt gacaaggact tgcaggctgt gggaggcaag 960
tga

```

<210> 527

<211> 320

<212> PRT

<213> Homo sapiens

<400> 527

Met Ser Ser Cys Asn Phe Thr His Ala Thr Phe Val Leu Ile Gly Ile
 5 10 15
 Pro Gly Leu Glu Lys Ala His Phe Trp Val Gly Phe Pro Leu Leu Ser
 20 25 30
 Met Tyr Val Val Ala Met Phe Gly Asn Cys Ile Val Val Phe Ile Val
 35 40 45
 Arg Thr Glu Arg Ser Leu His Ala Pro Met Tyr Leu Phe Leu Cys Met
 50 55 60
 Leu Ala Ala Ile Asp Leu Ala Leu Ser Thr Ser Thr Met Pro Lys Ile
 65 70 75 80
 Leu Ala Leu Phe Trp Phe Asp Ser Arg Glu Ile Ser Phe Glu Ala Cys
 85 90 95
 Leu Thr Gln Met Phe Phe Ile His Ala Leu Ser Ala Ile Glu Ser Thr
 100 105 110
 Ile Leu Leu Ala Met Ala Phe Asp Arg Tyr Val Ala Ile Cys His Pro
 115 120 125
 Leu Arg His Ala Ala Val Leu Asn Asn Thr Val Thr Ala Gln Ile Gly
 130 135 140
 Ile Val Ala Val Val Arg Gly Ser Leu Phe Phe Phe Pro Leu Pro Leu
 145 150 155 160
 Leu Ile Lys Arg Leu Ala Phe Cys His Ser Asn Val Leu Ser His Ser
 165 170 175
 Tyr Cys Val His Gln Asp Val Met Lys Leu Ala Tyr Ala Asp Thr Leu
 180 185 190
 Pro Asn Val Val Tyr Gly Leu Thr Ala Ile Leu Leu Val Met Gly Val
 195 200 205
 Asp Val Met Phe Ile Ser Leu Ser Tyr Phe Leu Ile Ile Arg Thr Val
 210 215 220
 Leu Gln Leu Pro Ser Lys Ser Glu Arg Ala Lys Ala Phe Gly Thr Cys
 225 230 235 240
 Val Ser His Ile Gly Val Val Leu Ala Phe Tyr Val Pro Leu Ile Gly
 245 250 255
 Leu Ser Val Val His Arg Phe Gly Asn Ser Leu His Pro Ile Val Arg
 260 265 270
 Val Val Met Gly Asp Ile Tyr Leu Leu Leu Pro Pro Val Ile Asn Pro
 275 280 285
 Ile Ile Tyr Gly Ala Lys Thr Lys Gln Ile Arg Thr Arg Val Leu Ala
 290 295 300
 Met Phe Lys Ile Ser Cys Asp Lys Asp Leu Gln Ala Val Gly Gly Lys

305

310

315

320

<210> 528
<211> 20
<212> DNA
<213> Homo Sapien

<400> 528
actatgggtcc agaggctgtg

20

<210> 529
<211> 20
<212> DNA
<213> Homo Sapien

<400> 529
atcacctatg tgccgcctct

20

<210> 530
<211> 1852
<212> DNA
<213> Homo sapiens

<400> 530
ggcagcagaa ttaaaaccct cagcaaaaaca ggcatagaag ggacatacct taaagtaata 60
aaaaccacct atgacaagcc cacagccaac ataatactaa atgggggaaaa gttagaagca 120
tttcctctga gaactgcaac aataaataca aggatgctgg attttgtcaa atgccttttc 180
tgtgtctgtt gagatgctta tgtgactttg cttttaattc tgtttatgtg attatcacat 240
ttattgactt gcctgtgtta gaccggaaga gctgggggtg ttctcaggag ccaccgtgtg 300
ctgcggcagc ttcgggataa cttgaggctg catcactggg gaagaaacac aytctgtctc 360
gtggcgctga tggctgagga cagagcttca gtgtggcttc tctgcgactg gcttcttcgg 420
ggagtctctc cttcatagt tcatccatag gctccagagg aaaattatat tattttgtta 480
tggatgaaga gtattacgtt gtgcagatat actgcagtgt cttcatctct tgatgtgtga 540
ttgggtaggt tccaccatgt tgccgcagat gacatgattt cagtacctgt gtctggctga 600
aaagtgtttg tttgtgaatg gatattgtgg tttctggatc tcatcctctg tgggtggaca 660
gctttctcca ccttgctgga agtgacctgc tgtccagaag tttgatggct gaggagtata 720
ccactgtgca ttcctcttct atttctctga tttctctctc cctggatgga cagggggagc 780
ggcaagagca acgtgggcac ttctggagac cacaacgact cctctgtgaa gacgcttggg 840
agcaagaggt gcaagtgggt ctgccactgc tttccctgct gcagggggag cggcaagagc 900
aacgtggctg cttggggaga ctacgatgac agcgcttca tggatcccag gtaccacgtc 960
catggagaag atctggacaa gctccacaga gctgcctggg ggggtaaaag cccagaaaag 1020
gatctcatcg tcatgctcag ggacacggat gtgaacaaga gggacaagca aaagaggact 1080
gctctacatc tggcctctgc caatgggaat tcagaagtag taaaactcgt gctggacaga 1140
cgatgtcaac ttaatgtcct tgacaacaaa aagaggacag ctctgacaaa ggccgtacaa 1200
tgccaggaag atgaatgtgc gttaatgttg ctggaacatg gcaactgatcc aaatattcca 1260
gatgagtatg gaaataccac tctacactat gctgtctaca atgaagataa attaattggc 1320
aaagcactgc tcttatacgg tgctgatata gaatcaaaaa acaagcatgg cctcacacca 1380
ctgctacttg gtatacatga gcaaaaacag caagtgggtg aatttttaat caagaaaaaa 1440
gcgaatttaa atgcgctgga tagatatgga agaactgctc tcatacttgc tgtatgttgt 1500
ggatcagcaa gtatagtcag ccctctactt gagcaaaatg ttgatgtatc ttctcaagat 1560
ctggaaagac ggccagagag tatgctgttt ctagtcatca tcatgtaatt tgccagttac 1620
tttctgacta caaagaaaaa cagatgttaa aaatctcttc tgaaaacagc aatccagaac 1680
aagacttaaa gctgacatca gaggaagagt cacaaaggct taaaggaagt gaaaacagcc 1740
agccagagct agaagattta tggctattga agaagaatga agaacacgga agtactcatg 1800
tgggattccc agaaaacctg actaacgggtg ccgctgctgg caatgggtgat ga 1852

<210> 531
<211> 879

<212> DNA

<213> Homo sapiens

<400> 531

```

atgcatcttt catttctgc atttcttct ccctggatgg acagggggag cggcaagagc 60
aacgtgggca cttctggaga ccacaacgac tcctctgtga agacgcttgg gagcaagagg 120
tgcaagtggg gctgccactg cttcccctgc tgcaggggga gcggcaagag caacgtgggc 180
gcttggggag actacgatga cagcgcttc atggatccca ggtaccacgt ccatggagaa 240
gatctggaca agctccacag agctgcttgg tggggtaaag tccccagaaa ggatctcatc 300
gtcatgctca gggacacgga tgtgaacaag agggacaagc aaaagaggac tgctctacat 360
ctggcctctg ccaatgggaa ttcagaagta gtaaaactcg tgctggacag acgatgtcaa 420
cttaatgtcc ttgacaacaa aaagaggaca gctctgacaa aggccgtaca atgccaggaa 480
gatgaatgtg cgттаатgtt gctggaacat ggcactgatc caaatattcc agatgagtat 540
ggaaatacca ctctacacta tgctgtctac aatgaagata aattaatggc caaagcactg 600
ctcttatacg gtgctgatat cgaatcaaaa aacaagcatg gcctcacacc actgctactt 660
ggtatacatg agcaaaaaca gcaagtgggt aaatttttaa tcaagaaaaa agcgaattta 720
aatgcgctgg atagatatgg aagaactgct ctcatacttg ctgtatgttg tggatcagca 780
agtatagtca gccctctact tgagcaaaat gttgatgtat cttctcaaga tctggaaaga 840
cggccagaga gtatgctgtt tctagtcac atcatgtaa 879

```

<210> 532

<211> 292

<212> PRT

<213> Homo sapiens

<400> 532

```

Met His Leu Ser Phe Pro Ala Phe Leu Pro Pro Trp Met Asp Arg Gly
      5              10              15

Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp His Asn Asp Ser Ser
      20              25              30

Val Lys Thr Leu Gly Ser Lys Arg Cys Lys Trp Cys Cys His Cys Phe
      35              40              45

Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val Val Ala Trp Gly Asp
      50              55              60

Tyr Asp Asp Ser Ala Phe Met Asp Pro Arg Tyr His Val His Gly Glu
      65              70              75              80

Asp Leu Asp Lys Leu His Arg Ala Ala Trp Trp Gly Lys Val Pro Arg
      85              90              95

Lys Asp Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys Arg Asp
      100             105             110

Lys Gln Lys Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly Asn Ser
      115             120             125

Glu Val Val Lys Leu Val Leu Asp Arg Arg Cys Gln Leu Asn Val Leu
      130             135             140

Asp Asn Lys Lys Arg Thr Ala Leu Thr Lys Ala Val Gln Cys Gln Glu
      145             150             155             160

Asp Glu Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro Asn Ile
      165             170             175

```


Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Val Tyr Asn Glu
 180 185 190

Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu
 195 200 205

Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu Leu Gly Ile His Glu
 210 215 220

Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu
 225 230 235 240

Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu Ile Leu Ala Val Cys
 245 250 255

Cys Gly Ser Ala Ser Ile Val Ser Pro Leu Leu Glu Gln Asn Val Asp
 260 265 270

Val Ser Ser Gln Asp Leu Glu Arg Arg Pro Glu Ser Met Leu Phe Leu
 275 280 285

Val Ile Ile Met
 290

<210> 533
 <211> 801
 <212> DNA
 <213> Homo sapiens

<400> 533
 atgtacaagc ttcagtgcac caactgtgct acaaattggag ccacagagag gaaacaagca 60
 gcaggctcag gagcagggtg tgcgctgcct tcggctctcc aatccatgcc tcagggtctcc 120
 tatgccactg cagcattctt gggttgccaag aggccaaacca caggccatct tgagaaggag 180
 tttatgttcc actgcagaaa gcagccagga tcaccatcca ggggacttgg tcttctgttg 240
 ccctggccag acatagaatt tgtgccaagg caggacaagc tcactcagag cagcgtgtta 300
 gtacctcaaa tctgtgcgtg ccagacaagg ccaaactggc tcaatgagca accagccacc 360
 tctgcagggg tgcgtctgga ggaggtggac cagccaccaa ccttaccag tcaaggaagt 420
 ggatggccat gttcccacag cctgagtggc tgccacctga tggctgatat agcaaaggcc 480
 ttaggaaaag cagatggccc ttggccctac ctttttggtta gaagaactga tgttccatgt 540
 cctgcagcga gtgaggttgg tggctgtgcc ccagctcct ggcacacct cgcagaggtg 600
 actggttgc ttttagagccc tcttagcctt gccagcatg cacaagcctc agtgctacta 660
 ctgtgctaca aatggagcca tataggggaa acgagcagcc atctcaggag caaggtgtat 720
 gctgcctttg ggggctccag tccttgccctc aagggtctta tgtcactgtg ggcttcttgg 780
 ttgccaagag gcagaccata g 801

<210> 534
 <211> 266
 <212> PRT
 <213> Homo sapiens

<400> 534
 Met Tyr Lys Leu Gln Cys Asn Asn Cys Ala Thr Asn Gly Ala Thr Glu
 5 10 15

Arg Lys Gln Ala Ala Gly Ser Gly Ala Gly Tyr Ala Leu Pro Ser Ala
 20 25 30

Leu Gln Ser Met Pro Gln Gly Ser Tyr Ala Thr Ala Arg Phe Leu Val
 35 40 45
 Ala Lys Arg Pro Thr Thr Gly His Leu Glu Lys Glu Phe Met Phe His
 50 55 60
 Cys Arg Lys Gln Pro Gly Ser Pro Ser Arg Gly Leu Gly Leu Leu Trp
 65 70 75 80
 Pro Trp Pro Asp Ile Glu Phe Val Pro Arg Gln Asp Lys Leu Thr Gln
 85 90 95
 Ser Ser Val Leu Val Pro Gln Ile Cys Ala Cys Gln Thr Arg Pro Asn
 100 105 110
 Trp Leu Asn Glu Gln Pro Ala Thr Ser Ala Gly Val Arg Leu Glu Glu
 115 120 125
 Val Asp Gln Pro Pro Thr Leu Pro Ser Gln Gly Ser Gly Trp Pro Cys
 130 135 140
 Ser His Ser Leu Ser Gly Cys His Leu Met Ala Asp Ile Ala Lys Ala
 145 150 155 160
 Leu Gly Lys Ala Asp Gly Pro Trp Pro Tyr Leu Phe Val Arg Arg Thr
 165 170 175
 Asp Val Pro Cys Pro Ala Ala Ser Glu Val Gly Gly Cys Ala Pro Ser
 180 185 190
 Ser Trp His Thr Leu Ala Glu Val Thr Gly Cys Ser Leu Ser Pro Leu
 195 200 205
 Ser Leu Ala Gln His Ala Gln Ala Ser Val Leu Leu Leu Cys Tyr Lys
 210 215 220
 Trp Ser His Ile Gly Glu Thr Ser Ser His Leu Arg Ser Lys Val Tyr
 225 230 235 240
 Ala Ala Phe Gly Gly Ser Ser Pro Cys Leu Lys Gly Leu Met Ser Leu
 245 250 255
 Trp Ala Ser Trp Leu Pro Arg Gly Arg Pro
 260 265

<210> 535

<211> 6082

<212> DNA

<213> Homo sapiens

<400> 535

cctccactat tacagcttat aggaaattac aatccacttt acaggcctca aaggttcatt 60
 ctggccgagc ggacaggcgt ggcggccgga gccccagcat cctgcttga ggtccaggag 120
 cggagccccgc ggccactgcc gcctgatcag cgcgaccccg gccgcgccc gccccgccc 180
 gcaagatgct gcccggttac caggaggtag agcccaacc gctgcaggac gcgaacctct 240
 gctcacgcgt gttcttctgg tggctcaatc ccttggttaa aattggccat aaacggagat 300

tagaggaaga tgatatgtat tcagtgtcgc cagaagaccg ctcacagcac cttggagagg 360
 agttgcaagg gttctgggat aaagaagttt taagagctga gaatgacgca cagaagcctt 420
 ctttaacaag agcaatcata aagtgttact ggaaatotta tttagttttg ggaattttta 480
 cgtaattga ggaagtgcc aaagtaatcc agcccatatt tttgggaaaa attattaatt 540
 attttgaaaa ttatgatccc atggattctg tggctttgaa cacagcgtae gcctatgcca 600
 cgggtgctgac tttttgcacg ctcatttttg ctatactgca tcacttatat ttttatcacg 660
 ttcagtgtgc tgggatgagg ttacgagtag ccatgtgcca tatgatttat cggaaggcac 720
 ttcgtcttag taacatggcc atggggaaga caaccacagg ccagatagtc aatctgctgt 780
 ccaatgatgt gaacaagttt gatcaggtga cagtgttctt acacttcctg tgggcaggac 840
 cactgcaggc gatcgagtg actgcctac tctggatgga gataggaata tctgtccttg 900
 ctgggatggc agttctaate attctcctgc ccttgcaaag ctgttttggg aagttgttct 960
 catcactgag gagtaaaact gcaactttca cggatgccag gatcaggacc atgaatgaag 1020
 ttataactgg tataaggata ataaaaatgt acgcttggga aaagtcattt tcaaatctta 1080
 ttaccaatth gagaagaag gagatttcca agattctgag aagttcctgc ctcaggggga 1140
 tgaatttggc ttcgtttttc agtgcaagca aaatcatcgt gtttgtgacc ttcaccacct 1200
 acgtgctcct cggcagtggt atcacagcca gccgcgtgtt cgtggcagtg acgtgtatg 1260
 gggctgtgag gctgacgggt accctcttct tccccctcagc cattgagagg gtgtcagagg 1320
 caatcgtag catccgaaga atccagacct ttttgcact tgatgagata tcacagcgca 1380
 accgtcagct gccgtcagat ggtaaaaaga tgggtcatgt gcaggatttt actgcttttt 1440
 gggataaggc atcagagacc ccaactctac aaggcctttc ctttactgtc agacctggcg 1500
 aattgttagc tgtggtcggc cccgtgggag caggggaagtc atcactgtta agtgccgtgc 1560
 tcggggaatt ggcccaagt cacgggctgg tcagcgtgca tggagaatt gcctatgtgt 1620
 ctcagcagcc ctgggtgttc tcgggaactc tgaggagtaa tattttattt gggagaatat 1680
 acgaaaaagg acgatatgaa aaagtcataa aggcctgtgc tctgaaaaag gatttacagc 1740
 tgttgaggga tgggtgatctg actgtgatag gagatcgggg aaccacgctg agtggagggc 1800
 agaaagcagc ggtaaacctt gcaagagcag tgtatcaaga tgcagacatc tatctcctgg 1860
 acgatcctct cagtgcagta gatgcggaag ttagcagaca cttgttcgaa ctgtgtattt 1920
 gtcaaattht gcatgagaag atcacaatth tagtgactca tcagtgcag tacctcaaa 1980
 ctgcaagtca gattctgata ttgaaagatg gtaaaatggt gcagaagggg acttacactg 2040
 agttcctaaa atctggtata gattttggct cccctttaaa gaaggataat gaggaaagt 2100
 aacaacctcc agttccagga actccacac taaggaaatcg taccttctca gagtcttcgg 2160
 tttggtctca acaatcttct agacctctc tgaaagatgg tgctctggag agccaagata 2220
 cagagaatgt cccagttaca ctatcagagg agaaccgttc tgaaggaaaa gttggttttc 2280
 aggcctataa gaattacttc agagctggtg ctcactggat tgtcttcatt ttccttatte 2340
 tcctaaacac tgcagctcag gttgcctatg tgcttcaaga ttggtggctt tcatactggg 2400
 caaacaacaa aagtatgcta aatgtcactg taaaatggag aggaatgta accgagaagc 2460
 tagatcttaa atcgtactta ggaatttatt cagggttaac tgtagctacc gttctttttg 2520
 gcatagcaag atctctattg gtattctacg tccttggtta ctcttcacaa actttgcaca 2580
 acaaatgtt tgagtcaatt ctgaaagctc cgggtattatt ctttgataga aatccaatag 2640
 gaagaatttt aaatcgtttc tccaaagaca ttggacactt ggatgatttg ctgccgctga 2700
 cgtttttaga tttcatccag acattgtctac aagtggttg tgtggtctct gtggctgtgg 2760
 ccgtgattec ttggatcgca ataccttggt tcccccttg aatcattttc atttttcttc 2820
 ggcgatattt tttgaaaag tcaagagatg tgaagcgctt ggaatctaca actcggagtc 2880
 cagtgttttc ccactgtca tcttctctcc aggggctctg gaccatccgg gcatacaaag 2940
 cagaagagag gtgtcaggaa ctggttgatg cacaccagga tttacattca gaggttggt 3000
 tcttgttttt gacaacgtcc cgctggttcg ccgtccgtct ggatgccatc tgtgccatgt 3060
 ttgtcatcat cgttgccctt gggtccctga ttctggcaaa aactctggat gccgggcagg 3120
 ttggtttggc actgtcctat gccctcacgc tcatggggat gtttcagtgg tgtgttcgac 3180
 aaagtgtgga agttgagaat atgatgatct cagtagaaag ggtcattgaa tacacagacc 3240
 ttgaaaaaga agcaccttg gaatatcaga aacgcccacc accagcctgg ccccatgaag 3300
 gagtataat ctttgacaat gtgaacttca tgcagctcc aggtgggcct ctggtagtga 3360
 agcatctgac agcatcatt aaatcacaa aaaagggttg cattgtggga agaaccggag 3420
 ctggaaaaag ttcctcatc tcagcccttt ttagattgtc agaaccggaa ggtaaaaatt 3480
 ggattgataa gatcttgaca actgaaattg gacttcacga ttttaaggaa aaaatgtcaa 3540
 tcatacctca ggaacctgt ttgttactg gaacaatgag gaaaaacctg gatcccttta 3600
 atgagcacac ggatgaggaa ctgtggaatg ccttacaaga ggtacaactt aaagaaacca 3660
 ttgaagatct tcctggtaaa atggatactg aattagcaga atcaggatcc aatttttagt 3720
 ttggacaaa acaactggtg tgccttgcca gggcaattct caggaataat cagatattga 3780

```

ttattgatga agcgacggca aatgtggatc caagaactga tgagttaata caaaaaaaat 3840
ccgggagaaaa tttgccact gcaccgtgct aaccattgca cacagattga acaccattat 3900
tgacagcgac aagataatgg ttttagattc aggaagactg aaagaatatg atgagccgta 3960
tgttttgctg caaaataaag agagcctatt ttacaagatg gtgcaacaac tgggcaaggc 4020
agaagccgct gccctcactg aaacagcaaa acaggtatac ttcaaaagaa attatccaca 4080
tattggtcac actgaccaca tggttacaaa cacttccaat ggacagccct cgaccttaac 4140
tattttcgag acagcactgt gaatccaacc aaaatgtcaa gtccgttccg aaggcatttg 4200
ccactagttt ttggactatg taaaccacat tgtacttttt ttacttttg caacaaatat 4260
ttatacatag aagatgctag ttcatttgaa tatttctccc aacttatcca aggatctcca 4320
gctctaacaa aatggtttat ttttatttaa atgtcaatag ttgtttttta aaatccaaat 4380
cagaggtgca ggccaccagt taaatgccgt ctatcaggtt ttgtgectta agagactaca 4440
gagtcaaagc tcatttttaa aggagtagga cagagttgtc acaggttttt gttgtgtgtt 4500
ttattgcccc caaaattaca tgtaattttc catttatatc agggattcta tttacttgaa 4560
gactgtgaag ttgccatttt gtctcattgt tttctttgac ataactagga tccattattt 4620
cccctgaagg cttcttgtaa gaaaatagta cagttacaac caataggaa aacaaaaaga 4680
aaaagtttgt gacattgtag tagggagtgt gtaccctta ctcccatca aaaaaaaa 4740
tggatacatg gtaaaaggat agaagggcaa tattttatca tatgttctaa aagagaagga 4800
agagaaaaata ctactttctc aaaatggaag cccttaaagg tgctttgata ctgaaggaca 4860
caaagtgtac cgtccatcct ccttttagat tgcattgact ggacacggtg actgttgtag 4920
tttttagactc agcattgtga cacttcccaa gaaggccaaa cctctaaccg acattcctga 4980
aatacgtggc attattcttt tttggatttc tcatttatgg aaggctaacc ctctgttgac 5040
tgtaagcctt ttggtttggg ctgtattgaa atcctttcta aattgcatga ataggctctg 5100
ctaacgtgat gagacaaact gaaaattatt gcaagcattg actataatta tgcagtacgt 5160
tctcaggatg catccagggg ttcattttca tgagcctgtc caggttagtt tactcctgac 5220
cactaatagc attgtcattt gggctttctg ttgaatgaat caacaaacca caatacttcc 5280
tgggaccttt tgtactttat ttgaactatg agtctttaat ttttctgat gatggtggct 5340
gtaatatggt gagttcagtt tactaaaggt tttactatta tggtttgaag tggagtctca 5400
tgacctctca gaataagggtg tcacctccct gaaattgcat atatgtatat agacatgcac 5460
acgtgtgcat ttgtttgtat acatatattt gtccttcgta tagcaagttt tttgctcatc 5520
agcagtagc aacagatgtt ttattgagtg aagccttaaa aagcacacac cacacacagc 5580
taactgccaa aatacattga ccgtagtagc tgttcaactc ctagtactta gaaatacacg 5640
tatggttaat gttcagtcca acaaaccaca cacagtaaat gtttattaat agtcatggtt 5700
cgtatttttag gtgactgaaa ttgcaacagt gatcataatg aggtttgtta aaatgatagc 5760
tatattcaaa atgtctatat gtttatttgg acttttgagg ttaaagacag tcatataaac 5820
gtcctgtttc tgttttaatg ttatcataga attttttaat gaaactaaat tcaattgaaa 5880
taaatgatag ttttctctc caaaaaaaag gcggccgctc gagtctagag 5940
ggccccgtta aaccgctga tcagcctcga ctgtgecttc tagttgccag ccactctgtg 6000
tttgcctctc ccccggtgct tccttgacct tggaagggtg cactccact gtcctttcct 6060
aataaaatga ggaaattgca tc                                     6082

```

<210> 536

<211> 6140

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (4535)

<223> n=A,T,C or G

<400> 536

```

cagtggcgca gtctcagctc actgcagcct ccacctctg tgttcaagca gtcctcctgc 60
ctcagccacc agactagcag gtctcccccg cctctttctt ggaaggacac ttgccattgg 120
atttaggacc cacttgata atccaggatg atgtcttcac tccaacatcc tcagttaa 180
tccatgtgca aatacccttt tcccaaataa cattcaattc tttaccagga aagggtggctc 240
aatcccttgt ttaaaattgg ccataaacgg agattagagg aagatgatat gtattcagtg 300
ctgccagaag accgctcaca gcaccttgga gaggagtgc aagggttctg ggataaagaa 360
gttttaagag ctgagaatga cgcacagaag ccttctttaa caagagcaat cataaagtgt 420

```

```

tactggaaat cttatattagt tttgggaatt tttacgttaa ttgaggaaag tgccaaagta 480
atccagccca tatttttggg aaaaattatt aattattttg aaaattatga tcccatggat 540
tctgtggctt tgaacacagc gtacgcctat gccacggtgc tgactttttg cacgctcatt 600
ttggctatac tgcatacctt atatttttat cacgttcagt gtgctgggat gaggttacga 660
gtagccatgt gccatatgat ttatcgggaag gcacttcgtc ttagtaacat ggccatgggg 720
aagacaacca caggccagat agtcaatctg ctgtccaatg atgtgaacaa gtttgatcag 780
gtgacagtgt tcttacactt cctgtgggca ggaccactgc aggcgatcgc agtgactgcc 840
ctactctgga tggagatagg aatatcgtgc cttgctggga tggcagttct aatcattctc 900
ctgcctttgc aaagctgttt tgggaagttg ttctcatcac tgaggagtaa aactgcaact 960
ttcacggatg ccaggatcag gaccatgaat gaagttataa ctggtataag gataataaaa 1020
atgtacgcct gggaaaagtc attttcaaat cttattacca atttgagaaa gaaggagatt 1080
tccaagattc tgagaagttc ctgctcagg gggatgaatt tggcttcgtt tttcagtgc 1140
agcaaaatca tegtgtttgt gaccttcacc acctacgtgc tcctcggcag tgtgatcaca 1200
gccagccgcy tgttcgtggc agtgacgctg tatggggctg tgcggctgac ggttaccctc 1260
ttcttccctc cagccattga gaggtgtca gaggcaatcg tcagcatccg aagaatccag 1320
acctttttgc tacttgatga gatatacag cgcaaccgtc agctgccgtc agatggtaaa 1380
aagatggtgc atgtgcagga ttttactgct ttttgggata aggcatacaga gaccccaact 1440
ctacaaggcc tttcctttac tgtcagacct ggcgaaattgt tagctgtggt cggccccgtg 1500
ggagcagggg agtcatcact gttaagtgcc gtgctcgggg aattggcccc aagtacaggg 1560
ctggtcagcg tgcataagaa aattgcctat gtgtctcagc agccctgggt gttctcggga 1620
actctgagga gtaatatatt atttgggaag aaatacgaag aggaacgata tgaaaaagtc 1680
ataaaggctt gtgctctgaa aaaggattta cagctgttgg aggatggtga tctgactgtg 1740
ataggagatc ggggaaccac gctgagtgga gggcagaaag cacgggtaaa ccttgcaaga 1800
gcagtgtatc aagatgctga catctatctc ctggacgac ctctcagtg agtagatgcg 1860
gaagttagca gacactgtt cgaactgtgt atttgtcaaa ttttgcatga gaagatcaca 1920
attttagtga ctcatcagtt gcagtacctc aaagctgcaa gtcagattct gatattgaaa 1980
gatggtaaaa tgggtgcaga ggggacttac actgagttcc taaaatctgg tatagatttt 2040
ggctcccttt taaagaagga taatgaggaa agtgaaacac ctccagttcc aggaactccc 2100
acactaagga atcgtaacct ctcagagtct tgggttgggt ctcaacaatc ttctagaccc 2160
tccttgaaag atggtgctct ggagagccaa gatacagaga atgtcccagt tacactatca 2220
gaggagaacc gttctgaagg aaaagtgggt tttcaggcct ataagaatta cttcagagct 2280
ggtgctcact ggattgtctt cattttctt attctcctaa aactgcagc tcaggttgcc 2340
tatgtgcttc aagattggtg gctttcatac tgggcaaaac aacaaagtat gctaaatgtc 2400
actgtaaatg gaggaggaaa tgtaaccgag aagctagatc ttaactggta cttaggaatt 2460
tattcaggtt taactgtagc taccgttctt tttggcatag caagatctct attggtattc 2520
tacgtccttg ttaactctc acaaaacttg cacaacaaaa tgtttgagtc aattctgaaa 2580
gctccggtat tattctttga tagaaatcca ataggaagaa ttttaaatcg tttctccaaa 2640
gacattggac acttggatga tttgctgccg ctgacgtttt tagatttcat ccagacattg 2700
ctacaagtgg ttggtgtggt ctctgtggct gtggccgtga ttccttggat cgcaataccc 2760
ttggttcccc ttggaatcat tttcattttt cttcggcgat attttttggg aacgtcaaga 2820
gatgtgaagc gcctggaatc tacaactcgg agtccagtgt tttcccaact gtcattctt 2880
ctccaggggc tctggaccat ccgggcatac aaagcagaag agaggtgtca ggaactggtt 2940
gatgcacacc aggatttaca ttcagaggct tgggtctgtt ttttgacaac gtcccgtgg 3000
ttcgcgtcc gtctggatgc catctgtgcc atgtttgtca tcatcgttgc ctttgggtcc 3060
ctgattctgg caaaaactct ggatgccggg caggttgggt tggcactgtc ctatgccctc 3120
acgctcatgg ggatgtttca gtggtgtgtt cgacaaagtg ctgaagtga gaatatgatg 3180
atctcagtag aaagggtcat tgaatacaca gacctgaaa aagaagcacc ttgggaaat 3240
cagaaacgcc caccaccagc ctggccccat gaaggagtga taatctttga caatgtgaac 3300
ttcatgtaca gtccaggtgg gcctctggta ctgaagcatc tgacagcact cattaaatca 3360
caagaaaagg ttgcatgtt gggaaagaacc ggagctggaa aaagtccct catctcagcc 3420
cttttagat tgtcagaacc cgaaggtaaa atttggattg ataagatctt gacaactgaa 3480
attggacttc acgatttaag gaagaaaatg tcaatcatac ctcaggaacc tgttttgttc 3540
actggaacaa tgaggaaaaa cctggatccc tttaatgagc acacggatga ggaactgtgg 3600
aatgccttac aagaggtaca acttaaagaa accattgaag atcttcttgg taaaatggat 3660
actgaattag cagaatcagg atccaatttt agtgttggac aaagacaact ggtgtgcctt 3720
gccagggcaa ttctcaggaa aaatcagata ttgattattg atgaagcgac ggcaaatgtg 3780
gatccaagaa ctgatgagtt aatacaaaaa aaaatccggg agaaatttgc ccactgcacc 3840
gtgctaacca ttgcacacag attgaacacc attattgaca gcgacaagat aatggtttta 3900

```

<213> Homo sapiens

Met Leu Pro Val Tyr Gln Glu Val Lys Pro Asn Pro Leu Gln Asp Ala
5 10 15

Asn Leu Cys Ser Arg Val Phe Phe Trp Trp Leu Asn Pro Leu Phe Lys
20 25 30

Ile Gly His Lys Arg Arg Leu Glu Glu Asp Asp Met Tyr Ser Val Leu
35 40 45

Pro Glu Asp Arg Ser Gln His Leu Gly Glu Glu Leu Gln Gly Phe Trp
50 55 60

Asp Lys Glu Val Leu Arg Ala Glu Asn Asp Ala Gln Lys Pro Ser Leu

65		70		75		80
Thr Arg Ala Ile Ile Lys Cys Tyr Trp Lys Ser Tyr Leu Val Leu Gly						
	85			90		95
Ile Phe Thr Leu Ile Glu Glu Ser Ala Lys Val Ile Gln Pro Ile Phe						
	100		105			110
Leu Gly Lys Ile Ile Asn Tyr Phe Glu Asn Tyr Asp Pro Met Asp Ser						
	115		120			125
Val Ala Leu Asn Thr Ala Tyr Ala Tyr Ala Thr Val Leu Thr Phe Cys						
	130		135			140
Thr Leu Ile Leu Ala Ile Leu His His Leu Tyr Phe Tyr His Val Gln						
145		150		155		160
Cys Ala Gly Met Arg Leu Arg Val Ala Met Cys His Met Ile Tyr Arg						
	165		170			175
Lys Ala Leu Arg Leu Ser Asn Met Ala Met Gly Lys Thr Thr Thr Gly						
	180		185			190
Gln Ile Val Asn Leu Leu Ser Asn Asp Val Asn Lys Phe Asp Gln Val						
	195		200			205
Thr Val Phe Leu His Phe Leu Trp Ala Gly Pro Leu Gln Ala Ile Ala						
	210		215			220
Val Thr Ala Leu Leu Trp Met Glu Ile Gly Ile Ser Cys Leu Ala Gly						
225		230		235		240
Met Ala Val Leu Ile Ile Leu Leu Pro Leu Gln Ser Cys Phe Gly Lys						
	245		250			255
Leu Phe Ser Ser Leu Arg Ser Lys Thr Ala Thr Phe Thr Asp Ala Arg						
	260		265			270
Ile Arg Thr Met Asn Glu Val Ile Thr Gly Ile Arg Ile Ile Lys Met						
	275		280			285
Tyr Ala Trp Glu Lys Ser Phe Ser Asn Leu Ile Thr Asn Leu Arg Lys						
	290		295			300
Lys Glu Ile Ser Lys Ile Leu Arg Ser Ser Cys Leu Arg Gly Met Asn						
305		310		315		320
Leu Ala Ser Phe Phe Ser Ala Ser Lys Ile Ile Val Phe Val Thr Phe						
	325		330			335
Thr Thr Tyr Val Leu Leu Gly Ser Val Ile Thr Ala Ser Arg Val Phe						
	340		345			350
Val Ala Val Thr Leu Tyr Gly Ala Val Arg Leu Thr Val Thr Leu Phe						
	355		360			365
Phe Pro Ser Ala Ile Glu Arg Val Ser Glu Ala Ile Val Ser Ile Arg						
	370		375			380

Arg Ile Gln Thr Phe Leu Leu Leu Asp Glu Ile Ser Gln Arg Asn Arg
 385 390 395 400
 Gln Leu Pro Ser Asp Gly Lys Lys Met Val His Val Gln Asp Phe Thr
 405 410 415
 Ala Phe Trp Asp Lys Ala Ser Glu Thr Pro Thr Leu Gln Gly Leu Ser
 420 425 430
 Phe Thr Val Arg Pro Gly Glu Leu Leu Ala Val Val Gly Pro Val Gly
 435 440 445
 Ala Gly Lys Ser Ser Leu Leu Ser Ala Val Leu Gly Glu Leu Ala Pro
 450 455 460
 Ser His Gly Leu Val Ser Val His Gly Arg Ile Ala Tyr Val Ser Gln
 465 470 475 480
 Gln Pro Trp Val Phe Ser Gly Thr Leu Arg Ser Asn Ile Leu Phe Gly
 485 490 495
 Lys Lys Tyr Glu Lys Glu Arg Tyr Glu Lys Val Ile Lys Ala Cys Ala
 500 505 510
 Leu Lys Lys Asp Leu Gln Leu Leu Glu Asp Gly Asp Leu Thr Val Ile
 515 520 525
 Gly Asp Arg Gly Thr Thr Leu Ser Gly Gly Gln Lys Ala Arg Val Asn
 530 535 540
 Leu Ala Arg Ala Val Tyr Gln Asp Ala Asp Ile Tyr Leu Leu Asp Asp
 545 550 555 560
 Pro Leu Ser Ala Val Asp Ala Glu Val Ser Arg His Leu Phe Glu Leu
 565 570 575
 Cys Ile Cys Gln Ile Leu His Glu Lys Ile Thr Ile Leu Val Thr His
 580 585 590
 Gln Leu Gln Tyr Leu Lys Ala Ala Ser Gln Ile Leu Ile Leu Lys Asp
 595 600 605
 Gly Lys Met Val Gln Lys Gly Thr Tyr Thr Glu Phe Leu Lys Ser Gly
 610 615 620
 Ile Asp Phe Gly Ser Leu Leu Lys Lys Asp Asn Glu Glu Ser Glu Gln
 625 630 635 640
 Pro Pro Val Pro Gly Thr Pro Thr Leu Arg Asn Arg Thr Phe Ser Glu
 645 650 655
 Ser Ser Val Trp Ser Gln Gln Ser Ser Arg Pro Ser Leu Lys Asp Gly
 660 665 670
 Ala Leu Glu Ser Gln Asp Thr Glu Asn Val Pro Val Thr Leu Ser Glu
 675 680 685

Glu Asn Arg Ser Glu Gly Lys Val Gly Phe Gln Ala Tyr Lys Asn Tyr
 690 695 700
 Phe Arg Ala Gly Ala His Trp Ile Val Phe Ile Phe Leu Ile Leu Leu
 705 710 715 720
 Asn Thr Ala Ala Gln Val Ala Tyr Val Leu Gln Asp Trp Trp Leu Ser
 725 730 735
 Tyr Trp Ala Asn Lys Gln Ser Met Leu Asn Val Thr Val Asn Gly Gly
 740 745 750
 Gly Asn Val Thr Glu Lys Leu Asp Leu Asn Trp Tyr Leu Gly Ile Tyr
 755 760 765
 Ser Gly Leu Thr Val Ala Thr Val Leu Phe Gly Ile Ala Arg Ser Leu
 770 775 780
 Leu Val Phe Tyr Val Leu Val Asn Ser Ser Gln Thr Leu His Asn Lys
 785 790 795 800
 Met Phe Glu Ser Ile Leu Lys Ala Pro Val Leu Phe Phe Asp Arg Asn
 805 810 815
 Pro Ile Gly Arg Ile Leu Asn Arg Phe Ser Lys Asp Ile Gly His Leu
 820 825 830
 Asp Asp Leu Leu Pro Leu Thr Phe Leu Asp Phe Ile Gln Thr Leu Leu
 835 840 845
 Gln Val Val Gly Val Val Ser Val Ala Val Ala Val Ile Pro Trp Ile
 850 855 860
 Ala Ile Pro Leu Val Pro Leu Gly Ile Ile Phe Ile Phe Leu Arg Arg
 865 870 875 880
 Tyr Phe Leu Glu Thr Ser Arg Asp Val Lys Arg Leu Glu Ser Thr Thr
 885 890 895
 Arg Ser Pro Val Phe Ser His Leu Ser Ser Ser Leu Gln Gly Leu Trp
 900 905 910
 Thr Ile Arg Ala Tyr Lys Ala Glu Glu Arg Cys Gln Glu Leu Phe Asp
 915 920 925
 Ala His Gln Asp Leu His Ser Glu Ala Trp Phe Leu Phe Leu Thr Thr
 930 935 940
 Ser Arg Trp Phe Ala Val Arg Leu Asp Ala Ile Cys Ala Met Phe Val
 945 950 955 960
 Ile Ile Val Ala Phe Gly Ser Leu Ile Leu Ala Lys Thr Leu Asp Ala
 965 970 975
 Gly Gln Val Gly Leu Ala Leu Ser Tyr Ala Leu Thr Leu Met Gly Met
 980 985 990
 Phe Gln Trp Cys Val Arg Gln Ser Ala Glu Val Glu Asn Met Met Ile

Tyr Leu Val Leu Gly Ile Phe Thr Leu Ile Glu Glu Ser Ala Lys Val
 50 55 60
 Ile Gln Pro Ile Phe Leu Gly Lys Ile Ile Asn Tyr Phe Glu Asn Tyr
 65 70 75 80
 Asp Pro Met Asp Ser Val Ala Leu Asn Thr Ala Tyr Ala Tyr Ala Thr
 85 90 95
 Val Leu Thr Phe Cys Thr Leu Ile Leu Ala Ile Leu His His Leu Tyr
 100 105 110
 Phe Tyr His Val Gln Cys Ala Gly Met Arg Leu Arg Val Ala Met Cys
 115 120 125
 His Met Ile Tyr Arg Lys Ala Leu Arg Leu Ser Asn Met Ala Met Gly
 130 135 140
 Lys Thr Thr Thr Gly Gln Ile Val Asn Leu Leu Ser Asn Asp Val Asn
 145 150 155 160
 Lys Phe Asp Gln Val Thr Val Phe Leu His Phe Leu Trp Ala Gly Pro
 165 170 175
 Leu Gln Ala Ile Ala Val Thr Ala Leu Leu Trp Met Glu Ile Gly Ile
 180 185 190
 Ser Cys Leu Ala Gly Met Ala Val Leu Ile Ile Leu Leu Pro Leu Gln
 195 200 205
 Ser Cys Phe Gly Lys Leu Phe Ser Ser Leu Arg Ser Lys Thr Ala Thr
 210 215 220
 Phe Thr Asp Ala Arg Ile Arg Thr Met Asn Glu Val Ile Thr Gly Ile
 225 230 235 240
 Arg Ile Ile Lys Met Tyr Ala Trp Glu Lys Ser Phe Ser Asn Leu Ile
 245 250 255
 Thr Asn Leu Arg Lys Lys Glu Ile Ser Lys Ile Leu Arg Ser Ser Cys
 260 265 270
 Leu Arg Gly Met Asn Leu Ala Ser Phe Phe Ser Ala Ser Lys Ile Ile
 275 280 285
 Val Phe Val Thr Phe Thr Thr Tyr Val Leu Leu Gly Ser Val Ile Thr
 290 295 300
 Ala Ser Arg Val Phe Val Ala Val Thr Leu Tyr Gly Ala Val Arg Leu
 305 310 315 320
 Thr Val Thr Leu Phe Phe Pro Ser Ala Ile Glu Arg Val Ser Glu Ala
 325 330 335
 Ile Val Ser Ile Arg Arg Ile Gln Thr Phe Leu Leu Leu Asp Glu Ile
 340 345 350

Ser Gln Arg Asn Arg Gln Leu Pro Ser Asp Gly Lys Lys Met Val His
 355 360 365
 Val Gln Asp Phe Thr Ala Phe Trp Asp Lys Ala Ser Glu Thr Pro Thr
 370 375 380
 Leu Gln Gly Leu Ser Phe Thr Val Arg Pro Gly Glu Leu Leu Ala Val
 385 390 395 400
 Val Gly Pro Val Gly Ala Gly Lys Ser Ser Leu Leu Ser Ala Val Leu
 405 410 415
 Gly Glu Leu Ala Pro Ser His Gly Leu Val Ser Val His Gly Arg Ile
 420 425 430
 Ala Tyr Val Ser Gln Gln Pro Trp Val Phe Ser Gly Thr Leu Arg Ser
 435 440 445
 Asn Ile Leu Phe Gly Lys Lys Tyr Glu Lys Glu Arg Tyr Glu Lys Val
 450 455 460
 Ile Lys Ala Cys Ala Leu Lys Lys Asp Leu Gln Leu Leu Glu Asp Gly
 465 470 475 480
 Asp Leu Thr Val Ile Gly Asp Arg Gly Thr Thr Leu Ser Gly Gly Gln
 485 490 495
 Lys Ala Arg Val Asn Leu Ala Arg Ala Val Tyr Gln Asp Ala Asp Ile
 500 505 510
 Tyr Leu Leu Asp Asp Pro Leu Ser Ala Val Asp Ala Glu Val Ser Arg
 515 520 525
 His Leu Phe Glu Leu Cys Ile Cys Gln Ile Leu His Glu Lys Ile Thr
 530 535 540
 Ile Leu Val Thr His Gln Leu Gln Tyr Leu Lys Ala Ala Ser Gln Ile
 545 550 555 560
 Leu Ile Leu Lys Asp Gly Lys Met Val Gln Lys Gly Thr Tyr Thr Glu
 565 570 575
 Phe Leu Lys Ser Gly Ile Asp Phe Gly Ser Leu Leu Lys Lys Asp Asn
 580 585 590
 Glu Glu Ser Glu Gln Pro Pro Val Pro Gly Thr Pro Thr Leu Arg Asn
 595 600 605
 Arg Thr Phe Ser Glu Ser Ser Val Trp Ser Gln Gln Ser Ser Arg Pro
 610 615 620
 Ser Leu Lys Asp Gly Ala Leu Glu Ser Gln Asp Thr Glu Asn Val Pro
 625 630 635 640
 Val Thr Leu Ser Glu Glu Asn Arg Ser Glu Gly Lys Val Gly Phe Gln
 645 650 655
 Ala Tyr Lys Asn Tyr Phe Arg Ala Gly Ala His Trp Ile Val Phe Ile

660	665	670
Phe Leu Ile Leu Leu Asn Thr Ala Ala Gln Val Ala Tyr Val Leu Gln 675 680 685		
Asp Trp Trp Leu Ser Tyr Trp Ala Asn Lys Gln Ser Met Leu Asn Val 690 695 700		
Thr Val Asn Gly Gly Gly Asn Val Thr Glu Lys Leu Asp Leu Asn Trp 705 710 715 720		
Tyr Leu Gly Ile Tyr Ser Gly Leu Thr Val Ala Thr Val Leu Phe Gly 725 730 735		
Ile Ala Arg Ser Leu Leu Val Phe Tyr Val Leu Val Asn Ser Ser Gln 740 745 750		
Thr Leu His Asn Lys Met Phe Glu Ser Ile Leu Lys Ala Pro Val Leu 755 760 765		
Phe Phe Asp Arg Asn Pro Ile Gly Arg Ile Leu Asn Arg Phe Ser Lys 770 775 780		
Asp Ile Gly His Leu Asp Asp Leu Leu Pro Leu Thr Phe Leu Asp Phe 785 790 795 800		
Ile Gln Thr Leu Leu Gln Val Val Gly Val Val Ser Val Ala Val Ala 805 810 815		
Val Ile Pro Trp Ile Ala Ile Pro Leu Val Pro Leu Gly Ile Ile Phe 820 825 830		
Ile Phe Leu Arg Arg Tyr Phe Leu Glu Thr Ser Arg Asp Val Lys Arg 835 840 845		
Leu Glu Ser Thr Thr Arg Ser Pro Val Phe Ser His Leu Ser Ser Ser 850 855 860		
Leu Gln Gly Leu Trp Thr Ile Arg Ala Tyr Lys Ala Glu Glu Arg Cys 865 870 875 880		
Gln Glu Leu Phe Asp Ala His Gln Asp Leu His Ser Glu Ala Trp Phe 885 890 895		
Leu Phe Leu Thr Thr Ser Arg Trp Phe Ala Val Arg Leu Asp Ala Ile 900 905 910		
Cys Ala Met Phe Val Ile Ile Val Ala Phe Gly Ser Leu Ile Leu Ala 915 920 925		
Lys Thr Leu Asp Ala Gly Gln Val Gly Leu Ala Leu Ser Tyr Ala Leu 930 935 940		
Thr Leu Met Gly Met Phe Gln Trp Cys Val Arg Gln Ser Ala Glu Val 945 950 955 960		
Glu Asn Met Met Ile Ser Val Glu Arg Val Ile Glu Tyr Thr Asp Leu 965 970 975		

Glu Lys Glu Ala Pro Trp Glu Tyr Gln Lys Arg Pro Pro Pro Ala Trp
 980 985 990
 Pro His Glu Gly Val Ile Ile Phe Asp Asn Val Asn Phe Met Tyr Ser
 995 1000 1005
 Pro Gly Gly Pro Leu Val Leu Lys His Leu Thr Ala Leu Ile Lys Ser
 1010 1015 1020
 Gln Glu Lys Val Gly Ile Val Gly Arg Thr Gly Ala Gly Lys Ser Ser
 1025 1030 1035 1040
 Leu Ile Ser Ala Leu Phe Arg Leu Ser Glu Pro Glu Gly Lys Ile Trp
 1045 1050 1055
 Ile Asp Lys Ile Leu Thr Thr Glu Ile Gly Leu His Asp Leu Arg Lys
 1060 1065 1070
 Lys Met Ser Ile Ile Pro Gln Glu Pro Val Leu Phe Thr Gly Thr Met
 1075 1080 1085
 Arg Lys Asn Leu Asp Pro Phe Asn Glu His Thr Asp Glu Glu Leu Trp
 1090 1095 1100
 Asn Ala Leu Gln Glu Val Gln Leu Lys Glu Thr Ile Glu Asp Leu Pro
 1105 1110 1115 1120
 Gly Lys Met Asp Thr Glu Leu Ala Glu Ser Gly Ser Asn Phe Ser Val
 1125 1130 1135
 Gly Gln Arg Gln Leu Val Cys Leu Ala Arg Ala Ile Leu Arg Lys Asn
 1140 1145 1150
 Gln Ile Leu Ile Ile Asp Glu Ala Thr Ala Asn Val Asp Pro Arg Thr
 1155 1160 1165
 Asp Glu Leu Ile Gln Lys Lys Ile Arg Glu Lys Phe Ala His Cys Thr
 1170 1175 1180
 Val Leu Thr Ile Ala His Arg Leu Asn Thr Ile Ile Asp Ser Asp Lys
 1185 1190 1195 1200
 Ile Met Val Leu Asp Ser Gly Arg Leu Lys Glu Tyr Asp Glu Pro Tyr
 1205 1210 1215
 Val Leu Leu Gln Asn Lys Glu Ser Leu Phe Tyr Lys Met Val Gln Gln
 1220 1225 1230
 Leu Gly Lys Ala Glu Ala Ala Ala Leu Thr Glu Thr Ala Lys Gln Arg
 1235 1240 1245
 Trp Gly Phe Thr Met Leu Ala Arg Leu Val Ser Asn Ser
 1250 1255 1260

<210> 539

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 539

Cys Leu Ser His Ser Val Ala Val Val Thr
1 5 10

<210> 540

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 540

Ala Val Val Thr Ala Ser Ala Ala Leu
1 5

<210> 541

<211> 14

<212> PRT

<213> Homo sapiens

<400> 541

Leu Ala Gly Leu Leu Cys Pro Asp Pro Arg Pro Leu Glu Leu
5 10

<210> 542

<211> 15

<212> PRT

<213> Homo sapiens

<400> 542

Thr Gln Val Val Phe Asp Lys Ser Asp Leu Ala Lys Tyr Ser Ala
5 10 15

<210> 543

<211> 12

<212> PRT

<213> Homo sapiens

<400> 543

Phe Met Gly Ser Ile Val Gln Leu Ser Gln Ser Val
5 10

<210> 544

<211> 18

<212> PRT

<213> Homo sapiens

<400> 544

Thr Tyr Val Pro Pro Leu Leu Leu Glu Val Gly Val Glu Glu Lys Phe

199

5

10

15

Met Thr

<210> 545

<211> 18

<212> PRT

<213> Homo sapiens

<400> 545

Met Asp Arg Leu Val Gln Arg Phe Gly Thr Arg Ala Val Tyr Leu Ala
5 10 15

Ser Val

<210> 546

<211> 29

<212> PRT

<213> Homo sapiens

<400> 546

Phe Val Gly Glu Gly Leu Tyr Gln Gly Val Pro Arg Ala Glu Pro Gly
5 10 15Thr Glu Ala Arg Arg His Tyr Asp Glu Gly Val Arg Met
20 25

<210> 547

<211> 58

<212> PRT

<213> Homo sapiens

<400> 547

Val Ala Glu Glu Ala Ala Leu Gly Pro Thr Glu Pro Ala Glu Gly Leu
5 10 15Ser Ala Pro Ser Leu Ser Pro His Cys Cys Pro Cys Arg Ala Arg Leu
20 25 30Ala Phe Arg Asn Leu Gly Ala Leu Leu Pro Arg Leu His Gln Leu Cys
35 40 45Cys Arg Met Pro Arg Thr Leu Arg Arg Leu
50 55

<210> 548

<211> 18

<212> PRT

<213> Homo sapiens

<400> 548

Ile Asp Trp Asp Thr Ser Ala Leu Ala Pro Tyr Leu Gly Thr Gln Glu

200

5

10

15

Glu Cys

<210> 549

<211> 18

<212> PRT

<213> Homo sapiens

<400> 549

Leu Glu Ala Leu Leu Ser Asp Leu Phe Arg Asp Pro Asp His Cys Arg

5

10

15

Gln Ala

<210> 550

<211> 14

<212> PRT

<213> Homo sapiens

<400> 550

Ser Asp His Trp Arg Gly Arg Tyr Gly Arg Arg Arg Pro Phe

5

10

<210> 551

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 551

Phe Asp Lys Ser Asp Leu Ala Lys Tyr Ser Ala

1

5

10